

APPENDIX E: NETWORK ANALYSIS SCORING RESULTS FOR ALL CORRIDORS



NETWORK ANALYSIS SCORING RESULTS FOR ALL CORRIDORS BY TOTAL SCORE



NETWORK ANALYSIS SCORING RESULTS FOR ALL CORRIDORS: SORTED BY TOTAL SCORE

Table Description: This table summarizes the vulnerability of each corridor to shocks or stressors and the criticality of each corridor.

How Corridors are Ordered: By descending *Total Score* . Then by descending *Critical Score* . Then alphabetically by *Road Name* .

Scores:

Vulnerable Score = 2*# of Shocks or Stressors with Severe Impact + 1*# of Shocks or Stressors with Minimal Impact

Vulnerable Population Score = 2, if the corridor serves a Most Vulnerable Population. Vulnerable Population Score = 1, if the corridor serves a Vulnerable Population

Critical Score = 2*(Most Critical Function + Most Critical Local Asset) + 1*(Critical Function + Critical Local Asset) + 1*(Critical Regional Asset)

Total Score = Vulnerable Score + (Vulnerable Population Score if Vulnerable Score > 0) * Critical Score

Shocks or Stressors: Flooding (Flood), Sea Level Rise (SLR), Storm Surge, Fire, Shoreline Erosion (Shrl. Erosn.). Severe Impact (Sev. Imp.) has >0.25 mi of the corridor impacted. Minimal Impact (Min. Imp.) has >0 mi but <0.25 mi of the corridor impacted.

Notes: The *For What is the Corridor Vulnerable* columns report the summarized extent of impact to the corridor by each shock or stressor. The *How Much of the Corridor is Vulnerable* columns report the portion of the corridor that is impacted by each shock or stressor. % *Vuln.* reports the portion of the corridor that is vulnerable to at least 1 shock or stressor. Some shocks or stressors have overlapping impacts so this number may be less than the sum of the impacts of each shock or stressor. See methodology document for further information on each criteria.

Corridors with "How Much of the Corridor is Vulnerable?" marked with an asterisk (*) had feedback provided from Task Force members that indicated the corridor is impacted by the noted shock or stressor. These corridors are recorded as being "Severely Impacted" by the noted shock or stressor. The Vulnerable Score and Total Score are adjusted accordingly.

The City Name and Area columns are intended to be used to locate the relative position of the corridor. They do not indicate the maintaining agency of the corridor.

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
60	SR 520 (MERRITT ISLAND CSWY)	SR 520 (HUBERT HUMPHREY CSWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	2.3	8	2	5	50	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	75%	19%	47%	26%	0%	28%	Most Vuln.	Most Crit.	Most Crit.	Yes
218	US 192 (STRAWBRIDGE AVE/MELBOURNE CSWY)	NEW HAVEN AVE - SR A1A (MIRAMAR AVE)	BARRIER ISLANDS	UNINCORPORATED	2.2	8	1	5	45	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	85%	26%	51%	39%	0%	55%	Vuln.	Most Crit.	Most Crit.	Yes
197	SR 518 (EAU GALLIE BLVD)	MONTREAL AVE - SR A1A	BARRIER ISLANDS	MELBOURNE	2.6	8	-	5	40	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	86%	25%	55%	45%	0%	35%	-	Most Crit.	Most Crit.	Yes
217	SR 520 (COCOA BEACH CSWY)	MILFORD POINT DR/BANANA RIVER DR - SR A1A (ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	3.3	8	-	5	40	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	100%	41%	84%	82%	0%	81%	-	Most Crit.	Most Crit.	Yes
5023	SR 520 (MERRITT ISLAND CSWY)	SYKES CREEK PKWY - BANANA RIVER DR	BARRIER ISLANDS	UNINCORPORATED	1.3	7	-	5	35	Min. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	100%	5%	89%	52%	0%	40%	-	Most Crit.	Most Crit.	Yes
202	SR 404 (PINEDA CSWY)	US 1 - SR A1A (ATLANTIC AVE)	BARRIER ISLANDS	UNINCORPORATED	3.9	8	-	4	32	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	82%	19%	37%	34%	0%	42%	-	Most Crit.	Crit.	Yes
33	SR 406 (A MAX BREWER MEMORIAL PKWY)	US 1 (WASHINGTON AVE) - SR 406 (A MAX BREWER MEMORIAL PKWY)	BARRIER ISLANDS	TITUSVILLE	1.2	8	-	4	32	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	100%	30%	69%	27%	0%	55%	-	Crit.	Most Crit.	Yes
3010	SR 528 (BENNETT CSWY)	US 1 (COCOA BLVD) - SR 3 (COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	2.9	8	-	4	32	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	74%	12%	32%	49%	7%	44%	-	Most Crit.	Crit.	Yes
1010	SR 528 (INDIAN RIVER LAGOON SCENIC HWY)	SR 3 (COURTENAY PKWY) - SR A1A (ASTRONAUT BLVD)	BARRIER ISLANDS	UNINCORPORATED	4.7	8	-	4	32	Min. Imp	Sev. Imp	Sev. Imp	Min. Imp	Sev. Imp	89%	5%	68%	64%	48%	32%	-	Most Crit.	Crit.	Yes
210	SR A1A (ATLANTIC AVE)	SR 404 (PINEDA CSWY) - S END OF ONE WAY PAIRS	BARRIER ISLANDS	UNINCORPORATED	4.9	8	-	4	32	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	86%	62%	52%	10%	0%	19%	-	Most Crit.	Crit.	Yes
207	SR A1A (ATLANTIC ST)	INDIAN RIVER CO - OAK ST	BARRIER ISLANDS	UNINCORPORATED	14.3	8	-	4	32	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	22%	3%	9%	19%	0%	3%	-	Most Crit.	Most Crit.	-
178	US 1	INDIAN RIVER CO - VALKARIA RD	SOUTH	MALABAR	8.2	7	1	4	32	No Imp.	Sev. Imp	Sev. Imp	Min. Imp	Sev. Imp	100%	0%	61%	65%	21%	80%	Vuln.	Most Crit.	Most Crit.	-
95	SR 520 (WILLARD ST)	SR 520 (HUBERT HUMPHREY CSWY) - US 1 (COCOA BLVD)	CENTRAL	COCOA	0.6	4	2	5	30	Min. Imp	Min. Imp	Min. Imp	No Imp.	Min. Imp	54%	27%	37%	35%	0%	35%	Most Vuln.	Most Crit.	Most Crit.	Yes
18	SR 405 (NASA PKWY)	US 1 - SPACE COMMERCE WAY	BARRIER ISLANDS	UNINCORPORATED	5.9	10	-	3	30	Sev. Imp	Sev. Imp	Sev. Imp	Sev. Imp	Sev. Imp	97%	7%	77%	73%	62%	36%	-	Most Crit.	-	Yes
5034	US 1	SR 404 (PINEDA CSWY) - SUNTREE BLVD	CENTRAL	UNINCORPORATED	1.8	6	1	4	28	Min. Imp	Sev. Imp	Min. Imp	No Imp.	Sev. Imp	36%	2%	16%	6%	0%	28%	Vuln.	Most Crit.	Most Crit.	-
94	SR 520 (KING ST)	US 1 (COCOA BLVD) - RIVEREDGE BLVD	CENTRAL	COCOA	0.5	3	2	5	25	Min. Imp	Min. Imp	Min. Imp	No Imp.	No Imp.	26%	2%	26%	23%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
215	SR AIA (ASTRONAUT BLVD)	N ATLANTIC AVE - GEORGE J KING BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.3	4	1	5	25	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	83%	0%	83%	83%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
1000	I-95	ST JOHNS HERITAGE PKWY - SR 514 (MALABAR RD)	SOUTH	GRANT VALKARIA	7.5	4	2	4	24	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	66%	26%	0%	0%	63%	0%	Most Vuln.	Most Crit.	Most Crit.	-
2051	SR 3 (COURTENAY PKWY)	TROPICAL TR - SPACE COMMERCE WAY	BARRIER ISLANDS	UNINCORPORATED	3.3	6	-	4	24	No Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	0%	100%	30%	95%	0%	-	Most Crit.	Crit.	Yes
209	SR AIA	SR 518 (EAU GALLIE BLVD) - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	SATELLITE BEACH	5.2	4	2	4	24	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	9%	5%	9%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
181	US 1 (HARBOR CITY BLVD)	US 192 (STRAWBRIDGE AVE) - SARNO RD	SOUTH	MELBOURNE	3.5	4	2	4	24	Min. Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	58%	1%	0%	1%	0%	58%	Most Vuln.	Most Crit.	Most Crit.	-
4033	INDIAN RIVER DR	CITY POINT RD - US 1	NORTH	COCOA	3.1	8	-	3	24	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	94%	43%	69%	28%	0%	90%	-	Crit.	Most Crit.	-
64	SYKES CREEK PKWY	MERRITT AVE - N BANANA RIVER DR	BARRIER ISLANDS	UNINCORPORATED	1.5	8	-	3	24	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	4%	88%	81%	93%	46%	-	Crit.	Most Crit.	-
102	US 1	SUNTREE BLVD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.4	7	1	3	24	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	70%	3%	69%	53%	0%	17%	Vuln.	Most Crit.	Crit.	-
349	PINEAPPLE AVE	SR 518 (EB EAU GALLIE BLVD) - PKWY DR	SOUTH	MELBOURNE	2.1	5	2	3	21	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	46%	0%	17%	1%	0%	34%	Most Vuln.	Crit.	Most Crit.	-
125	SR 518 (EAU GALLIE BLVD) (EB ONLY)	US 1 (HARBOR CITY BLVD) - CAUSEWAY	SOUTH	MELBOURNE	0.5	3	1	5	20	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	44%	0%	34%	40%	0%	33%	Vuln.	Most Crit.	Most Crit.	Yes
213	SR A1A (ATLANTIC AVE)	N END OF ONE WAY PAIRS - SR 520 (COCOA BEACH CSWY)	BARRIER ISLANDS	COCOA BEACH	2.2	4	-	5	20	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	65%	0%	65%	25%	0%	0%	-	Most Crit.	Most Crit.	Yes
214	SR AIA (JF KENNEDY BLVD)	SR 520 (COCOA BEACH CSWY) - N ATLANTIC AVE	BARRIER ISLANDS	COCOA BEACH	2.1	3	1	5	20	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	19%	0%	19%	10%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
212	SR AIA (ORLANDO AVE) (SB ONLY)	N END OF ONE WAY PAIRS - S END OF ONE WAY PAIRS	BARRIER ISLANDS	COCOA BEACH	3.0	4	-	5	20	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	53%	0%	0%	-	Most Crit.	Most Crit.	Yes
5003	I-95	SR 404 (PINEDA CSWY) - WICKHAM RD	CENTRAL	UNINCORPORATED	2.7	3	2	4	20	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	41%	10%	0%	0%	31%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5020	SR 3 (COURTENAY PKWY)	SR 528 (BENNETT CSWY) - HALL RD	BARRIER ISLANDS	UNINCORPORATED	1.9	5	-	4	20	Min. Imp.	Sev. Imp.	No Imp.	Min. Imp.	Min. Imp.	59%	2%	38%	0%	40%	6%	-	Most Crit.	Crit.	Yes
51	SR 3 (N COURTENAY PKWY)	HALL RD - N TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	2.7	5	-	4	20	No Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	No Imp.	100%	0%	100%	5%	100%	0%	-	Most Crit.	Crit.	Yes
4030	INDIAN RIVER DR	SR 520 (KING ST) - DIXON BLVD	CENTRAL	COCOA	1.9	8	2	2	20	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	99%	13%	26%	13%	0%	97%	Most Vuln.	-	Most Crit.	-
57	S TROPICAL TR	SR 513 (S PATRICK DR) - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	INDIAN HARBOUR BEACH	5.0	8	2	2	20	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	95%	34%	77%	73%	0%	83%	Most Vuln.	-	Most Crit.	-
59	SPACE COMMERCE WAY	KENNEDY PKWY - SR 405 (NASA CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.7	6	-	3	18	No Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	0%	99%	80%	100%	0%	-	Most Crit.	-	Yes
383	SR 406 (A MAX BREWER MEMORIAL PKWY)	A MAX BREWER MEMORIAL PKWY - KENNEDY PKWY	BARRIER ISLANDS	TITUSVILLE	6.0	9	-	2	18	Min. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	100%	2%	100%	98%	91%	9%	-	Crit.	-	Yes
345	NEW HAVEN AVE	US 192 (NEW HAVEN AVE)/FRANKLIN ST - US 192 (STRAWBRIDGE AVE)	SOUTH	UNINCORPORATED	1.1	3	1	4	16	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	15%	9%	15%	12%	0%	0%	Vuln.	Crit.	Most Crit.	Yes
165	SR 404 (PINEDA CSWY)	LAKE ANDREW DR - WICKHAM RD	SOUTH	UNINCORPORATED	3.2	3	1	4	16	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	57%	0%	0%	82%	0%	Vuln.	Most Crit.	Crit.	Yes
1009	SR 528 (BEACHLINE EXPWY)	I-95 - US 1 (COCOA BLVD)	CENTRAL	COCOA	4.2	3	1	4	16	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	41%	11%	0%	0%	37%	0%	Vuln.	Most Crit.	Crit.	Yes
39	US 1	MARINA RD - DAIRY RD	NORTH	TITUSVILLE	2.3	3	1	4	16	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	7%	0%	3%	3%	0%	6%	Vuln.	Most Crit.	Most Crit.	-
182	US 1 (HARBOR CITY BLVD)	SARNO RD - PKWY DR	SOUTH	MELBOURNE	2.6	2	2	4	16	No Imp.	No Imp.	Min. Imp.	No Imp.	Min. Imp.	8%	0%	0%	1%	0%	8%	Most Vuln.	Most Crit.	Most Crit.	-
37	US 1 (WASHINGTON AVE)	GRACE ST - MARINA RD	NORTH	TITUSVILLE	1.2	4	-	4	16	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	32%	0%	32%	22%	0%	0%	-	Most Crit.	Most Crit.	-
192	WICKHAM RD	SR 404 (PINEDA CSWY) - MURRELL RD	CENTRAL	UNINCORPORATED	4.1	2	2	4	16	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	24%	24%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
344	MELBOURNE AVE	SR 507 (BABCOCK ST) - FRONT ST	SOUTH	MELBOURNE	1.3	6	2	2	16	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	27%	15%	21%	16%	0%	25%	Most Vuln.	Crit.	Crit.	-
373	RIVERSIDE DR	SR A1A (OAK ST) - US 192 (5TH AVE)	BARRIER ISLANDS	INDIALANTIC	2.0	8	-	2	16	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	95%	27%	95%	77%	0%	21%	-	-	Most Crit.	-
204	RIVERSIDE DR	US 192 (FIFTH AVE) - SR 518 (EAU GALLIE BLVD)	BARRIER ISLANDS	INDIALANTIC	3.8	7	1	2	16	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	6%	100%	48%	0%	7%	Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
206	SR 513 (S PATRICK DR)	BANANA RIVER DR - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	SATELLITE BEACH	4.4	6	2	2	16	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	13%	99%	99%	0%	0%	Most Vuln.	-	Most Crit.	-
2178	US 1	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	8	-	2	16	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	1%	26%	25%	84%	56%	-	Most Crit.	-	-
126	SR 518 (EAU GALLIE BLVD) (WB ONLY)	CAUSEWAY - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	0.5	3	-	5	15	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	47%	0%	37%	41%	0%	38%	-	Most Crit.	Most Crit.	Yes
93	SR 520 (KING ST)	I-95 - SR 501 (CLEARLAKE RD)	CENTRAL	UNINCORPORATED	2.5	1	2	5	15	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	11%	0%	0%	0%	11%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
186	US 192 (NEW HAVEN AVE)	BABCOCK ST - NEW HAVEN AVE	SOUTH	UNINCORPORATED	1.3	2	1	5	15	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	1%	0%	0%	1%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
43	FORTENBERRY RD	S COURTENAY PKWY - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	1.1	5	-	3	15	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	95%	15%	95%	57%	0%	0%	-	Crit.	Most Crit.	-
62	SYKES CREEK PKWY	FORTENBERRY RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.4	5	-	3	15	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	9%	100%	100%	0%	0%	-	Crit.	Most Crit.	-
63	SYKES CREEK PKWY	SR 520 (MERRITT ISLAND CSWY) - MERRITT AVE	BARRIER ISLANDS	UNINCORPORATED	0.3	5	-	3	15	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Min. Imp.	100%	0%	100%	100%	0%	10%	-	Crit.	Most Crit.	-
2182	US 1	PKWY DR - SR 404 (PINEDA CSWY)	SOUTH	MELBOURNE	3.5	3	2	3	15	No Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	40%	0%	0%	2%	0%	40%	Most Vuln.	Most Crit.	Crit.	-
180	US 1 (DIXIE HWY)	RJ CONLAN BLVD - US 192 (STRAWBRIDGE AVE)	SOUTH	MELBOURNE	2.0	4	1	3	15	Min. Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	20%	2%	0%	1%	0%	20%	Vuln.	Most Crit.	Crit.	-
203	RIDGEWOOD AVE	YOUNG AVE - CENTRAL BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.9	6	1	2	14	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	51%	100%	56%	0%	0%	Vuln.	-	Most Crit.	-
58	S TROPICAL TR	S COURTENAY PKWY - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	5.6	7	-	2	14	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	67%	0%	45%	27%	0%	33%	-	-	Most Crit.	-
179	US 1 (DIXIE HWY)	MALABAR RD - RJ CONLAN BLVD	SOUTH	MALABAR	3.8	6	1	2	14	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	82%	0%	12%	11%	0%	79%	Vuln.	Most Crit.	-	-
156	MICCO RD	ST JOHNS HERITAGE PKWY - US 1	SOUTH	UNINCORPORATED	5.1	3	-	4	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	38%	10%	0%	0%	28%	0%	-	Most Crit.	Most Crit.	-
158	MINTON RD	EMERSON DR - US 192 (NEW HAVEN AVE)	SOUTH	UNINCORPORATED	3.2	2	1	4	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	*	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
5011	SR 46	I-95 - US 1	NORTH	UNINCORPORATED	1.5	3	-	4	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	33%	0%	0%	90%	0%	-	Most Crit.	Most Crit.	-
124	SR 518 (EAU GALLIE BLVD)	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.5	1	2	4	12	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
1011	SR A1A (BENNETT CSWY)	SR 528 (BEACHLINE EXPWY) - GEORGE J KING BLVD	BARRIER ISLANDS	UNINCORPORATED	0.7	3	-	4	12	No Imp.	No Imp.	Sev. Imp.	No Imp.	Min. Imp.	88%	0%	0%	88%	0%	2%	-	Most Crit.	Crit.	Yes
38	US 1 (HOPKINS AVE)	MARINA RD - GRACE ST	NORTH	TITUSVILLE	1.2	3	-	4	12	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	24%	0%	24%	14%	0%	0%	-	Most Crit.	Most Crit.	-
193	WICKHAM RD	LAKE ANDREW DR - MURRELL RD	CENTRAL	UNINCORPORATED	0.8	1	2	4	12	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
1003	I-95	SR 518 (EAU GALLIE BLVD) - PINEDA CSWY	SOUTH	UNINCORPORATED	5.0	3	1	3	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	70%	13%	0%	0%	60%	0%	Vuln.	Most Crit.	Crit.	-
5033	MURRELL RD	VIERA BLVD - BARNES BLVD	CENTRAL	ROCKLEDGE	2.1	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	38%	38%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2085	MURRELL RD	WICKHAM RD - VIERA BLVD	CENTRAL	ROCKLEDGE	2.5	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	28%	28%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
26	SR 50 (CHENEY HWY)	ORANGE CO - I-95	NORTH	TITUSVILLE	5.2	4	-	3	12	Min. Imp.	Min. Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	-
191	WICKHAM RD	PKWY DR - SR 404 (PINEDA CSWY)	SOUTH	MELBOURNE	3.0	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	16%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
369	MINUTEMEN CSWY	TOM WARRINER BLVD - SR A1A (S ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	1.5	6	-	2	12	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	99%	0%	99%	81%	0%	53%	-	-	Most Crit.	-
201	OCEAN BEACH BLVD	WAKULLA LN - YOUNG AVE	BARRIER ISLANDS	COCOA BEACH	1.3	6	-	2	12	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	81%	52%	81%	26%	0%	0%	-	-	Most Crit.	-
4029	ROCKLEDGE DR	BOUGAINVILLEA DR - SR 520 (KING ST)	CENTRAL	COCOA	1.0	5	1	2	12	Min. Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	74%	2%	71%	0%	0%	70%	Vuln.	-	Most Crit.	-
55	S COURTENAY PKWY	S TROPICAL TR - CONE RD	BARRIER ISLANDS	UNINCORPORATED	4.5	6	-	2	12	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	98%	7%	98%	77%	0%	0%	-	-	Most Crit.	-
36	US 1	SR 50 (CHENEY HWY) - GRACE ST	NORTH	TITUSVILLE	3.0	4	2	2	12	No Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	58%	0%	25%	0%	0%	48%	Most Vuln.	Most Crit.	-	-
378	WASHINGTON AVE	N ATLANTIC AVE - RIDGEWOOD AVE	BARRIER ISLANDS	CAPE CANAVERAL	0.5	5	1	2	12	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	83%	7%	83%	65%	0%	0%	Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
2028	SR 405 (COLUMBIA BLVD)	SR 50 (CHENEY HWY) - SR 407 (CHALLENGER MEMORIAL PKWY)	NORTH	TITUSVILLE	2.4	2	-	5	10	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	93%	2%	0%	0%	93%	0%	-	Most Crit.	Most Crit.	Yes
363	BANANA RIVER BLVD	ST LUCIE LN - SR 520 (COCOA BEACH CAUSEWAY)	BARRIER ISLANDS	COCOA BEACH	0.3	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	10%	100%	100%	0%	0%	-	-	Most Crit.	-
1	BARNA AVE	SR 405 (COLUMBIA BLVD) - PARK AVE	NORTH	TITUSVILLE	4.8	3	2	2	10	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	28%	*	0%	0%	28%	0%	Most Vuln.	-	Most Crit.	-
364	BREVARD AVE	SR A1A (ORLANDO AVE) - 4TH ST	BARRIER ISLANDS	COCOA BEACH	2.0	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	10%	100%	67%	0%	0%	-	-	Most Crit.	-
365	CASSIA BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	1.0	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	78%	12%	78%	55%	0%	0%	-	-	Most Crit.	-
47	MERRITT AVE	SR 3 (N COURTENAY PKWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	0.9	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	88%	13%	88%	56%	0%	0%	-	-	Most Crit.	-
5022	PLUMOSA ST	SR 520 (MERRITT ISLAND CSWY) - MERRITT AVE	BARRIER ISLANDS	UNINCORPORATED	0.3	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	42%	100%	100%	0%	0%	-	-	Most Crit.	-
4028	ROCKLEDGE DR	PARK AVE - BOUGAINVILLEA DR	CENTRAL	ROCKLEDGE	1.7	5	-	2	10	Min. Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	100%	1%	60%	0%	0%	100%	-	-	Most Crit.	-
2034	SR 407 (CHALLENGER MEMORIAL PKWY)	SR 528 (BEACHLINE EXPWY) - I-95	NORTH	TITUSVILLE	4.3	3	2	2	10	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	1%	0%	0%	100%	0%	Most Vuln.	Most Crit.	-	-
1008	SR 528 (BEACHLINE EXPWY)	ORANGE CO - I-95	NORTH	UNINCORPORATED	5.9	3	2	2	10	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	96%	1%	0%	0%	96%	0%	Most Vuln.	Most Crit.	-	-
2036	US 1	SR 405 (NASA CSWY/COLUMBIA BLVD) - SR 50 (CHENEY HWY)	NORTH	TITUSVILLE	2.1	5	-	2	10	No Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	Min. Imp.	61%	0%	24%	1%	37%	5%	-	Most Crit.	-	-
115	BABCOCK ST	GRANT RD - WACO BLVD	SOUTH	MALABAR	2.9	3	-	3	9	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	48%	19%	0%	0%	48%	0%	-	Most Crit.	Crit.	-
1017	BURNETT RD	RANGE RD - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	1.2	2	1	3	9	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	60%	3%	0%	0%	60%	0%	Vuln.	Crit.	Most Crit.	-
327	COUNTRY CLUB RD	UNIVERSITY BLVD - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.0	1	2	3	9	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5005	I-95	VIERA BLVD - SR 519 (FISKE BLVD)	CENTRAL	UNINCORPORATED	2.0	1	2	3	9	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	0%	0%	0%	24%	0%	Most Vuln.	Most Crit.	Crit.	-
82	LAKE ANDREW DR	WICKHAM RD - JUDGE F JAMIESON WY	CENTRAL	UNINCORPORATED	1.3	1	2	3	9	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	16%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
22	SINGLETON AVE	SR 405 (SOUTH ST) - DAIRY RD	NORTH	TITUSVILLE	2.7	3	-	3	9	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	12%	0%	0%	13%	0%	-	Crit.	Most Crit.	-
74	SR 519 (FISKE BLVD)	I-95 - BARTON BLVD	CENTRAL	ROCKLEDGE	2.6	1	2	3	9	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	0%	0%	0%	44%	0%	Most Vuln.	Crit.	Most Crit.	-
5021	SR 3 (COURTENAY PKWY)	SR 520 (MERRITT ISLAND CSWY) - LUCAS RD	BARRIER ISLANDS	UNINCORPORATED	1.3	2	-	4	8	No Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	42%	0%	42%	0%	0%	0%	-	Most Crit.	Most Crit.	-
5037	SR 404 (PINEDA CSWY)	WICKHAM RD - US 1	CENTRAL	UNINCORPORATED	0.7	2	-	4	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	44%	44%	0%	0%	0%	0%	-	Most Crit.	Crit.	Yes
5015	SR 50 (CHENEY HWY)	SR 405 (COLUMBIA BLVD) - BARNA AVE	NORTH	TITUSVILLE	1.6	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	52%	4%	0%	0%	51%	0%	-	Most Crit.	Most Crit.	-
155	SR 514 (MALABAR RD)	BABCOCK ST - US 1	SOUTH	MALABAR	3.6	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	52%	4%	0%	0%	49%	0%	-	Most Crit.	Most Crit.	-
123	SR 518 (EAU GALLIE BLVD)	I-95 - WICKHAM RD	SOUTH	MELBOURNE	2.4	2	-	4	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	13%	0%	0%	4%	0%	-	Most Crit.	Most Crit.	-
103	US 1 (ROCKLEDGE BLVD)	BARNES BLVD - BARTON BLVD	CENTRAL	ROCKLEDGE	2.9	1	1	4	8	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
40	US 1 (WASHINGTON AVE)	SR 46 (MAIN ST) - VOLUSIA CO	NORTH	UNINCORPORATED	9.0	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	47%	2%	0%	0%	46%	0%	-	Most Crit.	Most Crit.	-
111	APOLLO BLVD	SARNO RD - SR 518 (EAU GALLIE BLVD)	SOUTH	MELBOURNE	0.9	3	1	2	8	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	14%	11%	8%	7%	0%	0%	Vuln.	-	Most Crit.	-
196	CENTRAL BLVD	SR A1A (ASTRONAUT BLVD) - RIDGEWOOD AVE	BARRIER ISLANDS	CAPE CANAVERAL	1.0	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	89%	0%	89%	66%	0%	0%	-	Crit.	Crit.	-
41	CONE RD	S TROPICAL TR - KEMP ST	BARRIER ISLANDS	UNINCORPORATED	0.9	4	-	2	8	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	83%	8%	83%	8%	0%	0%	-	-	Most Crit.	-
335	FRONT ST	MELBOURNE AVE - NEW HAVEN AVE	SOUTH	MELBOURNE	0.1	3	1	2	8	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	100%	100%	100%	100%	0%	0%	Vuln.	Crit.	Crit.	-
3000	I-95	INDIAN RIVER CO - ST JOHNS HERITAGE PKWY	SOUTH	PALM BAY	5.8	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	48%	0%	0%	100%	0%	-	Most Crit.	-	-
5010	I-95	SR 46 - DEERING PKWY	NORTH	UNINCORPORATED	7.6	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	85%	33%	0%	0%	80%	0%	-	Most Crit.	-	-
3003	I-95	SR 519 (FISKE BLVD) - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	5.7	2	2	2	8	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	99%	0%	0%	0%	99%	0%	Most Vuln.	Most Crit.	-	-
147	LAKE ANDREW DR	PINEDA CSWY - WICKHAM RD	CENTRAL	UNINCORPORATED	2.8	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	32%	32%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
2156	MICCO RD	BABCOCK ST - ST JOHNS HERITAGE PKWY	SOUTH	UNINCORPORATED	2.6	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	13%	0%	0%	100%	0%	-	Most Crit.	-	-
52	N TROPICAL TR	LUCAS RD - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	2.3	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	62%	0%	62%	37%	0%	0%	-	-	Most Crit.	-
200	OAK ST	SR A1A (ATLANTIC ST) - SR A1A (OCEAN AVE)	BARRIER ISLANDS	MELBOURNE BEACH	1.6	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	48%	0%	48%	47%	0%	0%	-	-	Most Crit.	-
347	PACE DR	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	1	2	8	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	40%	10%	0%	0%	40%	0%	Vuln.	Crit.	Crit.	-
372	PINE TREE DR/BANANA RIVER DR	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	INDIAN HARBOUR BEACH	0.9	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	72%	0%	72%	34%	0%	0%	-	-	Most Crit.	-
54	PLUMOSA ST	CONE RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.7	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	40%	0%	0%	-	-	Most Crit.	-
174	SAN FILIPPO DR	WYOMING DR - MALARBAR RD	SOUTH	PALM BAY	3.3	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	15%	15%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
91	SPYGLASS HILL RD	MURRELL RD - PINEHURST AVE	CENTRAL	UNINCORPORATED	1.6	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	45%	45%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
30	SR 405 (SOUTH ST)	SINGLETON AVE - US 1	NORTH	TITUSVILLE	2.0	3	1	2	8	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	19%	*	0%	0%	19%	0%	Vuln.	-	Most Crit.	-
29	SR 405 (SOUTH ST)	SR 50 (CHENEY HWY) - FOX LAKE RD	NORTH	TITUSVILLE	2.1	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	*	0%	0%	100%	0%	-	Crit.	Crit.	-
24	SR 46	VOLUSIA CO - FAWN LAKE BLVD	NORTH	UNINCORPORATED	4.5	4	-	2	8	Min. Imp.	Min. Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	-	-
205	SR 513 (S PATRICK DR)	SR 518 (EAU GALLIE BLVD) - BANANA RIVER DR	BARRIER ISLANDS	INDIAN HARBOUR BEACH	0.9	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	100%	0%	0%	-	-	Most Crit.	-
2092	SR 520 (KING ST)	ORANGE CO - SR 524	CENTRAL	UNINCORPORATED	2.9	3	1	2	8	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	Vuln.	Most Crit.	-	-
2108	VIERA BLVD	MURRELL RD - US 1	CENTRAL	UNINCORPORATED	1.9	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	30%	30%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
5025	N BANANA RIVER DR	SR 520 (MERRITT ISLAND CSWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	1.0	8	-	1	8	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	100%	92%	100%	100%	27%	13%	-	Crit.	-	-
53	N TROPICAL TR	GRANT RD - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	4.9	7	-	1	7	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	67%	3%	67%	35%	63%	1%	-	-	Crit.	-
66	BARNES BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	21%	0%	0%	0%	21%	0%	Vuln.	Crit.	Most Crit.	-
366	COCOA BEACH CSWY	SR A1A (N ATLANTIC AVE) - OCEAN BEACH BLVD	BARRIER ISLANDS	COCOA BEACH	0.2	2	-	3	6	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	25%	0%	25%	25%	0%	0%	-	Crit.	Most Crit.	-
109	DR MARTIN LUTHER KING JR BLVD	US 192 (NEW HAVEN AVE) - APOLLO BLVD	SOUTH	MELBOURNE	1.5	1	1	3	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	13%	13%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
1005	I-95	SR 407 (CHALLENGER MEMORIAL PKWY) - SR 50 (CHENEY HWY)	NORTH	UNINCORPORATED	3.7	2	-	3	6	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	-
5009	I-95	SR 50 (CHENEY HWY) - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	4.4	2	-	3	6	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	98%	0%	0%	0%	98%	0%	-	Most Crit.	Crit.	-
34	SR 407 (CHALLENGER MEMORIALPKWY)	I-95 - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	2.5	2	-	3	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	86%	8%	0%	0%	84%	0%	-	Most Crit.	Crit.	-
97	SR 524	COX RD - SR 524 (INDUSTRY RD)	CENTRAL	COCOA	1.7	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	29%	0%	0%	0%	29%	0%	Vuln.	Most Crit.	Crit.	-
5035	STADIUM PKWY	VIERA BLVD - I-95	CENTRAL	UNINCORPORATED	1.9	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	75%	0%	0%	0%	75%	0%	Vuln.	Crit.	Most Crit.	-
194	WICKHAM RD	LAKE ANDREW DR - CHARLIE CORBEIL WY	CENTRAL	UNINCORPORATED	2.1	1	1	3	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
2114	BABCOCK ST	INDIAN RIVER CO - MICCO RD	SOUTH	GRANT VALKARIA	3.9	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	1%	0%	0%	100%	0%	-	Most Crit.	-	-
114	BABCOCK ST	MICCO RD - GRANT RD	SOUTH	GRANT VALKARIA	3.5	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	6%	0%	0%	100%	0%	-	Most Crit.	-	-
71	COX RD	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	1.8	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	46%	7%	0%	0%	46%	0%	Vuln.	-	Most Crit.	-
120	CROTON RD	LAKE WASHINGTON RD - POST RD	SOUTH	MELBOURNE	1.7	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
1007	I-95	DEERING PKWY - VOLUSIA CO	NORTH	UNINCORPORATED	1.4	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	39%	0%	0%	100%	0%	-	Most Crit.	-	-
1004	I-95	SR 524 - SR 528 (BEACHLINE EXPWY)	CENTRAL	UNINCORPORATED	2.8	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	57%	2%	0%	0%	57%	0%	Vuln.	Most Crit.	-	-
142	JOHN RODES BLVD	US 192 (NEW HAVEN AVE) - SR 518 (EAU GALLIE BLVD)	SOUTH	MELBOURNE	2.9	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	42%	*	0%	0%	42%	0%	-	Most Crit.	-	-
342	KNECHT RD	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	1.1	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	6%	6%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5036	LAKE ANDREW DR	JUDGE F JAMIESON PKWY - VIERA BLVD	CENTRAL	UNINCORPORATED	1.4	2	1	2	6	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	28%	28%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
81	LAKE DR	SR 520 (KING ST) - SR 501 (CLEARLAKE RD)	CENTRAL	UNINCORPORATED	1.9	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
148	LAKE WASHINGTON RD	LAKE WASHINGTON - WICKHAM RD	SOUTH	MELBOURNE	3.8	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	14%	0%	0%	52%	0%	-	-	Most Crit.	-
45	LUCAS RD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	2	6	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	45%	0%	45%	42%	0%	0%	-	-	Most Crit.	-
307	PARK AVE	SR 405 (SOUTH ST) - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	3.9	1	2	2	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	48%	0%	0%	0%	48%	0%	Most Vuln.	-	Most Crit.	-
92	SR 520 (KING ST)	SR 524 - I-95	CENTRAL	UNINCORPORATED	2.0	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	96%	6%	0%	0%	96%	0%	Vuln.	Most Crit.	-	-
2097	SR 524	I-95 - COX RD	CENTRAL	COCOA	1.3	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	78%	15%	0%	0%	78%	0%	Vuln.	Most Crit.	-	-
96	SR 524	SR 520 (KING ST) - I-95	CENTRAL	COCOA	1.7	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	78%	13%	0%	0%	78%	0%	Vuln.	Most Crit.	-	-
183	US 192	OSCEOLA CO - I-95	SOUTH	UNINCORPORATED	9.8	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	83%	2%	0%	0%	83%	0%	-	Most Crit.	-	-
187	VALKARIA RD	BABCOCK ST - US 1	SOUTH	GRANT VALKARIA	5.6	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	84%	8%	0%	0%	82%	0%	-	-	Most Crit.	-
149	MAIN ST	RIVERVIEW DR - US 1	SOUTH	UNINCORPORATED	0.4	6	-	1	6	Min. Imp.	Min. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	100%	15%	45%	78%	100%	48%	-	-	Crit.	-
1012	SR A1A (BENNETT CSWY) (NB OFF RAMP)	SR A1A (BENNETT CSWY) - SAMUEL C PHILLIPS PKWY	BARRIER ISLANDS	UNINCORPORATED	2.2	6	-	1	6	Min. Imp.	Min. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	63%	2%	4%	39%	0%	36%	-	-	-	Yes
211	SR AIA (ATLANTIC AVE) (NB ONLY)	S END OF ONE WAY PAIRS - N END OF ONE WAY PAIRS	BARRIER ISLANDS	COCOA BEACH	3.0	1	-	5	5	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	Yes
303	HARRISON ST	KNOX MCRAE DR - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	2.8	3	2	1	5	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	56%	16%	0%	0%	48%	0%	Most Vuln.	-	Crit.	-
5051	N TROPICAL TR	SR 520 (MERRITT ISLAND CSWY) - LUCAS RD	BARRIER ISLANDS	UNINCORPORATED	1.4	4	1	1	5	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	76%	0%	76%	25%	0%	0%	Vuln.	-	Crit.	-
172	ST ANDREWS BLVD	SR 404 (PINEDA CSWY) - WICKHAM RD	CENTRAL	UNINCORPORATED	3.2	3	2	1	5	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	26%	0%	0%	33%	0%	Most Vuln.	-	Crit.	-
50	SR 3 (N COURTENAY PKWY)	LUCAS RD - SR 528 (BENNETT CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.1	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	14%	0%	0%	0%	14%	0%	-	Most Crit.	Most Crit.	-
28	SR 405 (COLUMBIA BLVD)	SR 407 (CHALLENGER MEMORIAL PKWY) - US 1	NORTH	TITUSVILLE	1.8	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	15%	0%	0%	0%	15%	0%	-	Most Crit.	Crit.	Yes
5014	SR 50 (CHENEY HWY)	I-95 - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	0.3	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	Yes
2207	SR AIA (OAK ST)	OAK ST - US 192 (FIFTH AVE)	BARRIER ISLANDS	UNINCORPORATED	3.2	1	-	4	4	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	2%	0%	0%	0%	0%	2%	-	Most Crit.	Most Crit.	-
35	US 1 (WASHINGTON AVE)	FAY BLVD - SR 405 (NASA CSWY)	NORTH	UNINCORPORATED	3.7	1	-	4	4	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	8%	0%	0%	0%	6%	2%	-	Most Crit.	Crit.	Yes
5049	BABCOCK ST	WACO BLVD - SR 514 (MALABAR RD)	SOUTH	MALABAR	2.2	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	38%	38%	0%	0%	0%	0%	-	Most Crit.	-	-
42	CROCKETT BLVD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.9	2	-	2	4	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	21%	0%	21%	20%	0%	0%	-	-	Most Crit.	-
301	CURTIS BLVD	GRISSOM PKWY - FAY BLVD	NORTH	UNINCORPORATED	2.0	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	25%	25%	0%	0%	0%	0%	-	-	Most Crit.	-
330	EDDIE ALLEN RD	DR MARTIN LUTHER KING JR BLVD - NASA BLVD	SOUTH	MELBOURNE	0.6	1	1	2	4	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	29%	29%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
5008	I-95	PORT ST JOHN PKWY - SR 407 (CHALLENGER MEMORIAL PKWY)	NORTH	UNINCORPORATED	3.6	2	-	2	4	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	70%	0%	0%	0%	70%	0%	-	Most Crit.	-	-
5007	I-95	SR 528 (BEACHLINE EXPWY) - PORT ST JOHN PKWY	NORTH	UNINCORPORATED	2.9	2	-	2	4	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	91%	1%	0%	0%	91%	0%	-	Most Crit.	-	-
5038	POST RD	PINE CONE RD - WICKHAM RD	SOUTH	MELBOURNE	1.0	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	31%	31%	0%	0%	0%	0%	-	-	Most Crit.	-
376	ST LUCIE LANE	BANANA RIVER BLVD - SR A1A (N ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	0.2	2	-	2	4	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	90%	0%	90%	82%	0%	0%	-	-	Most Crit.	-
368	JACKSON AVE	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	0.8	4	-	1	4	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	94%	0%	94%	92%	0%	0%	-	-	Crit.	-
67	BARNES BLVD	MURRELL RD - US 1 (ROCKLEDGE DR)	CENTRAL	ROCKLEDGE	1.4	1	-	3	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
2022	SINGLETON AVE	DAIRY RD - SR 46 (MAIN ST)	NORTH	TITUSVILLE	2.0	1	-	3	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	0%	0%	0%	44%	0%	-	Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5018	US 1	CAMP RD - FAY BLVD	NORTH	UNINCORPORATED	2.2	1	-	3	3	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	8%	0%	0%	0%	0%	8%	-	Most Crit.	Crit.	-
112	AURORA RD	HARLOCK RD - WICKHAM RD	SOUTH	UNINCORPORATED	2.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	35%	16%	0%	0%	19%	0%	-	Crit.	-	-
3	CANAVERAL GROVES BLVD	PINE ST - GRISSOM PKWY	NORTH	UNINCORPORATED	2.8	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	75%	27%	0%	0%	70%	0%	-	-	Crit.	-
68	CLEARLAKE RD	PLUCKEBAUM RD - SR 520 (KING ST)	CENTRAL	COCOA	0.7	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	Most Vuln.	-	Crit.	-
325	COGAN DR	BABCOCK ST - BAYSIDE LAKES BLVD	SOUTH	PALM BAY	4.5	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	0%	0%	0%	94%	0%	Most Vuln.	-	Crit.	-
326	COREY RD	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	98%	22%	0%	0%	98%	0%	-	-	Crit.	-
121	DAIRY RD	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.5	1	2	1	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
128	ELLIS RD	I-95 - WICKHAM RD	SOUTH	MELBOURNE	2.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	25%	23%	0%	0%	21%	0%	-	-	-	Yes
131	EMERSON DR	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	43%	14%	0%	0%	43%	0%	-	Crit.	-	-
133	FLEMING GRANT RD	MAIN ST - MICCO RD	SOUTH	UNINCORPORATED	5.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	92%	33%	0%	0%	76%	0%	-	-	Crit.	-
141	INTERLACHEN RD	ST ANDREWS BLVD - WICKHAM RD	CENTRAL	UNINCORPORATED	1.7	2	1	1	3	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	26%	26%	0%	0%	0%	0%	Vuln.	-	Crit.	-
46	MERRITT AVE	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.4	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	100%	0%	100%	50%	0%	0%	-	-	Crit.	-
370	OCEAN BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	97%	0%	97%	37%	0%	0%	-	-	Crit.	-
371	PARADISE BLVD	RIVERSIDE DR - SR A1A	BARRIER ISLANDS	MELBOURNE	0.7	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	60%	0%	55%	16%	0%	0%	-	-	Crit.	-
87	PINEHURST AVE/HOLIDAY SPRINGS RD	WICKHAM RD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.5	2	1	1	3	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	44%	44%	0%	0%	0%	0%	Vuln.	-	Crit.	-
164	PARKWAY DR	WICKHAM RD - PINEAPPLE AVE	SOUTH	MELBOURNE	1.9	1	2	1	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
2174	SAN FILIPPO DR	ST ANDRE BLVD - WYOMING DR	SOUTH	PALM BAY	4.2	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	73%	0%	0%	0%	73%	0%	Most Vuln.	-	Crit.	-
374	SEA PARK BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	91%	0%	91%	38%	0%	0%	-	-	Crit.	-
5013	SR 405 (SOUTH ST)	FOX LAKE RD - SINGLETON AVE	NORTH	TITUSVILLE	1.3	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	*	0%	0%	100%	0%	-	Crit.	-	-
173	ST JOHNS HERITAGE PKWY	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	2.3	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	100%	0%	0%	99%	0%	-	-	Crit.	-
359	WEBER RD	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	57%	10%	0%	0%	54%	0%	-	-	Crit.	-
314	EYSTER BLVD	MURRELL RD - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	0.3	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	32%	32%	0%	0%	0%	0%	-	-	Most Crit.	-
8	FAY BLVD	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	2.3	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	2%	0%	0%	0%	0%	-	-	Most Crit.	-
198	GEORGE KING BLVD	SR A1A (BENNETT CSWY) - N ATLANTIC AVE	BARRIER ISLANDS	UNINCORPORATED	0.9	1	-	2	2	No Imp.	No Imp.	Min. Imp.	No Imp.	No Imp.	14%	0%	0%	14%	0%	0%	-	Crit.	Crit.	-
14	HOLDER RD	DAIRY RD - SR 46 (MAIN ST)	NORTH	UNINCORPORATED	2.1	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	49%	0%	0%	0%	49%	0%	-	Most Crit.	-	-
5002	I-95	ELLIS RD - SR 518 (EAU GALLE BLVD)	SOUTH	MELBOURNE	1.5	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	-	Most Crit.	-	-
1006	I-95	SR 406 (GARDEN ST) - SR 46	NORTH	UNINCORPORATED	3.6	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	0%	0%	0%	24%	0%	-	Most Crit.	-	-
1002	I-95	US 192 (NEW HAVEN AVE) - ELLIS RD	SOUTH	WEST MELBOURNE	1.3	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	-	Most Crit.	-	-
2145	JUPITER BLVD	EMERSON DR - SAN FILIPPO DR	SOUTH	PALM BAY	0.9	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	22%	22%	0%	0%	0%	0%	-	Crit.	Crit.	-
25	SR 46	FAWN LAKE BLVD - I-95	NORTH	UNINCORPORATED	1.4	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	97%	0%	0%	0%	97%	0%	-	Most Crit.	-	-
2102	US 1 (ROCKLEDGE DR)	VIERA BLVD - BARNES BLVD	CENTRAL	UNINCORPORATED	2.4	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	3%	3%	0%	0%	0%	0%	-	Most Crit.	-	-
5019	CANAVERAL GROVES BLVD	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	1.7	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	51%	51%	0%	0%	0%	0%	-	-	Crit.	-
389	CLEARMONT ST	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	1.4	1	1	1	2	No Imp.	No Imp.	Min. Imp.	No Imp.	No Imp.	7%	0%	0%	7%	0%	0%	Vuln.	-	Crit.	-
329	DE GROODT RD	ST ANDRE BLVD - BAYSIDE LAKES BLVD	SOUTH	PALM BAY	2.2	2	-	1	2	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	31%	4%	0%	0%	27%	0%	-	-	Crit.	-
12	GRISSOM PKWY	KINGS HWY - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	2.9	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	-	-	Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
11	GRISSOM PKWY	PORT ST JOHN PKWY - KINGS HWY	NORTH	UNINCORPORATED	2.5	2	-	1	2	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	26%	9%	0%	0%	22%	0%	-	-	Crit.	-
17	KINGS HWY	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	1.7	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	-	-	Crit.	-
166	PINEHURST AVE	WICKHAM RD - ST ANDREWS BLVD	CENTRAL	UNINCORPORATED	1.1	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	29%	29%	0%	0%	0%	0%	-	-	Crit.	-
2352	RIVIERA DR	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	0.7	1	1	1	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	24%	24%	0%	0%	0%	0%	Vuln.	-	Crit.	-
5024	S COURTENAY PKWY	CONE RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.7	2	-	1	2	No Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	64%	0%	64%	0%	0%	0%	-	-	Crit.	-
175	SUNTREE BLVD	WICKHAM RD - US 1	CENTRAL	UNINCORPORATED	0.4	2	-	1	2	Min. Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	29%	28%	1%	0%	0%	0%	-	-	Crit.	-
362	4TH ST N	BREVARD AVE - SR A1A (ORLANDO AVE)	BARRIER ISLANDS	COCOA BEACH	0.1	1	-	1	1	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	100%	0%	100%	0%	0%	0%	-	Crit.	-	-
7	FAY BLVD	GOLFVIEW AVE - GRISSOM PKWY	NORTH	UNINCORPORATED	2.0	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	54%	0%	0%	0%	54%	0%	-	-	Crit.	-
2315	GUS HIPP BLVD	MURRELL RD - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	1.0	1	-	1	1	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	-	-	Crit.	-
136	HARLOCK RD	AURORA RD - LAKE WASHINGTON RD	SOUTH	MELBOURNE	1.0	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	Crit.	-
23	SISSON RD	SR 405 (COLUMBIA BLVD) - SR 50 (CHENEY HWY)	NORTH	TITUSVILLE	2.0	1	-	1	1	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	5%	5%	0%	0%	0%	0%	-	-	Crit.	-
31	SR 406 (GARDEN ST)	CARPENTER RD - I-95	NORTH	TITUSVILLE	0.5	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	0%	0%	0%	58%	0%	-	Crit.	-	-
5032	SR 520 (KING ST)	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	UNINCORPORATED	1.4	-	2	5	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	0%	0%	0%	17%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
110	APOLLO BLVD	FEE AVE - SARNO RD	SOUTH	MELBOURNE	3.2	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	Yes
1001	I-95	SR 514 (MALABAR RD) - PALM BAY RD	SOUTH	PALM BAY	3.0	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5004	I-95	WICKHAM RD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.6	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
152	MALABAR RD	EMERSON DR - SAN FILIPPO DR	SOUTH	PALM BAY	0.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
151	MALABAR RD	MINTON RD - EMERSON DR	SOUTH	PALM BAY	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
157	MINTON RD	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	2.3	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5052	SR 406 (GARDEN ST)	I-95 - SINGLETON AVE	NORTH	TITUSVILLE	0.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
32	SR 406 (GARDEN ST)	SINGLETON AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	1.9	-	1	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
27	SR 50 (CHENEY HWY)	BARNA AVE - US 1	NORTH	TITUSVILLE	1.5	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
117	SR 507 (BABCOCK ST)	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
116	SR 507 (BABCOCK ST)	SR 514 (MALABAR RD) - PALM BAY RD	SOUTH	PALM BAY	2.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
160	SR 508 (NASA BLVD)	EDDIE ALLEN RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.4	-	1	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	Yes
153	SR 514 (MALABAR RD)	SAN FILIPPO DR - SR 507 (BABCOCK ST)	SOUTH	PALM BAY	0.8	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
208	SR AIA (MIRAMAR AVE)	US 192 (FIFTH AVE) - SR 518 (EAU GALLIE BLVD)	BARRIER ISLANDS	INDIALANTIC	3.4	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
2035	US 1	SR 528 (BENNETT CSWY) - CAMP RD	NORTH	UNINCORPORATED	3.2	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
106	US 1 (COCOA BLVD)	PEACHTREE ST - SR 528 (BENNETT CSWY)	CENTRAL	COCOA	3.3	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
105	US 1 (COCOA BLVD)	ROSA L JONES BLVD - PEACHTREE ST	CENTRAL	COCOA	0.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
104	US 1 (ROCKLEDGE BLVD)	BARTON BLVD - ROSA L JONES BLVD	CENTRAL	ROCKLEDGE	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
2039	US 1 (WASHINGTON AVE)	DAIRY RD - SR 46	NORTH	TITUSVILLE	1.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
184	US 192 (NEW HAVEN AVE)	I-95 - MINTON RD/WICKHAM RD	SOUTH	UNINCORPORATED	2.0	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
185	US 192 (NEW HAVEN AVE)	MINTON RD - BABCOCK ST	SOUTH	UNINCORPORATED	3.1	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
113	AURORA RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.4	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
118	BABCOCK ST	US 192 (NEW HAVEN AVE) - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.6	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
312	BARTON BLVD	SR 519 (FISKE BLVD) - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	1.2	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
331	ELDRON BLVD	BAYSIDE LAKES BLVD - AMERICANA BLVD	SOUTH	PALM BAY	4.3	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
76	FISKE BLVD	SR 520 (KING ST) - DIXON BLVD	CENTRAL	COCOA	1.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
333	FLORIDA AVE	HOLLYWOOD BLVD - SR 507 (BABCOCK ST)	SOUTH	MELBOURNE	2.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
77	FLORIDA AVE	US 1 (ROCKLEDGE BLVD) - SR 520 (KING ST)	CENTRAL	COCOA	1.3	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
138	HIBISCUS BLVD	EVANS RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	3.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
1026	HICKORY ST	NEW HAVEN AVE - US 192 (STRAWBRIDGE AVE)	SOUTH	MELBOURNE	0.1	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
139	HICKORY ST	US 192 (STRAWBRIDGE AVE) - SR 508 (NASA BLVD)	SOUTH	MELBOURNE	1.0	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
5001	I-95	PALM BAY RD - US 192 (NEW HAVEN AVE)	SOUTH	WEST MELBOURNE	4.4	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Crit.	-
80	JUDGE F JAMIESON WY	STADIUM PKWY - LAKE ANDREW DR	CENTRAL	UNINCORPORATED	0.5	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
2148	LAKE WASHINGTON RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.1	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
150	MALABAR RD	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
85	MURRELL RD	BARNES BLVD - BARTON BLVD	CENTRAL	ROCKLEDGE	2.7	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
199	N ATLANTIC AVE	SR A1A (ASTRONAUT BLVD) - GEORGE KING BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.2	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
159	NASA BLVD	EVANS RD - EDDIE ALLEN RD	SOUTH	MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Crit.	Yes
162	PALM BAY RD	HOLLYWOOD BLVD - SR 507 (BABCOCK ST)	SOUTH	UNINCORPORATED	1.7	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
161	PALM BAY RD	MINTON RD - HOLLYWOOD BLVD	SOUTH	UNINCORPORATED	1.3	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
163	PALM BAY RD	SR 507 (BABCOCK ST) - US 1 (DIXIE HWY)	SOUTH	PALM BAY	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
86	PEACHTREE ST	SR 501 (CLEARLAKE RD) - FORREST AVE	CENTRAL	COCOA	1.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
167	PORT MALABAR RD	SR 507 (BABCOCK ST) - US 1 (DIXIE HWY)	SOUTH	PALM BAY	3.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
168	POST RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.5	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
316	ROSA JONES BLVD	SR 519 (FISKE BLVD) - US 1 (S COCOA BLVD)	CENTRAL	COCOA	0.8	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
171	SARNO RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
70	SR 501 (CLEARLAKE RD)	MICHIGAN AVE - SR 524 (INDUSTRY RD)	CENTRAL	COCOA	1.1	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
69	SR 501 (CLEARLAKE RD)	SR 520 (KING ST) - MICHIGAN AVE	CENTRAL	UNINCORPORATED	2.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
170	SR 5054 (SARNO RD)	SR 518 (EAU GALLIE BLVD) - WICKHAM RD	SOUTH	MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
5046	SR 507 (BABCOCK ST)	PALM BAY RD - EBER BLVD	SOUTH	MELBOURNE	1.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Crit.	-
5043	SR 507 (BABCOCK ST)	PIRATE LN - FLORIDA AVE	SOUTH	MELBOURNE	0.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
75	SR 519 (FISKE BLVD)	BARTON BLVD - SR 520 (KING ST)	CENTRAL	COCOA	1.7	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
16	SR 524 (INDUSTRY RD)	SR 524 - GRISSOM PKWY	CENTRAL	COCOA	0.6	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	0%	0%	0%	2%	0%	Vuln.	Most Crit.	Crit.	-
101	STADIUM PKWY	JUDGE F JAMIESON WY - VIERA BLVD	CENTRAL	UNINCORPORATED	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
5029	VARR AVE	ROSA L JONES DR - SR 520 (KING ST)	CENTRAL	COCOA	0.4	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
189	WICKHAM RD	NASA BLVD - SARNO RD	SOUTH	MELBOURNE	1.5	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
190	WICKHAM RD	SARNO RD - PKWY DR	SOUTH	MELBOURNE	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
188	WICKHAM RD	US 192 (NEW HAVEN AVE) - NASA BLVD	SOUTH	WEST MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
322	BAYSIDE LAKES BLVD	DE GROODT RD - DATELAND RD	SOUTH	PALM BAY	2.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
2	CAMP RD	GRISSOM PKWY - US 1 (COCOA BLVD)	NORTH	UNINCORPORATED	1.6	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Most Crit.	-
119	CROTON RD	SARNO RD - LAKE WASHINGTON RD	SOUTH	MELBOURNE	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
5044	DAIRY RD	PALM BAY RD - FLORIDA AVE	SOUTH	MELBOURNE	1.5	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
302	DELEON AVE	HARRISON ST - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	2.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
73	DIXON BLVD	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	COCOA	1.2	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
127	EBER BLVD	SR 509 (MINTON RD) - LIPSCOMB ST	SOUTH	MELBOURNE	4.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
2131	EMERSON DR	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.5	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Crit.	-
130	EMERSON DR	MALABAR RD - MINTON RD	SOUTH	PALM BAY	3.6	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
2314	EYSTER BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	6%	0%	0%	0%	6%	0%	-	-	Most Crit.	-
332	FEE AVE	DR MARTIN LUTHER KING JR BLVD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.4	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
78	FORREST AVE	SR 520 (KING ST) - US 1 (COCOA BLVD)	CENTRAL	COCOA	1.0	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
137	HENRY AVE	MINTON RD - COUNTRY CLUB RD	SOUTH	MELBOURNE	2.8	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
15	HOPKINS AVE	SR 50 (CHENEY HWY) - BREVARD ST	NORTH	TITUSVILLE	3.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
5006	I-95	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	1.2	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	18%	0%	0%	0%	18%	0%	Vuln.	Most Crit.	-	-
146	JUPITER BLVD	MALABAR RD SW - EMERSON DR	SOUTH	PALM BAY	2.3	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
5030	LAKE DR	SR 501 (CLEARLAKE RD) - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	0.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
306	MAIN ST	PARK AVE - US 1 (HOPKINS AVE)	NORTH	TITUSVILLE	0.6	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
5048	MINTON RD	JUPITER BLVD - MALABAR RD	SOUTH	PALM BAY	0.8	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
5040	NASA BLVD	WICKHAM RD - EVANS RD	SOUTH	MELBOURNE	1.4	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	Yes
19	OLD DIXIE HWY	SR 406 (GARDEN ST) - PARKER ST; CUYLER ST	NORTH	TITUSVILLE	3.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
386	PARKER ST	SINGLETON AVE - OLD DIXIE HWY	NORTH	UNINCORPORATED	0.3	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	78%	0%	0%	0%	78%	0%	-	-	Most Crit.	-
90	PINEDA ST	PEACHTREE ST - DIXON BLVD	CENTRAL	COCOA	1.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
351	PORT MALABAR BLVD	SR 507 (BABCOCK ST) - PALM BAY RD	SOUTH	PALM BAY	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
5042	PROSPECT AVE/LIPSCOMB ST	PALM BAY RD - FLORIDA AVE	SOUTH	UNINCORPORATED	1.5	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
317	SCHOOL ST	LAKE DR - WILSON AVE	CENTRAL	COCOA	1.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
355	STACK BLVD	PALM BAY RD - EBER BLVD	SOUTH	MELBOURNE	1.0	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
100	STADIUM PKWY	WICKHAM RD - JUDGE F JAMIESON WY	CENTRAL	UNINCORPORATED	1.4	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
311	TROPIC ST	SINGLETON AVE - PARK AVE	NORTH	TITUSVILLE	1.3	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
177	UNIVERSITY BLVD	COUNTRY CLUB RD - US 1 (DIXIE HWY)	SOUTH	MELBOURNE	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
2107	VIERA BLVD	STADIUM PKWY - MURRELL RD	CENTRAL	UNINCORPORATED	1.1	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
5041	BASS PRO DR	PALM BAY RD - RIVIERA DR	SOUTH	PALM BAY	0.4	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
328	CULVER DR	EMERSON DR - PALM BAY RD	SOUTH	PALM BAY	0.5	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
2005	DAIRY RD	SINGLETON AVE - US 1 (WASHINGTON AVE)	NORTH	UNINCORPORATED	0.9	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
2329	DE GROODT RD	BAYSIDE LAKES BLVD - JUPITER BLVD	SOUTH	PALM BAY	2.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
129	EMERSON DR	DATELAND RD - MALABAR RD	SOUTH	PALM BAY	3.0	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	-	-
132	EVANS RD	US 192 (NEW HAVEN AVE) - NASA BLVD	SOUTH	UNINCORPORATED	1.0	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
5045	FLORIDA AVE	SR 507 (BABCOCK ST) - JAMES ST/NORTHVIEW ST	SOUTH	MELBOURNE	1.5	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
134	GATEWAY DR	HIBISCUS BLVD - NASA BLVD	SOUTH	MELBOURNE	0.5	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
337	GLENDALE AVE	PACE DR - EMERSON DR	SOUTH	PALM BAY	1.1	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	20%	0%	0%	0%	20%	0%	-	Crit.	-	-
5017	GRISSOM PKWY	SR 405 (COLUMBIA BLVD) - SISSON RD	NORTH	TITUSVILLE	0.7	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
5053	HOLLYWOOD BLVD	PALM BAY RD - FLORIDA AVE	SOUTH	PALM BAY	1.6	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
143	JOHN RODES BLVD	SR 518 (EAU GALLIE BLVD) - AURORA RD	SOUTH	MELBOURNE	0.8	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	15%	0%	0%	0%	15%	0%	-	Crit.	-	-
84	MICHIGAN AVE	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	COCOA	0.5	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
83	MICHIGAN AVE	TIGER TR - SR 501 (CLEARLAKE RD)	CENTRAL	COCOA	1.3	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
346	NORFOLK PKWY	PALM BAY RD - MINTON RD	SOUTH	WEST MELBOURNE	0.9	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
324	PROSPECT AVE/LIPSCOMB ST	FLORIDA AVE - US 1 (DIXIE HWY)	SOUTH	UNINCORPORATED	1.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
352	RIVIERA DR	PALM BAY RD - PORT MALARBAR BLVD	SOUTH	PALM BAY	2.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
169	RJ CONLAN BLVD	PALM BAY RD - US 1 (DIXIE HWY)	SOUTH	PALM BAY	1.7	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	-	-
2090	ROSETINE ST	RANGE RD - SR 501 (CLEARLAKE RD)	CENTRAL	COCOA	1.0	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
315	ROY WALL BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
377	WAKULLA LANE	SR A1A (N ATLANTIC AVE) - OCEAN BEACH BLVD	BARRIER ISLANDS	COCOA BEACH	0.1	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
358	WALDEN BLVD/WYOMING DR	EMERSON DR - BABCOCK ST	SOUTH	PALM BAY	1.8	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
360	WH JACKSON ST	GRANT ST - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	0.5	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
319	1ST ST	BRABROOK AVE - US 1	SOUTH	GRANT VALKARIA	0.4	2	-	-	-	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	18%	0%	15%	16%	0%	0%	-	-	-	-
65	ADAMSON RD	SR 524 - CITRUS BLVD	CENTRAL	UNINCORPORATED	4.5	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	47%	8%	0%	0%	47%	0%	Vuln.	-	-	-
320	AMERICANA BLVD	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.9	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
5054	AMERICANA BLVD	MINTON RD - EMERSON DR	SOUTH	PALM BAY	1.7	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
321	ATZ RD	WEBER RD - COREY RD	SOUTH	MALABAR	1.0	2	-	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	92%	18%	0%	0%	92%	0%	-	-	-	-
382	BEACH RD	A MAX BREWER MEMORIAL PKWY - SAMUEL C PHILLIPS PKWY	BARRIER ISLANDS	UNINCORPORATED	8.8	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	64%	91%	76%	100%	0%	-	-	-	-
390	BRABROOK AVE	GRANT RD - 1ST ST	SOUTH	GRANT VALKARIA	0.3	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	-	-	-	-
5012	CARPENTER RD	FOX LAKE RD - GARDEN ST	NORTH	UNINCORPORATED	2.2	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	99%	0%	0%	0%	99%	0%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
4	CARPENTER RD	SR 406 (GARDEN ST) - SR 46 (MAIN ST)	NORTH	UNINCORPORATED	3.7	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	60%	0%	0%	0%	60%	0%	-	-	-	-
300	COUNTRY CLUB DR	S PARK AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	2.2	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
379	COURTENAY PKWY	KENNEDY PKWY - VOLUSIA COUNTY LINE	BARRIER ISLANDS	UNINCORPORATED	9.1	9	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	91%	10%	77%	34%	64%	1%	-	-	-	-
72	COX RD	SR 524 - JAMES RD	CENTRAL	COCOA	1.3	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	61%	34%	0%	0%	27%	0%	Vuln.	-	-	-
5	DAIRY RD	CARPENTER RD - SINGLETON AVE	NORTH	UNINCORPORATED	0.9	3	-	-	-	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	32%	8%	0%	0%	*	0%	-	-	-	-
122	DAIRY RD	US 192 (NEW HAVEN AVE) - HIBISCUS BLVD	SOUTH	MELBOURNE	0.4	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
6	DEERING PKWY	I-95 - US 1	NORTH	UNINCORPORATED	0.9	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	46%	0%	0%	100%	0%	-	-	-	-
367	DESOTO PKWY	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	1.1	4	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	89%	0%	89%	68%	0%	0%	-	-	-	-
1027	EAU GALLE BLVD	INSPIRATION LN - JONES RD	SOUTH	UNINCORPORATED	0.3	2	-	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
334	FOUNDATION PARK BLVD	SAN FILIPPO DR - BABCOCK ST	SOUTH	MALABAR	0.7	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	27%	27%	0%	0%	0%	0%	-	-	-	-
9	FOX LAKE RD	FDX LAKE PARK - KNOX MCRAE DR	NORTH	UNINCORPORATED	1.8	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	20%	0%	0%	100%	0%	-	-	-	-
79	FRIDAY RD	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	0.9	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	95%	28%	0%	0%	79%	0%	Vuln.	-	-	-
219	FRIDAY RD	SR 524 - JAMES RD	CENTRAL	COCOA	2.0	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	2%	0%	0%	0%	0%	Vuln.	-	-	-
336	GARVEY RD	HARPER BLVD - MALABAR RD	SOUTH	PALM BAY	1.3	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
1016	GOLFVIEW AVE	FAY BLVD - FLORA VISTA PL	NORTH	UNINCORPORATED	0.4	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
13	GOLFVIEW AVE	PORT ST JOHN PKWY - FAY BLVD	NORTH	UNINCORPORATED	0.5	2	-	-	-	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
135	GRANT RD	BABCOCK ST - OLD DIXIE HWY	SOUTH	GRANT VALKARIA	6.0	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	83%	43%	0%	0%	81%	0%	-	-	-	-
380	GRANT RD	N TROPICAL TRAIL - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.3	1	-	-	-	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	38%	0%	7%	0%	38%	0%	-	-	-	-
10	GRISSOM PKWY	CANAVERAL GROVES BLVD - PORT ST JOHN PKWY	NORTH	UNINCORPORATED	2.2	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	45%	21%	0%	0%	39%	0%	-	-	-	-
5016	GRISSOM PKWY	INDUSTRY RD - CANAVERAL GROVES BLVD	CENTRAL	UNINCORPORATED	3.0	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	34%	26%	0%	0%	20%	0%	-	-	-	-
44	HALL RD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.6	4	-	-	-	No Imp.	Min. Imp.	Min. Imp.	Min. Imp.	Min. Imp.	62%	0%	36%	11%	42%	1%	-	-	-	-
339	HALL RD	WEBER RD - COREY RD	SOUTH	MALABAR	1.0	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	0%	0%	0%	94%	0%	-	-	-	-
340	HARPER BLVD/HURLEY BLVD	GARVEY RD - MALABAR RD	SOUTH	PALM BAY	2.5	2	2	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	26%	26%	0%	0%	0%	0%	Most Vuln.	-	-	-
140	HOLLYWOOD BLVD	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	PALM BAY	1.5	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
5026	INDIAN RIVER DR	DIXON BLVD - CITY POINT RD	CENTRAL	COCOA	1.9	8	1	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	92%	27%	31%	25%	0%	92%	Vuln.	-	-	-
144	JORDAN BLASS DR	ST ANDREWS BLVD - WICKHAM RD	CENTRAL	UNINCORPORATED	0.6	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	25%	25%	0%	0%	0%	0%	Vuln.	-	-	-
145	JUPITER BLVD	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	3.5	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
381	KENNEDY PKWY	BEACH RD - A MAX BREWER MEMORIAL PKWY	BARRIER ISLANDS	UNINCORPORATED	3.2	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	8%	100%	84%	100%	0%	-	-	-	-
305	KNOX MCRAE DR	BARNA AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	1.7	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
2305	KNOX MCRAE DR	HARRISON ST - BARNA AVE	NORTH	TITUSVILLE	1.9	2	1	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	3%	0%	0%	58%	0%	Vuln.	-	-	-
387	LAMPLIGHTER DR	PACE DR - EMERSON DR	SOUTH	PALM BAY	1.0	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
2150	MALABAR RD	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	2	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	16%	12%	0%	0%	16%	0%	Most Vuln.	-	-	-
1025	MELBOURNE AVE	COUNTRY CLUB RD - SR 507 (BABCOCK ST)	SOUTH	MELBOURNE	0.2	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
49	N BANANA RIVER DR/MORNINGSIDE DR/BANANA RIVER DR	SYKES CREEK PKWY - SR 528 (BENNETT CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.7	9	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	59%	97%	96%	66%	28%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
48	NEWFOUND HARBOR DR	MORRIS MANOR - SR 520 (COCOA BEACH CSWY)	BARRIER ISLANDS	UNINCORPORATED	3.8	7	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Min. Imp.	98%	14%	98%	82%	0%	3%	-	-	-	-
1029	OLD DIXIE HWY	US 1 - VALKARIA RD	SOUTH	GRANT VALKARIA	4.3	5	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	No Imp.	62%	0%	58%	48%	17%	0%	-	-	-	-
20	PARRISH RD	HOLDER RD - US 1	NORTH	UNINCORPORATED	1.5	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	53%	26%	0%	0%	53%	0%	-	-	-	-
348	PINE CONE RD	TURTLE MOUND RD - POST RD	SOUTH	MELBOURNE	0.5	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	20%	20%	0%	0%	0%	0%	-	-	-	-
5028	PINEDA ST	CLEARLAKE RD - DIXON RD	CENTRAL	COCOA	1.1	1	2	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	-	-	-
5039	PARKWAY DR	TURTLE MOUND RD - WICKHAM RD	SOUTH	MELBOURNE	1.0	2	-	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	40%	40%	0%	0%	0%	0%	-	-	-	-
5031	PLUCKEBAUM RD	CLEARLAKE RD - FISKE BLVD	CENTRAL	ROCKLEDGE	0.8	1	1	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	Vuln.	-	-	-
88	PLUCKEBAUM RD	RANGE RD - CLEARLAKE RD	CENTRAL	ROCKLEDGE	1.0	2	1	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	2%	0%	0%	100%	0%	Vuln.	-	-	-
21	PORT ST JOHN PKWY	GOLFVIEW AVE - GRISSOM PKWY	NORTH	UNINCORPORATED	1.6	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	38%	0%	0%	100%	0%	-	-	-	-
1015	RANCH RD	I-95 - GRISSOM PKWY	NORTH	UNINCORPORATED	1.4	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	76%	37%	0%	0%	64%	0%	-	-	-	-
309	RANEY RD	KNOX MCRAE DR - COUNTRY CLUB RD	NORTH	TITUSVILLE	1.0	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
5027	RANGE RD	PLUCKEBAUM RD - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	0.7	1	1	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	56%	0%	0%	0%	56%	0%	Vuln.	-	-	-
89	RANGE RD	SR 520 (KING ST) - TIGER TR	CENTRAL	UNINCORPORATED	1.8	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	Vuln.	-	-	-
3028	ROCKLEDGE DR	COQUINA RD - PARK AVE	CENTRAL	ROCKLEDGE	2.1	4	-	-	-	No Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	100%	0%	61%	0%	0%	100%	-	-	-	-
1028	ROCKLEDGE DR	US 1 (ROCKLEDGE DR) - COQUINA RD	CENTRAL	UNINCORPORATED	1.9	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	96%	78%	96%	78%	0%	87%	-	-	-	-
1031	ROCKY POINT RD	US 1 - US 1	SOUTH	MALABAR	1.4	7	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	0%	94%	93%	52%	95%	-	-	-	-
2055	S COURTENAY PKWY/TROPICAL TR	SR 404 (PINEDA CSWY) - TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	6.0	7	-	-	-	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	97%	3%	87%	57%	0%	79%	-	-	-	-
375	SHEARWATER DR	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	0.7	3	-	-	-	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	100%	0%	100%	16%	0%	0%	-	-	-	-
310	SHEPARD DR	SR 407 (CHALLENGER MEMORIAL PKWY) - GRISSOM PKWY	NORTH	TITUSVILLE	1.0	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	31%	0%	0%	0%	31%	0%	-	-	-	-
353	SHERIDAN RD	JOHN RODES BLVD - WICKHAM RD	SOUTH	WEST MELBOURNE	1.7	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
1030	ST JOHNS HERITAGE PKWY	BABCOCK ST - MICCO RD	SOUTH	PALM BAY	4.0	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	52%	0%	0%	100%	0%	-	-	-	-
5047	ST JOHNS HERITAGE PKWY	EMERSON DR - US 192 (NEW HAVEN AVE)	SOUTH	PALM BAY	3.8	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	30%	29%	0%	0%	30%	0%	-	-	-	-
5050	ST JOHNS HERITAGE PKWY	US 192 - I-95	SOUTH	UNINCORPORATED	1.7	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	98%	0%	0%	100%	0%	-	-	-	-
176	TURTLE MOUND RD	SR 518 (EAU GALLIE BLVD) - PINECONE RD	SOUTH	MELBOURNE	2.6	2	1	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	35%	35%	0%	0%	0%	0%	Vuln.	-	-	-
357	WACO BLVD	EMERSON DR - BABCOCK ST	SOUTH	PALM BAY	1.6	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
1019	WARNING WAY	TROPICAL TR - TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	0.4	1	-	-	-	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	45%	0%	45%	0%	0%	0%	-	-	-	-
1023	WILLOWWOOD DR	EBER BLVD - WILLOWWOOD DR	SOUTH	UNINCORPORATED	0.3	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
388	WINGATE DR	MINTON RD - HOLLYWOOD BLVD	SOUTH	WEST MELBOURNE	1.1	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
195	WOODY BURKE DR	HIBISCUS BLVD - NASA BLVD	SOUTH	MELBOURNE	0.6	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-

NETWORK ANALYSIS SCORING RESULTS ALPHABETICALLY FOR ALL CORRIDORS



NETWORK ANALYSIS SCORING RESULTS FOR ALL CORRIDORS: SORTED ALPHABETICALLY BY CORRIDOR

Table Description: This table summarizes the vulnerability of each corridor to shocks or stressors and the criticality of each corridor.

How Corridors are Ordered: Alphabetically by *Road Name*. Then, directionally by *Limits* (*west-to-east* or *south-to-north*).

Scores:

Vulnerable Score = 2*# of Shocks or Stressors with Severe Impact + 1*# of Shocks or Stressors with Minimal Impact

Vulnerable Population Score = 2, if the corridor serves a Most Vulnerable Population. Vulnerable Population Score = 1, if the corridor serves a Vulnerable Population

Critical Score = 2*(Most Critical Function + Most Critical Local Asset) + 1*(Critical Function + Critical Local Asset) + 1*(Critical Regional Asset)

Total Score = Vulnerable Score + (Vulnerable Population Score if Vulnerable Score > 0) * Critical Score

Shocks or Stressors: Flooding (Flood), Sea Level Rise (SLR), Storm Surge, Fire, Shoreline Erosion (Shrl. Erosn.). Severe Impact (Sev. Imp.) has >0.25 mi of the corridor impacted. Minimal Impact (Min. Imp.) has >0 mi but <0.25 mi of the corridor impacted.

Notes: The *For What is the Corridor Vulnerable* columns report the summarized extent of impact to the corridor by each shock or stressor. The *How Much of the Corridor is Vulnerable* columns report the portion of the corridor that is impacted by each shock or stressor. % *Vuln.* reports the portion of the corridor that is vulnerable to at least 1 shock or stressor. Some shocks or stressors have overlapping impacts so this number may be less than the sum of the impacts of each shock or stressor. See methodology document for further information on each criteria.

Corridors with "How Much of the Corridor is Vulnerable?" marked with an asterisk (*) had feedback provided from Task Force members that indicated the corridor is impacted by the noted shock or stressor. These corridors are recorded as being "Severely Impacted" by the noted shock or stressor. The Vulnerable Score and Total Score are adjusted accordingly.

The City Name and Area columns are intended to be used to locate the relative position of the corridor. They do not indicate the maintaining agency of the corridor.

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
319	1ST ST	BRABROOK AVE - US 1	SOUTH	GRANT VALKARIA	0.4	2	-	-	-	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	18%	0%	15%	16%	0%	0%	-	-	-	-
362	4TH ST N	BREVARD AVE - SR A1A (ORLANDO AVE)	BARRIER ISLANDS	COCOA BEACH	0.1	1	-	1	1	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	100%	0%	100%	0%	0%	0%	-	Crit.	-	-
65	ADAMSON RD	SR 524 - CITRUS BLVD	CENTRAL	UNINCORPORATED	4.5	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	47%	8%	0%	0%	47%	0%	Vuln.	-	-	-
320	AMERICANA BLVD	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.9	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
5054	AMERICANA BLVD	MINTON RD - EMERSON DR	SOUTH	PALM BAY	1.7	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
110	APOLLO BLVD	FEE AVE - SARNO RD	SOUTH	MELBOURNE	3.2	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	Yes
111	APOLLO BLVD	SARNO RD - SR 518 (EAU GALLIE BLVD)	SOUTH	MELBOURNE	0.9	3	1	2	8	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	14%	11%	8%	7%	0%	0%	Vuln.	-	Most Crit.	-
321	ATZ RD	WEBER RD - COREY RD	SOUTH	MALABAR	1.0	2	-	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	92%	18%	0%	0%	92%	0%	-	-	-	-
112	AURORA RD	HARLOCK RD - WICKHAM RD	SOUTH	UNINCORPORATED	2.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	35%	16%	0%	0%	19%	0%	-	Crit.	-	-
113	AURORA RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.4	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2114	BABCOCK ST	INDIAN RIVER CO - MICCO RD	SOUTH	GRANT VALKARIA	3.9	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	1%	0%	0%	100%	0%	-	Most Crit.	-	-
114	BABCOCK ST	MICCO RD - GRANT RD	SOUTH	GRANT VALKARIA	3.5	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	6%	0%	0%	100%	0%	-	Most Crit.	-	-
115	BABCOCK ST	GRANT RD - WACO BLVD	SOUTH	MALABAR	2.9	3	-	3	9	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	48%	19%	0%	0%	48%	0%	-	Most Crit.	Crit.	-
5049	BABCOCK ST	WACO BLVD - SR 514 (MALABAR RD)	SOUTH	MALABAR	2.2	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	38%	38%	0%	0%	0%	0%	-	Most Crit.	-	-
118	BABCOCK ST	US 192 (NEW HAVEN AVE) - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.6	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
363	BANANA RIVER BLVD	ST LUCIE LN - SR 520 (COCOA BEACH CAUSEWAY)	BARRIER ISLANDS	COCOA BEACH	0.3	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	10%	100%	100%	0%	0%	-	-	Most Crit.	-
1	BARNA AVE	SR 405 (COLUMBIA BLVD) - PARK AVE	NORTH	TITUSVILLE	4.8	3	2	2	10	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	28%	*	0%	0%	28%	0%	Most Vuln.	-	Most Crit.	-
66	BARNES BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	21%	0%	0%	0%	21%	0%	Vuln.	Crit.	Most Crit.	-
67	BARNES BLVD	MURRELL RD - US 1 (ROCKLEDGE DR)	CENTRAL	ROCKLEDGE	1.4	1	-	3	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
312	BARTON BLVD	SR 519 (FISKE BLVD) - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	1.2	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
5041	BASS PRO DR	PALM BAY RD - RIVIERA DR	SOUTH	PALM BAY	0.4	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
322	BAYSIDE LAKES BLVD	DE GROODT RD - DATELAND RD	SOUTH	PALM BAY	2.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
382	BEACH RD	A MAX BREWER MEMORIAL PKWY - SAMUEL C PHILLIPS PKWY	BARRIER ISLANDS	UNINCORPORATED	8.8	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	64%	91%	76%	100%	0%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
390	BRABROOK AVE	GRANT RD - 1ST ST	SOUTH	GRANT VALKARIA	0.3	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	-	-	-	-
364	BREVARD AVE	SR A1A (ORLANDO AVE) - 4TH ST	BARRIER ISLANDS	COCOA BEACH	2.0	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	10%	100%	67%	0%	0%	-	-	Most Crit.	-
1017	BURNETT RD	RANGE RD - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	1.2	2	1	3	9	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	60%	3%	0%	0%	60%	0%	Vuln.	Crit.	Most Crit.	-
2	CAMP RD	GRISSOM PKWY - US 1 (COCOA BLVD)	NORTH	UNINCORPORATED	1.6	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Most Crit.	-
3	CANAVERAL GROVES BLVD	PINE ST - GRISSOM PKWY	NORTH	UNINCORPORATED	2.8	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	75%	27%	0%	0%	70%	0%	-	-	Crit.	-
5019	CANAVERAL GROVES BLVD	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	1.7	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	51%	51%	0%	0%	0%	0%	-	-	Crit.	-
5012	CARPENTER RD	FOX LAKE RD - GARDEN ST	NORTH	UNINCORPORATED	2.2	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	99%	0%	0%	0%	99%	0%	-	-	-	-
4	CARPENTER RD	SR 406 (GARDEN ST) - SR 46 (MAIN ST)	NORTH	UNINCORPORATED	3.7	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	60%	0%	0%	0%	60%	0%	-	-	-	-
365	CASSIA BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	1.0	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	78%	12%	78%	55%	0%	0%	-	-	Most Crit.	-
196	CENTRAL BLVD	SR A1A (ASTRONAUT BLVD) - RIDGEWOOD AVE	BARRIER ISLANDS	CAPE CANAVERAL	1.0	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	89%	0%	89%	66%	0%	0%	-	Crit.	Crit.	-
68	CLEARLAKE RD	PLUCKEBAUM RD - SR 520 (KING ST)	CENTRAL	COCOA	0.7	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	Most Vuln.	-	Crit.	-
389	CLEARMONT ST	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	1.4	1	1	1	2	No Imp.	No Imp.	Min. Imp.	No Imp.	No Imp.	7%	0%	0%	7%	0%	0%	Vuln.	-	Crit.	-
366	COCOA BEACH CSWY	SR A1A (N ATLANTIC AVE) - OCEAN BEACH BLVD	BARRIER ISLANDS	COCOA BEACH	0.2	2	-	3	6	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	25%	0%	25%	25%	0%	0%	-	Crit.	Most Crit.	-
325	COGAN DR	BABCOCK ST - BAYSIDE LAKES BLVD	SOUTH	PALM BAY	4.5	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	0%	0%	0%	94%	0%	Most Vuln.	-	Crit.	-
41	CONE RD	S TROPICAL TR - KEMP ST	BARRIER ISLANDS	UNINCORPORATED	0.9	4	-	2	8	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	83%	8%	83%	8%	0%	0%	-	-	Most Crit.	-
326	COREY RD	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	98%	22%	0%	0%	98%	0%	-	-	Crit.	-
300	COUNTRY CLUB DR	S PARK AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	2.2	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
327	COUNTRY CLUB RD	UNIVERSITY BLVD - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.0	1	2	3	9	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
379	COURTENAY PKWY	KENNEDY PKWY - VOLUSIA COUNTY LINE	BARRIER ISLANDS	UNINCORPORATED	9.1	9	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	91%	10%	77%	34%	64%	1%	-	-	-	-
71	COX RD	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	1.8	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	46%	7%	0%	0%	46%	0%	Vuln.	-	Most Crit.	-
72	COX RD	SR 524 - JAMES RD	CENTRAL	COCOA	1.3	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	61%	34%	0%	0%	27%	0%	Vuln.	-	-	-
42	CROCKETT BLVD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.9	2	-	2	4	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	21%	0%	21%	20%	0%	0%	-	-	Most Crit.	-
119	CROTON RD	SARNO RD - LAKE WASHINGTON RD	SOUTH	MELBOURNE	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
120	CROTON RD	LAKE WASHINGTON RD - POST RD	SOUTH	MELBOURNE	1.7	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
328	CULVER DR	EMERSON DR - PALM BAY RD	SOUTH	PALM BAY	0.5	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
301	CURTIS BLVD	GRISSOM PKWY - FAY BLVD	NORTH	UNINCORPORATED	2.0	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	25%	25%	0%	0%	0%	0%	-	-	Most Crit.	-
5	DAIRY RD	CARPENTER RD - SINGLETON AVE	NORTH	UNINCORPORATED	0.9	3	-	-	-	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	32%	8%	0%	0%	*	0%	-	-	-	-
2005	DAIRY RD	SINGLETON AVE - US 1 (WASHINGTON AVE)	NORTH	UNINCORPORATED	0.9	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
5044	DAIRY RD	PALM BAY RD - FLORIDA AVE	SOUTH	MELBOURNE	1.5	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
121	DAIRY RD	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.5	1	2	1	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
122	DAIRY RD	US 192 (NEW HAVEN AVE) - HIBISCUS BLVD	SOUTH	MELBOURNE	0.4	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
329	DE GROODT RD	ST ANDRE BLVD - BAYSIDE LAKES BLVD	SOUTH	PALM BAY	2.2	2	-	1	2	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	31%	4%	0%	0%	27%	0%	-	-	Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?				
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset	
2329	DE GROODT RD	BAYSIDE LAKES BLVD - JUPITER BLVD	SOUTH	PALM BAY	2.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
6	DEERING PKWY	I-95 - US 1	NORTH	UNINCORPORATED	0.9	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	46%	0%	0%	100%	0%	-	-	-	-	
302	DELEON AVE	HARRISON ST - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	2.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
367	DESOTO PKWY	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	1.1	4	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	89%	0%	89%	68%	0%	0%	-	-	-	-	
73	DIXON BLVD	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	COCOA	1.2	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
109	DR MARTIN LUTHER KING JR BLVD	US 192 (NEW HAVEN AVE) - APOLLO BLVD	SOUTH	MELBOURNE	1.5	1	1	3	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	13%	13%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
1027	EAU GALLE BLVD	INSPIRATION LN - JONES RD	SOUTH	UNINCORPORATED	0.3	2	-	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-	
127	EBER BLVD	SR 509 (MINTON RD) - LIPSCOMB ST	SOUTH	MELBOURNE	4.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
330	EDDIE ALLEN RD	DR MARTIN LUTHER KING JR BLVD - NASA BLVD	SOUTH	MELBOURNE	0.6	1	1	2	4	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	29%	29%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
331	ELDRON BLVD	BAYSIDE LAKES BLVD - AMERICANA BLVD	SOUTH	PALM BAY	4.3	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
128	ELLIS RD	I-95 - WICKHAM RD	SOUTH	MELBOURNE	2.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	25%	23%	0%	0%	21%	0%	-	-	-	Yes	
131	EMERSON DR	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	43%	14%	0%	0%	43%	0%	-	Crit.	-	-	
2131	EMERSON DR	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.5	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	-	Crit.	Crit.	-
129	EMERSON DR	DATELAND RD - MALABAR RD	SOUTH	PALM BAY	3.0	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	-	-
130	EMERSON DR	MALABAR RD - MINTON RD	SOUTH	PALM BAY	3.6	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
132	EVANS RD	US 192 (NEW HAVEN AVE) - NASA BLVD	SOUTH	UNINCORPORATED	1.0	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
2314	EYSTER BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	6%	0%	0%	0%	6%	0%	-	-	Most Crit.	-	
314	EYSTER BLVD	MURRELL RD - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	0.3	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	32%	32%	0%	0%	0%	0%	-	-	Most Crit.	-	
7	FAY BLVD	GOLFVIEW AVE - GRISSOM PKWY	NORTH	UNINCORPORATED	2.0	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	54%	0%	0%	0%	54%	0%	-	-	Crit.	-	
8	FAY BLVD	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	2.3	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	2%	0%	0%	0%	0%	-	-	Most Crit.	-	
332	FEE AVE	DR MARTIN LUTHER KING JR BLVD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.4	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
76	FISKE BLVD	SR 520 (KING ST) - DIXON BLVD	CENTRAL	COCOA	1.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
133	FLEMING GRANT RD	MAIN ST - MICCO RD	SOUTH	UNINCORPORATED	5.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	92%	33%	0%	0%	76%	0%	-	-	Crit.	-	
333	FLORIDA AVE	HOLLYWOOD BLVD - SR 507 (BABCOCK ST)	SOUTH	MELBOURNE	2.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5045	FLORIDA AVE	SR 507 (BABCOCK ST) - JAMES ST/NORTHVIEW ST	SOUTH	MELBOURNE	1.5	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
77	FLORIDA AVE	US 1 (ROCKLEDGE BLVD) - SR 520 (KING ST)	CENTRAL	COCOA	1.3	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
78	FORREST AVE	SR 520 (KING ST) - US 1 (COCOA BLVD)	CENTRAL	COCOA	1.0	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
43	FORTENBERRY RD	S COURTENAY PKWY - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	1.1	5	-	3	15	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	95%	15%	95%	57%	0%	0%	-	Crit.	Most Crit.	-	
334	FOUNDATION PARK BLVD	SAN FILIPPO DR - BABCOCK ST	SOUTH	MALABAR	0.7	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	27%	27%	0%	0%	0%	0%	-	-	-	-	
9	FOX LAKE RD	FDX LAKE PARK - KNOX MCRAE DR	NORTH	UNINCORPORATED	1.8	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	20%	0%	0%	100%	0%	-	-	-	-	
79	FRIDAY RD	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	0.9	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	95%	28%	0%	0%	79%	0%	Vuln.	-	-	-	
219	FRIDAY RD	SR 524 - JAMES RD	CENTRAL	COCOA	2.0	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	2%	0%	0%	0%	0%	0%	Vuln.	-	-	-
335	FRONT ST	MELBOURNE AVE - NEW HAVEN AVE	SOUTH	MELBOURNE	0.1	3	1	2	8	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	100%	100%	100%	100%	0%	0%	Vuln.	Crit.	Crit.	-	

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
336	GARVEY RD	HARPER BLVD - MALABAR RD	SOUTH	PALM BAY	1.3	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
134	GATEWAY DR	HIBISCUS BLVD - NASA BLVD	SOUTH	MELBOURNE	0.5	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
198	GEORGE KING BLVD	SR A1A (BENNETT CSWY) - N ATLANTIC AVE	BARRIER ISLANDS	UNINCORPORATED	0.9	1	-	2	2	No Imp.	No Imp.	Min. Imp.	No Imp.	No Imp.	14%	0%	0%	14%	0%	0%	-	Crit.	Crit.	-
337	GLENDALE AVE	PACE DR - EMERSON DR	SOUTH	PALM BAY	1.1	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	20%	0%	0%	0%	20%	0%	-	Crit.	-	-
13	GOLFVIEW AVE	PORT ST JOHN PKWY - FAY BLVD	NORTH	UNINCORPORATED	0.5	2	-	-	-	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
1016	GOLFVIEW AVE	FAY BLVD - FLORA VISTA PL	NORTH	UNINCORPORATED	0.4	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
135	GRANT RD	BABCOCK ST - OLD DIXIE HWY	SOUTH	GRANT VALKARIA	6.0	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	83%	43%	0%	0%	81%	0%	-	-	-	-
380	GRANT RD	N TROPICAL TRAIL - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.3	1	-	-	-	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	38%	0%	7%	0%	38%	0%	-	-	-	-
5016	GRISSOM PKWY	INDUSTRY RD - CANAVERAL GROVES BLVD	CENTRAL	UNINCORPORATED	3.0	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	34%	26%	0%	0%	20%	0%	-	-	-	-
10	GRISSOM PKWY	CANAVERAL GROVES BLVD - PORT ST JOHN PKWY	NORTH	UNINCORPORATED	2.2	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	45%	21%	0%	0%	39%	0%	-	-	-	-
11	GRISSOM PKWY	PORT ST JOHN PKWY - KINGS HWY	NORTH	UNINCORPORATED	2.5	2	-	1	2	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	26%	9%	0%	0%	22%	0%	-	-	Crit.	-
12	GRISSOM PKWY	KINGS HWY - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	2.9	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	-	-	Crit.	-
5017	GRISSOM PKWY	SR 405 (COLUMBIA BLVD) - SISSON RD	NORTH	TITUSVILLE	0.7	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
2315	GUS HIPPI BLVD	MURRELL RD - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	1.0	1	-	1	1	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	-	-	Crit.	-
44	HALL RD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.6	4	-	-	-	No Imp.	Min. Imp.	Min. Imp.	Min. Imp.	Min. Imp.	62%	0%	36%	11%	42%	1%	-	-	-	-
339	HALL RD	WEBER RD - COREY RD	SOUTH	MALABAR	1.0	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	0%	0%	0%	94%	0%	-	-	-	-
136	HARLOCK RD	AURORA RD - LAKE WASHINGTON RD	SOUTH	MELBOURNE	1.0	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	Crit.	-
340	HARPER BLVD/HURLEY BLVD	GARVEY RD - MALABAR RD	SOUTH	PALM BAY	2.5	2	2	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	26%	26%	0%	0%	0%	0%	Most Vuln.	-	-	-
303	HARRISON ST	KNOX MCRAE DR - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	2.8	3	2	1	5	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	56%	16%	0%	0%	48%	0%	Most Vuln.	-	Crit.	-
137	HENRY AVE	MINTON RD - COUNTRY CLUB RD	SOUTH	MELBOURNE	2.8	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
138	HIBISCUS BLVD	EVANS RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	3.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
1026	HICKORY ST	NEW HAVEN AVE - US 192 (STRAWBRIDGE AVE)	SOUTH	MELBOURNE	0.1	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
139	HICKORY ST	US 192 (STRAWBRIDGE AVE) - SR 508 (NASA BLVD)	SOUTH	MELBOURNE	1.0	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
14	HOLDER RD	DAIRY RD - SR 46 (MAIN ST)	NORTH	UNINCORPORATED	2.1	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	49%	0%	0%	0%	49%	0%	-	Most Crit.	-	-
5053	HOLLYWOOD BLVD	PALM BAY RD - FLORIDA AVE	SOUTH	PALM BAY	1.6	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
140	HOLLYWOOD BLVD	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	PALM BAY	1.5	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
15	HOPKINS AVE	SR 50 (CHENEY HWY) - BREVARD ST	NORTH	TITUSVILLE	3.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
3000	I-95	INDIAN RIVER CO - ST JOHNS HERITAGE PKWY	SOUTH	PALM BAY	5.8	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	48%	0%	0%	100%	0%	-	Most Crit.	-	-
1000	I-95	ST JOHNS HERITAGE PKWY - SR 514 (MALABAR RD)	SOUTH	GRANT VALKARIA	7.5	4	2	4	24	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	66%	26%	0%	0%	63%	0%	Most Vuln.	Most Crit.	Most Crit.	-
1001	I-95	SR 514 (MALABAR RD) - PALM BAY RD	SOUTH	PALM BAY	3.0	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5001	I-95	PALM BAY RD - US 192 (NEW HAVEN AVE)	SOUTH	WEST MELBOURNE	4.4	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Crit.	-
1002	I-95	US 192 (NEW HAVEN AVE) - ELLIS RD	SOUTH	WEST MELBOURNE	1.3	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	-	Most Crit.	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5002	I-95	ELLIS RD - SR 518 (EAU GALLE BLVD)	SOUTH	MELBOURNE	1.5	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	-	Most Crit.	-	-
1003	I-95	SR 518 (EAU GALLIE BLVD) - PINEDA CSWY	SOUTH	UNINCORPORATED	5.0	3	1	3	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	70%	13%	0%	0%	60%	0%	Vuln.	Most Crit.	Crit.	-
5003	I-95	SR 404 (PINEDA CSWY) - WICKHAM RD	CENTRAL	UNINCORPORATED	2.7	3	2	4	20	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	41%	10%	0%	0%	31%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5004	I-95	WICKHAM RD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.6	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5005	I-95	VIERA BLVD - SR 519 (FISKE BLVD)	CENTRAL	UNINCORPORATED	2.0	1	2	3	9	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	0%	0%	0%	24%	0%	Most Vuln.	Most Crit.	Crit.	-
3003	I-95	SR 519 (FISKE BLVD) - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	5.7	2	2	2	8	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	99%	0%	0%	0%	99%	0%	Most Vuln.	Most Crit.	-	-
5006	I-95	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	1.2	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	18%	0%	0%	0%	18%	0%	Vuln.	Most Crit.	-	-
1004	I-95	SR 524 - SR 528 (BEACHLINE EXPWY)	CENTRAL	UNINCORPORATED	2.8	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	57%	2%	0%	0%	57%	0%	Vuln.	Most Crit.	-	-
5007	I-95	SR 528 (BEACHLINE EXPWY) - PORT ST JOHN PKWY	NORTH	UNINCORPORATED	2.9	2	-	2	4	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	91%	1%	0%	0%	91%	0%	-	Most Crit.	-	-
5008	I-95	PORT ST JOHN PKWY - SR 407 (CHALLENGER MEMORIAL PKWY)	NORTH	UNINCORPORATED	3.6	2	-	2	4	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	70%	0%	0%	0%	70%	0%	-	Most Crit.	-	-
1005	I-95	SR 407 (CHALLENGER MEMORIAL PKWY) - SR 50 (CHENEY HWY)	NORTH	UNINCORPORATED	3.7	2	-	3	6	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	-
5009	I-95	SR 50 (CHENEY HWY) - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	4.4	2	-	3	6	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	98%	0%	0%	0%	98%	0%	-	Most Crit.	Crit.	-
1006	I-95	SR 406 (GARDEN ST) - SR 46	NORTH	UNINCORPORATED	3.6	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	0%	0%	0%	24%	0%	-	Most Crit.	-	-
5010	I-95	SR 46 - DEERING PKWY	NORTH	UNINCORPORATED	7.6	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	85%	33%	0%	0%	80%	0%	-	Most Crit.	-	-
1007	I-95	DEERING PKWY - VOLUSIA CO	NORTH	UNINCORPORATED	1.4	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	39%	0%	0%	100%	0%	-	Most Crit.	-	-
4030	INDIAN RIVER DR	SR 520 (KING ST) - DIXON BLVD	CENTRAL	COCOA	1.9	8	2	2	20	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	99%	13%	26%	13%	0%	97%	Most Vuln.	-	Most Crit.	-
5026	INDIAN RIVER DR	DIXON BLVD - CITY POINT RD	CENTRAL	COCOA	1.9	8	1	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	92%	27%	31%	25%	0%	92%	Vuln.	-	-	-
4033	INDIAN RIVER DR	CITY POINT RD - US 1	NORTH	COCOA	3.1	8	-	3	24	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	94%	43%	69%	28%	0%	90%	-	Crit.	Most Crit.	-
141	INTERLACHEN RD	ST ANDREWS BLVD - WICKHAM RD	CENTRAL	UNINCORPORATED	1.7	2	1	1	3	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	26%	26%	0%	0%	0%	0%	Vuln.	-	Crit.	-
368	JACKSON AVE	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	0.8	4	-	1	4	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	94%	0%	94%	92%	0%	0%	-	-	Crit.	-
142	JOHN RODES BLVD	US 192 (NEW HAVEN AVE) - SR 518 (EAU GALLIE BLVD)	SOUTH	MELBOURNE	2.9	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	42%	*	0%	0%	42%	0%	-	Most Crit.	-	-
143	JOHN RODES BLVD	SR 518 (EAU GALLIE BLVD) - AURORA RD	SOUTH	MELBOURNE	0.8	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	15%	0%	0%	0%	15%	0%	-	Crit.	-	-
144	JORDAN BLASS DR	ST ANDREWS BLVD - WICKHAM RD	CENTRAL	UNINCORPORATED	0.6	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	25%	25%	0%	0%	0%	0%	Vuln.	-	-	-
80	JUDGE F JAMIESON WY	STADIUM PKWY - LAKE ANDREW DR	CENTRAL	UNINCORPORATED	0.5	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
146	JUPITER BLVD	MALABAR RD SW - EMERSON DR	SOUTH	PALM BAY	2.3	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
145	JUPITER BLVD	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	3.5	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
2145	JUPITER BLVD	EMERSON DR - SAN FILIPPO DR	SOUTH	PALM BAY	0.9	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	22%	22%	0%	0%	0%	0%	-	Crit.	Crit.	-
381	KENNEDY PKWY	BEACH RD - A MAX BREWER MEMORIAL PKWY	BARRIER ISLANDS	UNINCORPORATED	3.2	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	8%	100%	84%	100%	0%	-	-	-	-
17	KINGS HWY	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	1.7	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	-	-	Crit.	-
342	KNECHT RD	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	1.1	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	6%	6%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
2305	KNOX MCRAE DR	HARRISON ST - BARNA AVE	NORTH	TITUSVILLE	1.9	2	1	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	3%	0%	0%	58%	0%	Vuln.	-	-	-
305	KNOX MCRAE DR	BARNA AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	1.7	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
147	LAKE ANDREW DR	PINEDA CSWY - WICKHAM RD	CENTRAL	UNINCORPORATED	2.8	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	32%	32%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?				
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset	
82	LAKE ANDREW DR	WICKHAM RD - JUDGE F JAMIESON WY	CENTRAL	UNINCORPORATED	1.3	1	2	3	9	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	16%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5036	LAKE ANDREW DR	JUDGE F JAMIESON PKWY - VIERA BLVD	CENTRAL	UNINCORPORATED	1.4	2	1	2	6	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	28%	28%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
5030	LAKE DR	SR 501 (CLEARLAKE RD) - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	0.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
81	LAKE DR	SR 520 (KING ST) - SR 501 (CLEARLAKE RD)	CENTRAL	UNINCORPORATED	1.9	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
148	LAKE WASHINGTON RD	LAKE WASHINGTON - WICKHAM RD	SOUTH	MELBOURNE	3.8	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	14%	0%	0%	52%	0%	0%	-	-	Most Crit.	-
2148	LAKE WASHINGTON RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.1	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
387	LAMPLIGHTER DR	PACE DR - EMERSON DR	SOUTH	PALM BAY	1.0	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
45	LUCAS RD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	2	6	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	45%	0%	45%	42%	0%	0%	0%	-	-	Most Crit.	-
149	MAIN ST	RIVERVIEW DR - US 1	SOUTH	UNINCORPORATED	0.4	6	-	1	6	Min. Imp.	Min. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	100%	15%	45%	78%	100%	48%	0%	-	-	Crit.	-
306	MAIN ST	PARK AVE - US 1 (HOPKINS AVE)	NORTH	TITUSVILLE	0.6	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
2150	MALABAR RD	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	2	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	16%	12%	0%	0%	16%	0%	0%	Most Vuln.	-	-	-
150	MALABAR RD	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
151	MALABAR RD	MINTON RD - EMERSON DR	SOUTH	PALM BAY	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
152	MALABAR RD	EMERSON DR - SAN FILIPPO DR	SOUTH	PALM BAY	0.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
1025	MELBOURNE AVE	COUNTRY CLUB RD - SR 507 (BABCOCK ST)	SOUTH	MELBOURNE	0.2	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
344	MELBOURNE AVE	SR 507 (BABCOCK ST) - FRONT ST	SOUTH	MELBOURNE	1.3	6	2	2	16	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	27%	15%	21%	16%	0%	25%	0%	Most Vuln.	Crit.	Crit.	-
46	MERRITT AVE	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.4	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	100%	0%	100%	50%	0%	0%	0%	-	-	Crit.	-
47	MERRITT AVE	SR 3 (N COURTENAY PKWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	0.9	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	88%	13%	88%	56%	0%	0%	0%	-	-	Most Crit.	-
2156	MICCO RD	BABCOCK ST - ST JOHNS HERITAGE PKWY	SOUTH	UNINCORPORATED	2.6	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	13%	0%	0%	100%	0%	0%	-	Most Crit.	-	-
156	MICCO RD	ST JOHNS HERITAGE PKWY - US 1	SOUTH	UNINCORPORATED	5.1	3	-	4	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	38%	10%	0%	0%	28%	0%	0%	-	Most Crit.	Most Crit.	-
83	MICHIGAN AVE	TIGER TR - SR 501 (CLEARLAKE RD)	CENTRAL	COCOA	1.3	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
84	MICHIGAN AVE	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	COCOA	0.5	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
5048	MINTON RD	JUPITER BLVD - MALABAR RD	SOUTH	PALM BAY	0.8	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
157	MINTON RD	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	2.3	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
158	MINTON RD	EMERSON DR - US 192 (NEW HAVEN AVE)	SOUTH	UNINCORPORATED	3.2	2	1	4	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	*	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
369	MINUTEMEN CSWY	TOM WARRINER BLVD - SR A1A (S ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	1.5	6	-	2	12	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	99%	0%	99%	81%	0%	53%	0%	-	-	Most Crit.	-
2085	MURRELL RD	WICKHAM RD - VIERA BLVD	CENTRAL	ROCKLEDGE	2.5	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	28%	28%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5033	MURRELL RD	VIERA BLVD - BARNES BLVD	CENTRAL	ROCKLEDGE	2.1	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	38%	38%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
85	MURRELL RD	BARNES BLVD - BARTON BLVD	CENTRAL	ROCKLEDGE	2.7	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
199	N ATLANTIC AVE	SR A1A (ASTRONAUT BLVD) - GEORGE KING BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.2	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
5025	N BANANA RIVER DR	SR 520 (MERRITT ISLAND CSWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	1.0	8	-	1	8	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	100%	92%	100%	100%	27%	13%	0%	-	Crit.	-	-
49	N BANANA RIVER DR/MORNINGSIDE DR/BANANA RIVER DR	SYKES CREEK PKWY - SR 528 (BENNETT CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.7	9	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	59%	97%	96%	66%	28%	0%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5051	N TROPICAL TR	SR 520 (MERRITT ISLAND CSWY) - LUCAS RD	BARRIER ISLANDS	UNINCORPORATED	1.4	4	1	1	5	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	76%	0%	76%	25%	0%	0%	Vuln.	-	Crit.	-
52	N TROPICAL TR	LUCAS RD - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	2.3	4	-	2	8	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	62%	0%	62%	37%	0%	0%	-	-	Most Crit.	-
53	N TROPICAL TR	GRANT RD - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	4.9	7	-	1	7	Min. Imp	Sev. Imp	Sev. Imp	Min. Imp	Min. Imp	67%	3%	67%	35%	63%	1%	-	-	Crit.	-
5040	NASA BLVD	WICKHAM RD - EVANS RD	SOUTH	MELBOURNE	1.4	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	Yes
159	NASA BLVD	EVANS RD - EDDIE ALLEN RD	SOUTH	MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Crit.	Yes
345	NEW HAVEN AVE	US 192 (NEW HAVEN AVE)/FRANKLIN ST - US 192 (STRAWBRIDGE AVE)	SOUTH	UNINCORPORATED	1.1	3	1	4	16	Min. Imp	Min. Imp	Min. Imp	No Imp.	No Imp.	15%	9%	15%	12%	0%	0%	Vuln.	Crit.	Most Crit.	Yes
48	NEWFOUND HARBOR DR	MORRIS MANOR - SR 520 (COCOA BEACH CSWY)	BARRIER ISLANDS	UNINCORPORATED	3.8	7	-	-	-	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Min. Imp	98%	14%	98%	82%	0%	3%	-	-	-	-
346	NORFOLK PKWY	PALM BAY RD - MINTON RD	SOUTH	WEST MELBOURNE	0.9	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
200	OAK ST	SR A1A (ATLANTIC ST) - SR A1A (OCEAN AVE)	BARRIER ISLANDS	MELBOURNE BEACH	1.6	4	-	2	8	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	48%	0%	48%	47%	0%	0%	-	-	Most Crit.	-
201	OCEAN BEACH BLVD	WAKULLA LN - YOUNG AVE	BARRIER ISLANDS	COCOA BEACH	1.3	6	-	2	12	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	No Imp.	81%	52%	81%	26%	0%	0%	-	-	Most Crit.	-
370	OCEAN BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	1	3	No Imp.	Sev. Imp	Min. Imp	No Imp.	No Imp.	97%	0%	97%	37%	0%	0%	-	-	Crit.	-
1029	OLD DIXIE HWY	US 1 - VALKARIA RD	SOUTH	GRANT VALKARIA	4.3	5	-	-	-	No Imp.	Sev. Imp	Sev. Imp	Min. Imp	No Imp.	62%	0%	58%	48%	17%	0%	-	-	-	-
19	OLD DIXIE HWY	SR 406 (GARDEN ST) - PARKER ST; CUYLER ST	NORTH	TITUSVILLE	3.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
347	PACE DR	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	1	2	8	Sev. Imp	No Imp.	No Imp.	Min. Imp	No Imp.	40%	10%	0%	0%	40%	0%	Vuln.	Crit.	Crit.	-
161	PALM BAY RD	MINTON RD - HOLLYWOOD BLVD	SOUTH	UNINCORPORATED	1.3	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
162	PALM BAY RD	HOLLYWOOD BLVD - SR 507 (BABCOCK ST)	SOUTH	UNINCORPORATED	1.7	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
163	PALM BAY RD	SR 507 (BABCOCK ST) - US 1 (DIXIE HWY)	SOUTH	PALM BAY	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
371	PARADISE BLVD	RIVERSIDE DR - SR A1A	BARRIER ISLANDS	MELBOURNE	0.7	3	-	1	3	No Imp.	Sev. Imp	Min. Imp	No Imp.	No Imp.	60%	0%	55%	16%	0%	0%	-	-	Crit.	-
307	PARK AVE	SR 405 (SOUTH ST) - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	3.9	1	2	2	6	No Imp.	No Imp.	No Imp.	Min. Imp	No Imp.	48%	0%	0%	0%	48%	0%	Most Vuln.	-	Most Crit.	-
386	PARKER ST	SINGLETON AVE - OLD DIXIE HWY	NORTH	UNINCORPORATED	0.3	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	78%	0%	0%	0%	78%	0%	-	-	Most Crit.	-
20	PARRISH RD	HOLDER RD - US 1	NORTH	UNINCORPORATED	1.5	3	-	-	-	Sev. Imp	No Imp.	No Imp.	Min. Imp	No Imp.	53%	26%	0%	0%	53%	0%	-	-	-	-
86	PEACHTREE ST	SR 501 (CLEARLAKE RD) - FORREST AVE	CENTRAL	COCOA	1.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
348	PINE CONE RD	TURTLE MOUND RD - POST RD	SOUTH	MELBOURNE	0.5	1	-	-	-	Min. Imp	No Imp.	No Imp.	No Imp.	No Imp.	20%	20%	0%	0%	0%	0%	-	-	-	-
372	PINE TREE DR/BANANA RIVER DR	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	INDIAN HARBOUR BEACH	0.9	4	-	2	8	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	72%	0%	72%	34%	0%	0%	-	-	Most Crit.	-
349	PINEAPPLE AVE	SR 518 (EB EAU GALLIE BLVD) - PKWY DR	SOUTH	MELBOURNE	2.1	5	2	3	21	No Imp.	Sev. Imp	Min. Imp	No Imp.	Sev. Imp	46%	0%	17%	1%	0%	34%	Most Vuln.	Crit.	Most Crit.	-
90	PINEDA ST	PEACHTREE ST - DIXON BLVD	CENTRAL	COCOA	1.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
5028	PINEDA ST	CLEARLAKE RD - DIXON RD	CENTRAL	COCOA	1.1	1	2	-	-	Min. Imp	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	-	-	-
166	PINEHURST AVE	WICKHAM RD - ST ANDREWS BLVD	CENTRAL	UNINCORPORATED	1.1	2	-	1	2	Sev. Imp	No Imp.	No Imp.	No Imp.	No Imp.	29%	29%	0%	0%	0%	0%	-	-	Crit.	-
87	PINEHURST AVE/HOLIDAY SPRINGS RD	WICKHAM RD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.5	2	1	1	3	Sev. Imp	No Imp.	No Imp.	No Imp.	No Imp.	44%	44%	0%	0%	0%	0%	Vuln.	-	Crit.	-
5039	PARKWAY DR	TURTLE MOUND RD - WICKHAM RD	SOUTH	MELBOURNE	1.0	2	-	-	-	Sev. Imp	No Imp.	No Imp.	No Imp.	No Imp.	40%	40%	0%	0%	0%	0%	-	-	-	-
164	PARKWAY DR	WICKHAM RD - PINEAPPLE AVE	SOUTH	MELBOURNE	1.9	1	2	1	3	Min. Imp	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
88	PLUCKEBAUM RD	RANGE RD - CLEARLAKE RD	CENTRAL	ROCKLEDGE	1.0	2	1	-	-	Min. Imp	No Imp.	No Imp.	Min. Imp	No Imp.	100%	2%	0%	0%	100%	0%	Vuln.	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5031	PLUCKEBAUM RD	CLEARLAKE RD - FISKE BLVD	CENTRAL	ROCKLEDGE	0.8	1	1	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	Vuln.	-	-	-
54	PLUMOSA ST	CONE RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.7	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	40%	0%	0%	-	-	Most Crit.	-
5022	PLUMOSA ST	SR 520 (MERRITT ISLAND CSWY) - MERRITT AVE	BARRIER ISLANDS	UNINCORPORATED	0.3	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	42%	100%	100%	0%	0%	-	-	Most Crit.	-
351	PORT MALABAR BLVD	SR 507 (BABCOCK ST) - PALM BAY RD	SOUTH	PALM BAY	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
167	PORT MALABAR RD	SR 507 (BABCOCK ST) - US 1 (DIXIE HWY)	SOUTH	PALM BAY	3.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
21	PORT ST JOHN PKWY	GOLFVIEW AVE - GRISSOM PKWY	NORTH	UNINCORPORATED	1.6	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	38%	0%	0%	100%	0%	-	-	-	-
5038	POST RD	PINE CONE RD - WICKHAM RD	SOUTH	MELBOURNE	1.0	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	31%	31%	0%	0%	0%	0%	-	-	Most Crit.	-
168	POST RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.5	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
5042	PROSPECT AVE/LIPSCOMB ST	PALM BAY RD - FLORIDA AVE	SOUTH	UNINCORPORATED	1.5	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
324	PROSPECT AVE/LIPSCOMB ST	FLORIDA AVE - US 1 (DIXIE HWY)	SOUTH	UNINCORPORATED	1.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
1015	RANCH RD	I-95 - GRISSOM PKWY	NORTH	UNINCORPORATED	1.4	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	76%	37%	0%	0%	64%	0%	-	-	-	-
309	RANEY RD	KNOX MCRAE DR - COUNTRY CLUB RD	NORTH	TITUSVILLE	1.0	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
5027	RANGE RD	PLUCKEBAUM RD - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	0.7	1	1	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	56%	0%	0%	0%	56%	0%	Vuln.	-	-	-
89	RANGE RD	SR 520 (KING ST) - TIGER TR	CENTRAL	UNINCORPORATED	1.8	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	Vuln.	-	-	-
203	RIDGEWOOD AVE	YOUNG AVE - CENTRAL BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.9	6	1	2	14	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	51%	100%	56%	0%	0%	Vuln.	-	Most Crit.	-
373	RIVERSIDE DR	SR A1A (OAK ST) - US 192 (5TH AVE)	BARRIER ISLANDS	INDIALANTIC	2.0	8	-	2	16	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	95%	27%	95%	77%	0%	21%	-	-	Most Crit.	-
204	RIVERSIDE DR	US 192 (FIFTH AVE) - SR 518 (EAU GALLIE BLVD)	BARRIER ISLANDS	INDIALANTIC	3.8	7	1	2	16	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	6%	100%	48%	0%	7%	Vuln.	-	Most Crit.	-
352	RIVIERA DR	PALM BAY RD - PORT MALABAR BLVD	SOUTH	PALM BAY	2.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
2352	RIVIERA DR	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	0.7	1	1	1	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	24%	24%	0%	0%	0%	0%	Vuln.	-	Crit.	-
169	RJ CONLAN BLVD	PALM BAY RD - US 1 (DIXIE HWY)	SOUTH	PALM BAY	1.7	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	-	-
1028	ROCKLEDGE DR	US 1 (ROCKLEDGE DR) - COQUINA RD	CENTRAL	UNINCORPORATED	1.9	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	96%	78%	96%	78%	0%	87%	-	-	-	-
3028	ROCKLEDGE DR	COQUINA RD - PARK AVE	CENTRAL	ROCKLEDGE	2.1	4	-	-	-	No Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	100%	0%	61%	0%	0%	100%	-	-	-	-
4028	ROCKLEDGE DR	PARK AVE - BOUGAINVILLEA DR	CENTRAL	ROCKLEDGE	1.7	5	-	2	10	Min. Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	100%	1%	60%	0%	0%	100%	-	-	Most Crit.	-
4029	ROCKLEDGE DR	BOUGAINVILLEA DR - SR 520 (KING ST)	CENTRAL	COCOA	1.0	5	1	2	12	Min. Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	74%	2%	71%	0%	0%	70%	Vuln.	-	Most Crit.	-
1031	ROCKY POINT RD	US 1 - US 1	SOUTH	MALABAR	1.4	7	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	0%	94%	93%	52%	95%	-	-	-	-
316	ROSA JONES BLVD	SR 519 (FISKE BLVD) - US 1 (S COCOA BLVD)	CENTRAL	COCOA	0.8	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2090	ROSETINE ST	RANGE RD - SR 501 (CLEARLAKE RD)	CENTRAL	COCOA	1.0	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
315	ROY WALL BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
55	S COURTENAY PKWY	S TROPICAL TR - CONE RD	BARRIER ISLANDS	UNINCORPORATED	4.5	6	-	2	12	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	98%	7%	98%	77%	0%	0%	-	-	Most Crit.	-
5024	S COURTENAY PKWY	CONE RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.7	2	-	1	2	No Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	64%	0%	64%	0%	0%	0%	-	-	Crit.	-
57	S TROPICAL TR	SR 513 (S PATRICK DR) - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	INDIAN HARBOUR BEACH	5.0	8	2	2	20	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	95%	34%	77%	73%	0%	83%	Most Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
2055	S COURTENAY PKWY/TROPICAL TR	SR 404 (PINEDA CSWY) - TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	6.0	7	-	-	-	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	97%	3%	87%	57%	0%	79%	-	-	-	-
58	S TROPICAL TR	S COURTENAY PKWY - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	5.6	7	-	2	14	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	67%	0%	45%	27%	0%	33%	-	-	Most Crit.	-
2174	SAN FILIPPO DR	ST ANDRE BLVD - WYOMING DR	SOUTH	PALM BAY	4.2	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	73%	0%	0%	0%	73%	0%	Most Vuln.	-	Crit.	-
174	SAN FILIPPO DR	WYOMING DR - MALARBAR RD	SOUTH	PALM BAY	3.3	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	15%	15%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
171	SARNO RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
317	SCHOOL ST	LAKE DR - WILSON AVE	CENTRAL	COCOA	1.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
374	SEA PARK BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	91%	0%	91%	38%	0%	0%	-	-	Crit.	-
375	SHEARWATER DR	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	0.7	3	-	-	-	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	100%	0%	100%	16%	0%	0%	-	-	-	-
310	SHEPARD DR	SR 407 (CHALLENGER MEMORIAL PKWY) - GRISSOM PKWY	NORTH	TITUSVILLE	1.0	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	31%	0%	0%	0%	31%	0%	-	-	-	-
353	SHERIDAN RD	JOHN RODES BLVD - WICKHAM RD	SOUTH	WEST MELBOURNE	1.7	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
22	SINGLETON AVE	SR 405 (SOUTH ST) - DAIRY RD	NORTH	TITUSVILLE	2.7	3	-	3	9	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	12%	0%	0%	13%	0%	-	Crit.	Most Crit.	-
2022	SINGLETON AVE	DAIRY RD - SR 46 (MAIN ST)	NORTH	TITUSVILLE	2.0	1	-	3	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	0%	0%	0%	44%	0%	-	Crit.	Most Crit.	-
23	SISSON RD	SR 405 (COLUMBIA BLVD) - SR 50 (CHENEY HWY)	NORTH	TITUSVILLE	2.0	1	-	1	1	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	5%	5%	0%	0%	0%	0%	-	-	Crit.	-
59	SPACE COMMERCE WAY	KENNEDY PKWY - SR 405 (NASA CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.7	6	-	3	18	No Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	0%	99%	80%	100%	0%	-	Most Crit.	-	Yes
91	SPYGLASS HILL RD	MURRELL RD - PINEHURST AVE	CENTRAL	UNINCORPORATED	1.6	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	45%	45%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
5021	SR 3 (COURTENAY PKWY)	SR 520 (MERRITT ISLAND CSWY) - LUCAS RD	BARRIER ISLANDS	UNINCORPORATED	1.3	2	-	4	8	No Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	42%	0%	42%	0%	0%	0%	-	Most Crit.	Most Crit.	-
50	SR 3 (N COURTENAY PKWY)	LUCAS RD - SR 528 (BENNETT CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.1	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	14%	0%	0%	0%	14%	0%	-	Most Crit.	Most Crit.	-
5020	SR 3 (COURTENAY PKWY)	SR 528 (BENNETT CSWY) - HALL RD	BARRIER ISLANDS	UNINCORPORATED	1.9	5	-	4	20	Min. Imp.	Sev. Imp.	No Imp.	Min. Imp.	Min. Imp.	59%	2%	38%	0%	40%	6%	-	Most Crit.	Crit.	Yes
51	SR 3 (N COURTENAY PKWY)	HALL RD - N TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	2.7	5	-	4	20	No Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	No Imp.	100%	0%	100%	5%	100%	0%	-	Most Crit.	Crit.	Yes
2051	SR 3 (COURTENAY PKWY)	TROPICAL TR - SPACE COMMERCE WAY	BARRIER ISLANDS	UNINCORPORATED	3.3	6	-	4	24	No Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	0%	100%	30%	95%	0%	-	Most Crit.	Crit.	Yes
165	SR 404 (PINEDA CSWY)	LAKE ANDREW DR - WICKHAM RD	SOUTH	UNINCORPORATED	3.2	3	1	4	16	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	57%	0%	0%	82%	0%	Vuln.	Most Crit.	Crit.	Yes
5037	SR 404 (PINEDA CSWY)	WICKHAM RD - US 1	CENTRAL	UNINCORPORATED	0.7	2	-	4	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	44%	44%	0%	0%	0%	0%	-	Most Crit.	Crit.	Yes
202	SR 404 (PINEDA CSWY)	US 1 - SR A1A (ATLANTIC AVE)	BARRIER ISLANDS	UNINCORPORATED	3.9	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	82%	19%	37%	34%	0%	42%	-	Most Crit.	Crit.	Yes
2028	SR 405 (COLUMBIA BLVD)	SR 50 (CHENEY HWY) - SR 407 (CHALLENGER MEMORIAL PKWY)	NORTH	TITUSVILLE	2.4	2	-	5	10	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	93%	2%	0%	0%	93%	0%	-	Most Crit.	Most Crit.	Yes
28	SR 405 (COLUMBIA BLVD)	SR 407 (CHALLENGER MEMORIAL PKWY) - US 1	NORTH	TITUSVILLE	1.8	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	15%	0%	0%	0%	15%	0%	-	Most Crit.	Crit.	Yes
18	SR 405 (NASA PKWY)	US 1 - SPACE COMMERCE WAY	BARRIER ISLANDS	UNINCORPORATED	5.9	10	-	3	30	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	97%	7%	77%	73%	62%	36%	-	Most Crit.	-	Yes
29	SR 405 (SOUTH ST)	SR 50 (CHENEY HWY) - FOX LAKE RD	NORTH	TITUSVILLE	2.1	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	*	0%	0%	100%	0%	-	Crit.	Crit.	-
5013	SR 405 (SOUTH ST)	FOX LAKE RD - SINGLETON AVE	NORTH	TITUSVILLE	1.3	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	*	0%	0%	100%	0%	-	Crit.	-	-
30	SR 405 (SOUTH ST)	SINGLETON AVE - US 1	NORTH	TITUSVILLE	2.0	3	1	2	8	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	19%	*	0%	0%	19%	0%	Vuln.	-	Most Crit.	-
33	SR 406 (A MAX BREWER MEMORIAL PKWY)	US 1 (WASHINGTON AVE) - SR 406 (A MAX BREWER MEMORIAL PKWY)	BARRIER ISLANDS	TITUSVILLE	1.2	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	30%	69%	27%	0%	55%	-	Crit.	Most Crit.	Yes

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
383	SR 406 (A MAX BREWER MEMORIAL PKWY)	A MAX BREWER MEMORIAL PKWY - KENNEDY PKWY	BARRIER ISLANDS	TITUSVILLE	6.0	9	-	2	18	Min. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	100%	2%	100%	98%	91%	9%	-	Crit.	-	Yes
31	SR 406 (GARDEN ST)	CARPENTER RD - I-95	NORTH	TITUSVILLE	0.5	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	0%	0%	0%	58%	0%	-	Crit.	-	-
5052	SR 406 (GARDEN ST)	I-95 - SINGLETON AVE	NORTH	TITUSVILLE	0.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
32	SR 406 (GARDEN ST)	SINGLETON AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	1.9	-	1	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
2034	SR 407 (CHALLENGER MEMORIAL PKWY)	SR 528 (BEACHLINE EXPWY) - I-95	NORTH	TITUSVILLE	4.3	3	2	2	10	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	1%	0%	0%	100%	0%	Most Vuln.	Most Crit.	-	-
34	SR 407 (CHALLENGER MEMORIAL PKWY)	I-95 - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	2.5	2	-	3	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	86%	8%	0%	0%	84%	0%	-	Most Crit.	Crit.	-
24	SR 46	VOLUSIA CO - FAWN LAKE BLVD	NORTH	UNINCORPORATED	4.5	4	-	2	8	Min. Imp.	Min. Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	-	-
25	SR 46	FAWN LAKE BLVD - I-95	NORTH	UNINCORPORATED	1.4	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	97%	0%	0%	0%	97%	0%	-	Most Crit.	-	-
5011	SR 46	I-95 - US 1	NORTH	UNINCORPORATED	1.5	3	-	4	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	33%	0%	0%	90%	0%	-	Most Crit.	Most Crit.	-
26	SR 50 (CHENEY HWY)	ORANGE CO - I-95	NORTH	TITUSVILLE	5.2	4	-	3	12	Min. Imp.	Min. Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	-
5014	SR 50 (CHENEY HWY)	I-95 - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	0.3	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	Yes
5015	SR 50 (CHENEY HWY)	SR 405 (COLUMBIA BLVD) - BARNA AVE	NORTH	TITUSVILLE	1.6	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	52%	4%	0%	0%	51%	0%	-	Most Crit.	Most Crit.	-
27	SR 50 (CHENEY HWY)	BARNA AVE - US 1	NORTH	TITUSVILLE	1.5	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
69	SR 501 (CLEARLAKE RD)	SR 520 (KING ST) - MICHIGAN AVE	CENTRAL	UNINCORPORATED	2.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	0%	0%	0%	2%	0%	Most Vuln.	Crit.	Most Crit.	-
70	SR 501 (CLEARLAKE RD)	MICHIGAN AVE - SR 524 (INDUSTRY RD)	CENTRAL	COCOA	1.1	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
170	SR 5054 (SARNO RD)	SR 518 (EAU GALLIE BLVD) - WICKHAM RD	SOUTH	MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
116	SR 507 (BABCOCK ST)	SR 514 (MALABAR RD) - PALM BAY RD	SOUTH	PALM BAY	2.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5046	SR 507 (BABCOCK ST)	PALM BAY RD - EBER BLVD	SOUTH	MELBOURNE	1.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Crit.	-
5043	SR 507 (BABCOCK ST)	PIRATE LN - FLORIDA AVE	SOUTH	MELBOURNE	0.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Crit.	-
117	SR 507 (BABCOCK ST)	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
160	SR 508 (NASA BLVD)	EDDIE ALLEN RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.4	-	1	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	Yes
205	SR 513 (S PATRICK DR)	SR 518 (EAU GALLIE BLVD) - BANANA RIVER DR	BARRIER ISLANDS	INDIAN HARBOUR BEACH	0.9	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	100%	0%	0%	-	-	Most Crit.	-
206	SR 513 (S PATRICK DR)	BANANA RIVER DR - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	SATELLITE BEACH	4.4	6	2	2	16	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	13%	99%	99%	0%	0%	Most Vuln.	-	Most Crit.	-
153	SR 514 (MALABAR RD)	SAN FILIPPO DR - SR 507 (BABCOCK ST)	SOUTH	PALM BAY	0.8	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
155	SR 514 (MALABAR RD)	BABCOCK ST - US 1	SOUTH	MALABAR	3.6	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	52%	4%	0%	0%	49%	0%	-	Most Crit.	Most Crit.	-
123	SR 518 (EAU GALLIE BLVD)	I-95 - WICKHAM RD	SOUTH	MELBOURNE	2.4	2	-	4	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	13%	0%	0%	4%	0%	-	Most Crit.	Most Crit.	-
124	SR 518 (EAU GALLIE BLVD)	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.5	1	2	4	12	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
125	SR 518 (EAU GALLIE BLVD) (EB ONLY)	US 1 (HARBOR CITY BLVD) - CAUSEWAY	SOUTH	MELBOURNE	0.5	3	1	5	20	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	44%	0%	34%	40%	0%	33%	Vuln.	Most Crit.	Most Crit.	Yes
126	SR 518 (EAU GALLIE BLVD) (WB ONLY)	CAUSEWAY - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	0.5	3	-	5	15	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	47%	0%	37%	41%	0%	38%	-	Most Crit.	Most Crit.	Yes
197	SR 518 (EAU GALLIE BLVD)	MONTREAL AVE - SR A1A	BARRIER ISLANDS	MELBOURNE	2.6	8	-	5	40	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	86%	25%	55%	45%	0%	35%	-	Most Crit.	Most Crit.	Yes
74	SR 519 (FISKE BLVD)	I-95 - BARTON BLVD	CENTRAL	ROCKLEDGE	2.6	1	2	3	9	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	0%	0%	0%	44%	0%	Most Vuln.	Crit.	Most Crit.	-
75	SR 519 (FISKE BLVD)	BARTON BLVD - SR 520 (KING ST)	CENTRAL	COCOA	1.7	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2092	SR 520 (KING ST)	ORANGE CO - SR 524	CENTRAL	UNINCORPORATED	2.9	3	1	2	8	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	Vuln.	Most Crit.	-	-
92	SR 520 (KING ST)	SR 524 - I-95	CENTRAL	UNINCORPORATED	2.0	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	96%	6%	0%	0%	96%	0%	Vuln.	Most Crit.	-	-
93	SR 520 (KING ST)	I-95 - SR 501 (CLEARLAKE RD)	CENTRAL	UNINCORPORATED	2.5	1	2	5	15	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	11%	0%	0%	0%	11%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5032	SR 520 (KING ST)	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	UNINCORPORATED	1.4	-	2	5	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	0%	0%	0%	17%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
94	SR 520 (KING ST)	US 1 (COCOA BLVD) - RIVEREDGE BLVD	CENTRAL	COCOA	0.5	3	2	5	25	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	26%	2%	26%	23%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
95	SR 520 (WILLARD ST)	SR 520 (HUBERT HUMPHREY CSWY) - US 1 (COCOA BLVD)	CENTRAL	COCOA	0.6	4	2	5	30	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	54%	27%	37%	35%	0%	35%	Most Vuln.	Most Crit.	Most Crit.	Yes
60	SR 520 (MERRITT ISLAND CSWY)	SR 520 (HUBERT HUMPHREY CSWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	2.3	8	2	5	50	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	75%	19%	47%	26%	0%	28%	Most Vuln.	Most Crit.	Most Crit.	Yes
5023	SR 520 (MERRITT ISLAND CSWY)	SYKES CREEK PKWY - BANANA RIVER DR	BARRIER ISLANDS	UNINCORPORATED	1.3	7	-	5	35	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	5%	89%	52%	0%	40%	-	Most Crit.	Most Crit.	Yes
217	SR 520 (COCOA BEACH CSWY)	MILFORD POINT DR/BANANA RIVER DR - SR A1A (ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	3.3	8	-	5	40	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	41%	84%	82%	0%	81%	-	Most Crit.	Most Crit.	Yes
96	SR 524	SR 520 (KING ST) - I-95	CENTRAL	COCOA	1.7	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	78%	13%	0%	0%	78%	0%	Vuln.	Most Crit.	-	-
2097	SR 524	I-95 - COX RD	CENTRAL	COCOA	1.3	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	78%	15%	0%	0%	78%	0%	Vuln.	Most Crit.	-	-
97	SR 524	COX RD - SR 524 (INDUSTRY RD)	CENTRAL	COCOA	1.7	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	29%	0%	0%	0%	29%	0%	Vuln.	Most Crit.	Crit.	-
16	SR 524 (INDUSTRY RD)	SR 524 - GRISSOM PKWY	CENTRAL	COCOA	0.6	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	0%	0%	0%	2%	0%	Vuln.	Most Crit.	Crit.	-
1008	SR 528 (BEACHLINE EXPWY)	ORANGE CO - I-95	NORTH	UNINCORPORATED	5.9	3	2	2	10	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	96%	1%	0%	0%	96%	0%	Most Vuln.	Most Crit.	-	-
1009	SR 528 (BEACHLINE EXPWY)	I-95 - US 1 (COCOA BLVD)	CENTRAL	COCOA	4.2	3	1	4	16	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	41%	11%	0%	0%	37%	0%	Vuln.	Most Crit.	Crit.	Yes
3010	SR 528 (BENNETT CSWY)	US 1 (COCOA BLVD) - SR 3 (COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	2.9	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	74%	12%	32%	49%	7%	44%	-	Most Crit.	Crit.	Yes
1010	SR 528 (INDIAN RIVER LAGOON SCENIC HWY)	SR 3 (COURTENAY PKWY) - SR A1A (ASTRONAUT BLVD)	BARRIER ISLANDS	UNINCORPORATED	4.7	8	-	4	32	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	89%	5%	68%	64%	48%	32%	-	Most Crit.	Crit.	Yes
207	SR AIA (ATLANTIC ST)	INDIAN RIVER CO - OAK ST	BARRIER ISLANDS	UNINCORPORATED	14.3	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	22%	3%	9%	19%	0%	3%	-	Most Crit.	Most Crit.	-
2207	SR AIA (OAK ST)	OAK ST - US 192 (FIFTH AVE)	BARRIER ISLANDS	UNINCORPORATED	3.2	1	-	4	4	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	2%	0%	0%	0%	0%	2%	-	Most Crit.	Most Crit.	-
208	SR AIA (MIRAMAR AVE)	US 192 (FIFTH AVE) - SR 518 (EAU GALLIE BLVD)	BARRIER ISLANDS	INDIALANTIC	3.4	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
209	SR AIA	SR 518 (EAU GALLIE BLVD) - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	SATELLITE BEACH	5.2	4	2	4	24	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	9%	5%	9%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
210	SR A1A (ATLANTIC AVE)	SR 404 (PINEDA CSWY) - S END OF ONE WAY PAIRS	BARRIER ISLANDS	UNINCORPORATED	4.9	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	86%	62%	52%	10%	0%	19%	-	Most Crit.	Crit.	Yes
211	SR AIA (ATLANTIC AVE) (NB ONLY)	S END OF ONE WAY PAIRS - N END OF ONE WAY PAIRS	BARRIER ISLANDS	COCOA BEACH	3.0	1	-	5	5	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	Yes
212	SR AIA (ORLANDO AVE) (SB ONLY)	N END OF ONE WAY PAIRS - S END OF ONE WAY PAIRS	BARRIER ISLANDS	COCOA BEACH	3.0	4	-	5	20	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	53%	0%	0%	-	Most Crit.	Most Crit.	Yes
213	SR A1A (ATLANTIC AVE)	N END OF ONE WAY PAIRS - SR 520 (COCOA BEACH CSWY)	BARRIER ISLANDS	COCOA BEACH	2.2	4	-	5	20	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	65%	0%	65%	25%	0%	0%	-	Most Crit.	Most Crit.	Yes
214	SR AIA (JF KENNEDY BLVD)	SR 520 (COCOA BEACH CSWY) - N ATLANTIC AVE	BARRIER ISLANDS	COCOA BEACH	2.1	3	1	5	20	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	19%	0%	19%	10%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
215	SR AIA (ASTRONAUT BLVD)	N ATLANTIC AVE - GEORGE J KING BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.3	4	1	5	25	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	83%	0%	83%	83%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
1011	SR A1A (BENNETT CSWY)	SR 528 (BEACHLINE EXPWY) - GEORGE J KING BLVD	BARRIER ISLANDS	UNINCORPORATED	0.7	3	-	4	12	No Imp.	No Imp.	Sev. Imp.	No Imp.	Min. Imp.	88%	0%	0%	88%	0%	2%	-	Most Crit.	Crit.	Yes
1012	SR A1A (BENNETT CSWY) (NB OFF RAMP)	SR A1A (BENNETT CSWY) - SAMUEL C PHILLIPS PKWY	BARRIER ISLANDS	UNINCORPORATED	2.2	6	-	1	6	Min. Imp.	Min. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	63%	2%	4%	39%	0%	36%	-	-	-	Yes
172	ST ANDREWS BLVD	SR 404 (PINEDA CSWY) - WICKHAM RD	CENTRAL	UNINCORPORATED	3.2	3	2	1	5	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	26%	0%	0%	33%	0%	Most Vuln.	-	Crit.	-
173	ST JOHNS HERITAGE PKWY	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	2.3	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	100%	0%	0%	99%	0%	-	-	Crit.	-
5047	ST JOHNS HERITAGE PKWY	EMERSON DR - US 192 (NEW HAVEN AVE)	SOUTH	PALM BAY	3.8	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	30%	29%	0%	0%	30%	0%	-	-	-	-
5050	ST JOHNS HERITAGE PKWY	US 192 - I-95	SOUTH	UNINCORPORATED	1.7	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	98%	0%	0%	100%	0%	-	-	-	-
1030	ST JOHNS HERITAGE PKWY	BABCOCK ST - MICCO RD	SOUTH	PALM BAY	4.0	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	52%	0%	0%	100%	0%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
376	ST LUCIE LANE	BANANA RIVER BLVD - SR A1A (N ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	0.2	2	-	2	4	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	90%	0%	90%	82%	0%	0%	-	-	Most Crit.	-
355	STACK BLVD	PALM BAY RD - EBER BLVD	SOUTH	MELBOURNE	1.0	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
100	STADIUM PKWY	WICKHAM RD - JUDGE F JAMIESON WY	CENTRAL	UNINCORPORATED	1.4	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
101	STADIUM PKWY	JUDGE F JAMIESON WY - VIERA BLVD	CENTRAL	UNINCORPORATED	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
5035	STADIUM PKWY	VIERA BLVD - I-95	CENTRAL	UNINCORPORATED	1.9	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	75%	0%	0%	0%	75%	0%	Vuln.	Crit.	Most Crit.	-
175	SUNTREE BLVD	WICKHAM RD - US 1	CENTRAL	UNINCORPORATED	0.4	2	-	1	2	Min. Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	29%	28%	1%	0%	0%	0%	-	-	Crit.	-
62	SYKES CREEK PKWY	FORTENBERRY RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.4	5	-	3	15	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	9%	100%	100%	0%	0%	-	Crit.	Most Crit.	-
63	SYKES CREEK PKWY	SR 520 (MERRITT ISLAND CSWY) - MERRITT AVE	BARRIER ISLANDS	UNINCORPORATED	0.3	5	-	3	15	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Min. Imp.	100%	0%	100%	100%	0%	10%	-	Crit.	Most Crit.	-
64	SYKES CREEK PKWY	MERRITT AVE - N BANANA RIVER DR	BARRIER ISLANDS	UNINCORPORATED	1.5	8	-	3	24	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	4%	88%	81%	93%	46%	-	Crit.	Most Crit.	-
311	TROPIC ST	SINGLETON AVE - PARK AVE	NORTH	TITUSVILLE	1.3	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
176	TURTLE MOUND RD	SR 518 (EAU GALLIE BLVD) - PINECONE RD	SOUTH	MELBOURNE	2.6	2	1	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	35%	35%	0%	0%	0%	0%	Vuln.	-	-	-
177	UNIVERSITY BLVD	COUNTRY CLUB RD - US 1 (DIXIE HWY)	SOUTH	MELBOURNE	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
178	US 1	INDIAN RIVER CO - VALKARIA RD	SOUTH	MALABAR	8.2	7	1	4	32	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	0%	61%	65%	21%	80%	Vuln.	Most Crit.	Most Crit.	-
2178	US 1	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	8	-	2	16	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	1%	26%	25%	84%	56%	-	Most Crit.	-	-
179	US 1 (DIXIE HWY)	MALABAR RD - RJ CONLAN BLVD	SOUTH	MALABAR	3.8	6	1	2	14	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	82%	0%	12%	11%	0%	79%	Vuln.	Most Crit.	-	-
180	US 1 (DIXIE HWY)	RJ CONLAN BLVD - US 192 (STRAWBRIDGE AVE)	SOUTH	MELBOURNE	2.0	4	1	3	15	Min. Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	20%	2%	0%	1%	0%	20%	Vuln.	Most Crit.	Crit.	-
181	US 1 (HARBOR CITY BLVD)	US 192 (STRAWBRIDGE AVE) - SARNO RD	SOUTH	MELBOURNE	3.5	4	2	4	24	Min. Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	58%	1%	0%	1%	0%	58%	Most Vuln.	Most Crit.	Most Crit.	-
182	US 1 (HARBOR CITY BLVD)	SARNO RD - PKWY DR	SOUTH	MELBOURNE	2.6	2	2	4	16	No Imp.	No Imp.	Min. Imp.	No Imp.	Min. Imp.	8%	0%	0%	1%	0%	8%	Most Vuln.	Most Crit.	Most Crit.	-
2182	US 1	PKWY DR - SR 404 (PINEDA CSWY)	SOUTH	MELBOURNE	3.5	3	2	3	15	No Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	40%	0%	0%	2%	0%	40%	Most Vuln.	Most Crit.	Crit.	-
5034	US 1	SR 404 (PINEDA CSWY) - SUNTREE BLVD	CENTRAL	UNINCORPORATED	1.8	6	1	4	28	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	36%	2%	16%	6%	0%	28%	Vuln.	Most Crit.	Most Crit.	-
102	US 1	SUNTREE BLVD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.4	7	1	3	24	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	70%	3%	69%	53%	0%	17%	Vuln.	Most Crit.	Crit.	-
2102	US 1 (ROCKLEDGE DR)	VIERA BLVD - BARNES BLVD	CENTRAL	UNINCORPORATED	2.4	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	3%	3%	0%	0%	0%	0%	-	Most Crit.	-	-
103	US 1 (ROCKLEDGE BLVD)	BARNES BLVD - BARTON BLVD	CENTRAL	ROCKLEDGE	2.9	1	1	4	8	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
104	US 1 (ROCKLEDGE BLVD)	BARTON BLVD - ROSA L JONES BLVD	CENTRAL	ROCKLEDGE	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
105	US 1 (COCOA BLVD)	ROSA L JONES BLVD - PEACHTREE ST	CENTRAL	COCOA	0.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
106	US 1 (COCOA BLVD)	PEACHTREE ST - SR 528 (BENNETT CSWY)	CENTRAL	COCOA	3.3	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
2035	US 1	SR 528 (BENNETT CSWY) - CAMP RD	NORTH	UNINCORPORATED	3.2	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
5018	US 1	CAMP RD - FAY BLVD	NORTH	UNINCORPORATED	2.2	1	-	3	3	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	8%	0%	0%	0%	0%	8%	-	Most Crit.	Crit.	-
35	US 1 (WASHINGTON AVE)	FAY BLVD - SR 405 (NASA CSWY)	NORTH	UNINCORPORATED	3.7	1	-	4	4	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	8%	0%	0%	0%	6%	2%	-	Most Crit.	Crit.	Yes
2036	US 1	SR 405 (NASA CSWY/COLUMBIA BLVD) - SR 50 (CHENEY HWY)	NORTH	TITUSVILLE	2.1	5	-	2	10	No Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	Min. Imp.	61%	0%	24%	1%	37%	5%	-	Most Crit.	-	-
36	US 1	SR 50 (CHENEY HWY) - GRACE ST	NORTH	TITUSVILLE	3.0	4	2	2	12	No Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	58%	0%	25%	0%	0%	48%	Most Vuln.	Most Crit.	-	-
37	US 1 (WASHINGTON AVE)	GRACE ST - MARINA RD	NORTH	TITUSVILLE	1.2	4	-	4	16	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	32%	0%	32%	22%	0%	0%	-	Most Crit.	Most Crit.	-
38	US 1 (HOPKINS AVE)	MARINA RD - GRACE ST	NORTH	TITUSVILLE	1.2	3	-	4	12	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	24%	0%	24%	14%	0%	0%	-	Most Crit.	Most Crit.	-
39	US 1	MARINA RD - DAIRY RD	NORTH	TITUSVILLE	2.3	3	1	4	16	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	7%	0%	3%	3%	0%	6%	Vuln.	Most Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
2039	US 1 (WASHINGTON AVE)	DAIRY RD - SR 46	NORTH	TITUSVILLE	1.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
40	US 1 (WASHINGTON AVE)	SR 46 (MAIN ST) - VOLUSIA CO	NORTH	UNINCORPORATED	9.0	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	47%	2%	0%	0%	46%	0%	-	Most Crit.	Most Crit.	-
183	US 192	OSCEOLA CO - I-95	SOUTH	UNINCORPORATED	9.8	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	83%	2%	0%	0%	83%	0%	-	Most Crit.	-	-
184	US 192 (NEW HAVEN AVE)	I-95 - MINTON RD/WICKHAM RD	SOUTH	UNINCORPORATED	2.0	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
185	US 192 (NEW HAVEN AVE)	MINTON RD - BABCOCK ST	SOUTH	UNINCORPORATED	3.1	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
186	US 192 (NEW HAVEN AVE)	BABCOCK ST - NEW HAVEN AVE	SOUTH	UNINCORPORATED	1.3	2	1	5	15	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	1%	0%	0%	1%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
218	US 192 (STRAWBRIDGE AVE/MELBOURNE CSWY)	NEW HAVEN AVE - SR A1A (MIRAMAR AVE)	BARRIER ISLANDS	UNINCORPORATED	2.2	8	1	5	45	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	85%	26%	51%	39%	0%	55%	Vuln.	Most Crit.	Most Crit.	Yes
187	VALKARIA RD	BABCOCK ST - US 1	SOUTH	GRANT VALKARIA	5.6	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	84%	8%	0%	0%	82%	0%	-	-	Most Crit.	-
5029	VARR AVE	ROSA L JONES DR - SR 520 (KING ST)	CENTRAL	COCOA	0.4	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2107	VIERA BLVD	STADIUM PKWY - MURRELL RD	CENTRAL	UNINCORPORATED	1.1	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
2108	VIERA BLVD	MURRELL RD - US 1	CENTRAL	UNINCORPORATED	1.9	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	30%	30%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
357	WACO BLVD	EMERSON DR - BABCOCK ST	SOUTH	PALM BAY	1.6	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
377	WAKULLA LANE	SR A1A (N ATLANTIC AVE) - OCEAN BEACH BLVD	BARRIER ISLANDS	COCOA BEACH	0.1	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
358	WALDEN BLVD/WYOMING DR	EMERSON DR - BABCOCK ST	SOUTH	PALM BAY	1.8	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
1019	WARNING WAY	TROPICAL TR - TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	0.4	1	-	-	-	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	45%	0%	45%	0%	0%	0%	-	-	-	-
378	WASHINGTON AVE	N ATLANTIC AVE - RIDGEWOOD AVE	BARRIER ISLANDS	CAPE CANAVERAL	0.5	5	1	2	12	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	83%	7%	83%	65%	0%	0%	Vuln.	-	Most Crit.	-
359	WEBER RD	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	57%	10%	0%	0%	54%	0%	-	-	Crit.	-
360	WH JACKSON ST	GRANT ST - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	0.5	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
188	WICKHAM RD	US 192 (NEW HAVEN AVE) - NASA BLVD	SOUTH	WEST MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
189	WICKHAM RD	NASA BLVD - SARNO RD	SOUTH	MELBOURNE	1.5	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
190	WICKHAM RD	SARNO RD - PKWY DR	SOUTH	MELBOURNE	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
191	WICKHAM RD	PKWY DR - SR 404 (PINEDA CSWY)	SOUTH	MELBOURNE	3.0	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	16%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
192	WICKHAM RD	SR 404 (PINEDA CSWY) - MURRELL RD	CENTRAL	UNINCORPORATED	4.1	2	2	4	16	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	24%	24%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
193	WICKHAM RD	LAKE ANDREW DR - MURRELL RD	CENTRAL	UNINCORPORATED	0.8	1	2	4	12	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
194	WICKHAM RD	LAKE ANDREW DR - CHARLIE CORBEIL WY	CENTRAL	UNINCORPORATED	2.1	1	1	3	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
1023	WILLOWOOD DR	EBER BLVD - WILLOWOOD DR	SOUTH	UNINCORPORATED	0.3	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
388	WINGATE DR	MINTON RD - HOLLYWOOD BLVD	SOUTH	WEST MELBOURNE	1.1	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
195	WOODY BURKE DR	HIBISCUS BLVD - NASA BLVD	SOUTH	MELBOURNE	0.6	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-

NETWORK ANALYSIS SCORING RESULTS FOR ALL CORRIDORS BY AREA



NETWORK ANALYSIS SCORING RESULTS FOR ALL CORRIDORS: SORTED BY AREA

Table Description: This table summarizes the vulnerability of each corridor to shocks or stressors and the criticality of each corridor.

How Corridors are Ordered: Alphabetically by Area . Then alphabetically by City . Then alphabetically by Road Name .

Scores:

Vulnerable Score = 2*# of Shocks or Stressors with Severe Impact + 1*# of Shocks or Stressors with Minimal Impact

Vulnerable Population Score = 2, if the corridor serves a Most Vulnerable Population. Vulnerable Population Score = 1, if the corridor serves a Vulnerable Population

Critical Score = 2*(Most Critical Function + Most Critical Local Asset) + 1*(Critical Function + Critical Local Asset) + 1*(Critical Regional Asset)

Total Score = Vulnerable Score + (Vulnerable Population Score if Vulnerable Score > 0) * Critical Score

Shocks or Stressors: Flooding (Flood), Sea Level Rise (SLR), Storm Surge, Fire, Shoreline Erosion (Shrl. Erosn.). Severe Impact (Sev. Imp.) has >0.25 mi of the corridor impacted. Minimal Impact (Min. Imp.) has >0 mi but <0.25 mi of the corridor impacted.

Notes: The *For What is the Corridor Vulnerable* columns report the summarized extent of impact to the corridor by each shock or stressor. The *How Much of the Corridor is Vulnerable* columns report the portion of the corridor that is impacted by each shock or stressor. % *Vuln.* reports the portion of the corridor that is vulnerable to at least 1 shock or stressor. Some shocks or stressors have overlapping impacts so this number may be less than the sum of the impacts of each shock or stressor. See methodology document for further information on each criteria.

Corridors with "How Much of the Corridor is Vulnerable?" marked with an asterisk (*) had feedback provided from Task Force members that indicated the corridor is impacted by the noted shock or stressor. These corridors are recorded as being "Severely Impacted" by the noted shock or stressor. The Vulnerable Score and Total Score are adjusted accordingly.

The City Name and Area columns are intended to be used to locate the relative position of the corridor. They do not indicate the maintaining agency of the corridor.

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
196	CENTRAL BLVD	SR A1A (ASTRONAUT BLVD) - RIDGEWOOD AVE	BARRIER ISLANDS	CAPE CANAVERAL	1.0	4	-	2	8	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	89%	0%	89%	66%	0%	0%	-	Crit.	Crit.	-
199	N ATLANTIC AVE	SR A1A (ASTRONAUT BLVD) - GEORGE KING BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.2	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
203	RIDGEWOOD AVE	YOUNG AVE - CENTRAL BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.9	6	1	2	14	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	No Imp.	100%	51%	100%	56%	0%	0%	Vuln.	-	Most Crit.	-
215	SR AIA (ASTRONAUT BLVD)	N ATLANTIC AVE - GEORGE J KING BLVD	BARRIER ISLANDS	CAPE CANAVERAL	1.3	4	1	5	25	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	83%	0%	83%	83%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
378	WASHINGTON AVE	N ATLANTIC AVE - RIDGEWOOD AVE	BARRIER ISLANDS	CAPE CANAVERAL	0.5	5	1	2	12	Min. Imp	Sev. Imp	Sev. Imp	No Imp.	No Imp.	83%	7%	83%	65%	0%	0%	Vuln.	-	Most Crit.	-
362	4TH ST N	BREVARD AVE - SR A1A (ORLANDO AVE)	BARRIER ISLANDS	COCOA BEACH	0.1	1	-	1	1	No Imp.	Min. Imp	No Imp.	No Imp.	No Imp.	100%	0%	100%	0%	0%	0%	-	Crit.	-	-
363	BANANA RIVER BLVD	ST LUCIE LN - SR 520 (COCOA BEACH CAUSEWAY)	BARRIER ISLANDS	COCOA BEACH	0.3	5	-	2	10	Min. Imp	Sev. Imp	Sev. Imp	No Imp.	No Imp.	100%	10%	100%	100%	0%	0%	-	-	Most Crit.	-
364	BREVARD AVE	SR A1A (ORLANDO AVE) - 4TH ST	BARRIER ISLANDS	COCOA BEACH	2.0	5	-	2	10	Min. Imp	Sev. Imp	Sev. Imp	No Imp.	No Imp.	100%	10%	100%	67%	0%	0%	-	-	Most Crit.	-
366	COCOA BEACH CSWY	SR A1A (N ATLANTIC AVE) - OCEAN BEACH BLVD	BARRIER ISLANDS	COCOA BEACH	0.2	2	-	3	6	No Imp.	Min. Imp	Min. Imp	No Imp.	No Imp.	25%	0%	25%	25%	0%	0%	-	Crit.	Most Crit.	-
369	MINUTEMEN CSWY	TOM WARRINER BLVD - SR A1A (S ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	1.5	6	-	2	12	No Imp.	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	99%	0%	99%	81%	0%	53%	-	-	Most Crit.	-
201	OCEAN BEACH BLVD	WAKULLA LN - YOUNG AVE	BARRIER ISLANDS	COCOA BEACH	1.3	6	-	2	12	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	No Imp.	81%	52%	81%	26%	0%	0%	-	-	Most Crit.	-
217	SR 520 (COCOA BEACH CSWY)	MILFORD POINT DR/BANANA RIVER DR - SR A1A (ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	3.3	8	-	5	40	Sev. Imp	Sev. Imp	Sev. Imp	No Imp.	Sev. Imp	100%	41%	84%	82%	0%	81%	-	Most Crit.	Most Crit.	Yes
213	SR A1A (ATLANTIC AVE)	N END OF ONE WAY PAIRS - SR 520 (COCOA BEACH CSWY)	BARRIER ISLANDS	COCOA BEACH	2.2	4	-	5	20	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	65%	0%	65%	25%	0%	0%	-	Most Crit.	Most Crit.	Yes
211	SR AIA (ATLANTIC AVE) (NB ONLY)	S END OF ONE WAY PAIRS - N END OF ONE WAY PAIRS	BARRIER ISLANDS	COCOA BEACH	3.0	1	-	5	5	No Imp.	Min. Imp	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	Yes
214	SR AIA (JF KENNEDY BLVD)	SR 520 (COCOA BEACH CSWY) - N ATLANTIC AVE	BARRIER ISLANDS	COCOA BEACH	2.1	3	1	5	20	No Imp.	Sev. Imp	Min. Imp	No Imp.	No Imp.	19%	0%	19%	10%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
212	SR AIA (ORLANDO AVE) (SB ONLY)	N END OF ONE WAY PAIRS - S END OF ONE WAY PAIRS	BARRIER ISLANDS	COCOA BEACH	3.0	4	-	5	20	No Imp.	Sev. Imp	Sev. Imp	No Imp.	No Imp.	100%	0%	100%	53%	0%	0%	-	Most Crit.	Most Crit.	Yes
376	ST LUCIE LANE	BANANA RIVER BLVD - SR A1A (N ATLANTIC AVE)	BARRIER ISLANDS	COCOA BEACH	0.2	2	-	2	4	No Imp.	Min. Imp	Min. Imp	No Imp.	No Imp.	90%	0%	90%	82%	0%	0%	-	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
377	WAKULLA LANE	SR A1A (N ATLANTIC AVE) - OCEAN BEACH BLVD	BARRIER ISLANDS	COCOA BEACH	0.1	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
373	RIVERSIDE DR	SR A1A (OAK ST) - US 192 (5TH AVE)	BARRIER ISLANDS	INDIALANTIC	2.0	8	-	2	16	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	95%	27%	95%	77%	0%	21%	-	-	Most Crit.	-
204	RIVERSIDE DR	US 192 (FIFTH AVE) - SR 518 (EAU GALLIE BLVD)	BARRIER ISLANDS	INDIALANTIC	3.8	7	1	2	16	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	6%	100%	48%	0%	7%	Vuln.	-	Most Crit.	-
208	SR A1A (MIRAMAR AVE)	US 192 (FIFTH AVE) - SR 518 (EAU GALLIE BLVD)	BARRIER ISLANDS	INDIALANTIC	3.4	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
372	PINE TREE DR/BANANA RIVER DR	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	INDIAN HARBOUR BEACH	0.9	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	72%	0%	72%	34%	0%	0%	-	-	Most Crit.	-
57	S TROPICAL TR	SR 513 (S PATRICK DR) - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	INDIAN HARBOUR BEACH	5.0	8	2	2	20	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	95%	34%	77%	73%	0%	83%	Most Vuln.	-	Most Crit.	-
205	SR 513 (S PATRICK DR)	SR 518 (EAU GALLIE BLVD) - BANANA RIVER DR	BARRIER ISLANDS	INDIAN HARBOUR BEACH	0.9	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	100%	0%	0%	-	-	Most Crit.	-
371	PARADISE BLVD	RIVERSIDE DR - SR A1A	BARRIER ISLANDS	MELBOURNE	0.7	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	60%	0%	55%	16%	0%	0%	-	-	Crit.	-
197	SR 518 (EAU GALLIE BLVD)	MONTREAL AVE - SR A1A	BARRIER ISLANDS	MELBOURNE	2.6	8	-	5	40	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	86%	25%	55%	45%	0%	35%	-	Most Crit.	Most Crit.	Yes
200	OAK ST	SR A1A (ATLANTIC ST) - SR A1A (OCEAN AVE)	BARRIER ISLANDS	MELBOURNE BEACH	1.6	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	48%	0%	48%	47%	0%	0%	-	-	Most Crit.	-
365	CASSIA BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	1.0	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	78%	12%	78%	55%	0%	0%	-	-	Most Crit.	-
367	DESOTO PKWY	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	1.1	4	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	89%	0%	89%	68%	0%	0%	-	-	-	-
368	JACKSON AVE	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	0.8	4	-	1	4	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	94%	0%	94%	92%	0%	0%	-	-	Crit.	-
375	SHEARWATER DR	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	SATELLITE BEACH	0.7	3	-	-	-	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	100%	0%	100%	16%	0%	0%	-	-	-	-
206	SR 513 (S PATRICK DR)	BANANA RIVER DR - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	SATELLITE BEACH	4.4	6	2	2	16	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	13%	99%	99%	0%	0%	Most Vuln.	-	Most Crit.	-
209	SR A1A	SR 518 (EAU GALLIE BLVD) - SR 404 (PINEDA CSWY)	BARRIER ISLANDS	SATELLITE BEACH	5.2	4	2	4	24	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	9%	5%	9%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
383	SR 406 (A MAX BREWER MEMORIAL PKWY)	A MAX BREWER MEMORIAL PKWY - KENNEDY PKWY	BARRIER ISLANDS	TITUSVILLE	6.0	9	-	2	18	Min. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	100%	2%	100%	98%	91%	9%	-	Crit.	-	Yes
33	SR 406 (A MAX BREWER MEMORIAL PKWY)	US 1 (WASHINGTON AVE) - SR 406 (A MAX BREWER MEMORIAL PKWY)	BARRIER ISLANDS	TITUSVILLE	1.2	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	30%	69%	27%	0%	55%	-	Crit.	Most Crit.	Yes
382	BEACH RD	A MAX BREWER MEMORIAL PKWY - SAMUEL C PHILLIPS PKWY	BARRIER ISLANDS	UNINCORPORATED	8.8	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	64%	91%	76%	100%	0%	-	-	-	-
41	CONE RD	S TROPICAL TR - KEMP ST	BARRIER ISLANDS	UNINCORPORATED	0.9	4	-	2	8	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	83%	8%	83%	8%	0%	0%	-	-	Most Crit.	-
379	COURTENAY PKWY	KENNEDY PKWY - VOLUSIA COUNTY LINE	BARRIER ISLANDS	UNINCORPORATED	9.1	9	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	91%	10%	77%	34%	64%	1%	-	-	-	-
42	CROCKETT BLVD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.9	2	-	2	4	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	21%	0%	21%	20%	0%	0%	-	-	Most Crit.	-
43	FORTENBERRY RD	S COURTENAY PKWY - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	1.1	5	-	3	15	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	95%	15%	95%	57%	0%	0%	-	Crit.	Most Crit.	-
198	GEORGE KING BLVD	SR A1A (BENNETT CSWY) - N ATLANTIC AVE	BARRIER ISLANDS	UNINCORPORATED	0.9	1	-	2	2	No Imp.	No Imp.	Min. Imp.	No Imp.	No Imp.	14%	0%	0%	14%	0%	0%	-	Crit.	Crit.	-
380	GRANT RD	N TROPICAL TRAIL - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.3	1	-	-	-	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	38%	0%	7%	0%	38%	0%	-	-	-	-
44	HALL RD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.6	4	-	-	-	No Imp.	Min. Imp.	Min. Imp.	Min. Imp.	Min. Imp.	62%	0%	36%	11%	42%	1%	-	-	-	-
381	KENNEDY PKWY	BEACH RD - A MAX BREWER MEMORIAL PKWY	BARRIER ISLANDS	UNINCORPORATED	3.2	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	8%	100%	84%	100%	0%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?						Serves a Vulnerable Population?	Is the Corridor Critical?		
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
45	LUCAS RD	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	2	6	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	45%	0%	45%	42%	0%	0%	-	-	Most Crit.	-
46	MERRITT AVE	N TROPICAL TR - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	0.4	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	100%	0%	100%	50%	0%	0%	-	-	Crit.	-
47	MERRITT AVE	SR 3 (N COURTENAY PKWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	0.9	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	88%	13%	88%	56%	0%	0%	-	-	Most Crit.	-
5025	N BANANA RIVER DR	SR 520 (MERRITT ISLAND CSWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	1.0	8	-	1	8	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	100%	92%	100%	100%	27%	13%	-	Crit.	-	-
49	N BANANA RIVER DR/MORNINGSIDE DR/BANANA RIVER DR	SYKES CREEK PKWY - SR 528 (BENNETT CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.7	9	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	59%	97%	96%	66%	28%	-	-	-	-
53	N TROPICAL TR	GRANT RD - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	4.9	7	-	1	7	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	67%	3%	67%	35%	63%	1%	-	-	Crit.	-
52	N TROPICAL TR	LUCAS RD - SR 3 (N COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	2.3	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	62%	0%	62%	37%	0%	0%	-	-	Most Crit.	-
5051	N TROPICAL TR	SR 520 (MERRITT ISLAND CSWY) - LUCAS RD	BARRIER ISLANDS	UNINCORPORATED	1.4	4	1	1	5	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	76%	0%	76%	25%	0%	0%	Vuln.	-	Crit.	-
48	NEWFOUND HARBOR DR	MORRIS MANOR - SR 520 (COCOA BEACH CSWY)	BARRIER ISLANDS	UNINCORPORATED	3.8	7	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Min. Imp.	98%	14%	98%	82%	0%	3%	-	-	-	-
370	OCEAN BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	97%	0%	97%	37%	0%	0%	-	-	Crit.	-
54	PLUMOSA ST	CONE RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.7	4	-	2	8	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	0%	100%	40%	0%	0%	-	-	Most Crit.	-
5022	PLUMOSA ST	SR 520 (MERRITT ISLAND CSWY) - MERRITT AVE	BARRIER ISLANDS	UNINCORPORATED	0.3	5	-	2	10	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	42%	100%	100%	0%	0%	-	-	Most Crit.	-
5024	S COURTENAY PKWY	CONE RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.7	2	-	1	2	No Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	64%	0%	64%	0%	0%	0%	-	-	Crit.	-
55	S COURTENAY PKWY	S TROPICAL TR - CONE RD	BARRIER ISLANDS	UNINCORPORATED	4.5	6	-	2	12	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	98%	7%	98%	77%	0%	0%	-	-	Most Crit.	-
2055	S COURTENAY PKWY/TROPICAL TR	SR 404 (PINEDA CSWY) - TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	6.0	7	-	-	-	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	97%	3%	87%	57%	0%	79%	-	-	-	-
58	S TROPICAL TR	S COURTENAY PKWY - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	5.6	7	-	2	14	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	67%	0%	45%	27%	0%	33%	-	-	Most Crit.	-
374	SEA PARK BLVD	SR 513 (S PATRICK DR) - SR A1A	BARRIER ISLANDS	UNINCORPORATED	0.6	3	-	1	3	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	91%	0%	91%	38%	0%	0%	-	-	Crit.	-
59	SPACE COMMERCE WAY	KENNEDY PKWY - SR 405 (NASA CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.7	6	-	3	18	No Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	0%	99%	80%	100%	0%	-	Most Crit.	-	Yes
5021	SR 3 (COURTENAY PKWY)	SR 520 (MERRITT ISLAND CSWY) - LUCAS RD	BARRIER ISLANDS	UNINCORPORATED	1.3	2	-	4	8	No Imp.	Sev. Imp.	No Imp.	No Imp.	No Imp.	42%	0%	42%	0%	0%	0%	-	Most Crit.	Most Crit.	-
5020	SR 3 (COURTENAY PKWY)	SR 528 (BENNETT CSWY) - HALL RD	BARRIER ISLANDS	UNINCORPORATED	1.9	5	-	4	20	Min. Imp.	Sev. Imp.	No Imp.	Min. Imp.	Min. Imp.	59%	2%	38%	0%	40%	6%	-	Most Crit.	Crit.	Yes
2051	SR 3 (COURTENAY PKWY)	TROPICAL TR - SPACE COMMERCE WAY	BARRIER ISLANDS	UNINCORPORATED	3.3	6	-	4	24	No Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	100%	0%	100%	30%	95%	0%	-	Most Crit.	Crit.	Yes
51	SR 3 (N COURTENAY PKWY)	HALL RD - N TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	2.7	5	-	4	20	No Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	No Imp.	100%	0%	100%	5%	100%	0%	-	Most Crit.	Crit.	Yes
50	SR 3 (N COURTENAY PKWY)	LUCAS RD - SR 528 (BENNETT CSWY)	BARRIER ISLANDS	UNINCORPORATED	2.1	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	14%	0%	0%	0%	14%	0%	-	Most Crit.	Most Crit.	-
202	SR 404 (PINEDA CSWY)	US 1 - SR A1A (ATLANTIC AVE)	BARRIER ISLANDS	UNINCORPORATED	3.9	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	82%	19%	37%	34%	0%	42%	-	Most Crit.	Crit.	Yes
18	SR 405 (NASA PKWY)	US 1 - SPACE COMMERCE WAY	BARRIER ISLANDS	UNINCORPORATED	5.9	10	-	3	30	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	Sev. Imp.	97%	7%	77%	73%	62%	36%	-	Most Crit.	-	Yes
60	SR 520 (MERRITT ISLAND CSWY)	SR 520 (HUBERT HUMPHREY CSWY) - SYKES CREEK PKWY	BARRIER ISLANDS	UNINCORPORATED	2.3	8	2	5	50	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	75%	19%	47%	26%	0%	28%	Most Vuln.	Most Crit.	Most Crit.	Yes
5023	SR 520 (MERRITT ISLAND CSWY)	SYKES CREEK PKWY - BANANA RIVER DR	BARRIER ISLANDS	UNINCORPORATED	1.3	7	-	5	35	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	100%	5%	89%	52%	0%	40%	-	Most Crit.	Most Crit.	Yes
3010	SR 528 (BENNETT CSWY)	US 1 (COCOA BLVD) - SR 3 (COURTENAY PKWY)	BARRIER ISLANDS	UNINCORPORATED	2.9	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	74%	12%	32%	49%	7%	44%	-	Most Crit.	Crit.	Yes

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
1010	SR 528 (INDIAN RIVER LAGOON SCENIC HWY)	SR 3 (COURTENAY PKWY) - SR A1A (ASTRONAUT BLVD)	BARRIER ISLANDS	UNINCORPORATED	4.7	8	-	4	32	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	89%	5%	68%	64%	48%	32%	-	Most Crit.	Crit.	Yes
210	SR A1A (ATLANTIC AVE)	SR 404 (PINEDA CSWY) - S END OF ONE WAY PAIRS	BARRIER ISLANDS	UNINCORPORATED	4.9	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	86%	62%	52%	10%	0%	19%	-	Most Crit.	Crit.	Yes
1011	SR A1A (BENNETT CSWY)	SR 528 (BEACHLINE EXPWY) - GEORGE J KING BLVD	BARRIER ISLANDS	UNINCORPORATED	0.7	3	-	4	12	No Imp.	No Imp.	Sev. Imp.	No Imp.	Min. Imp.	88%	0%	0%	88%	0%	2%	-	Most Crit.	Crit.	Yes
1012	SR A1A (BENNETT CSWY) (NB OFF RAMP)	SR A1A (BENNETT CSWY) - SAMUEL C PHILLIPS PKWY	BARRIER ISLANDS	UNINCORPORATED	2.2	6	-	1	6	Min. Imp.	Min. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	63%	2%	4%	39%	0%	36%	-	-	-	Yes
207	SR AIA (ATLANTIC ST)	INDIAN RIVER CO - OAK ST	BARRIER ISLANDS	UNINCORPORATED	14.3	8	-	4	32	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	22%	3%	9%	19%	0%	3%	-	Most Crit.	Most Crit.	-
2207	SR AIA (OAK ST)	OAK ST - US 192 (FIFTH AVE)	BARRIER ISLANDS	UNINCORPORATED	3.2	1	-	4	4	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	2%	0%	0%	0%	0%	2%	-	Most Crit.	Most Crit.	-
62	SYKES CREEK PKWY	FORTENBERRY RD - SR 520 (MERRITT ISLAND CSWY)	BARRIER ISLANDS	UNINCORPORATED	0.4	5	-	3	15	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	100%	9%	100%	100%	0%	0%	-	Crit.	Most Crit.	-
64	SYKES CREEK PKWY	MERRITT AVE - N BANANA RIVER DR	BARRIER ISLANDS	UNINCORPORATED	1.5	8	-	3	24	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	4%	88%	81%	93%	46%	-	Crit.	Most Crit.	-
63	SYKES CREEK PKWY	SR 520 (MERRITT ISLAND CSWY) - MERRITT AVE	BARRIER ISLANDS	UNINCORPORATED	0.3	5	-	3	15	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Min. Imp.	100%	0%	100%	100%	0%	10%	-	Crit.	Most Crit.	-
218	US 192 (STRAWBRIDGE AVE/MELBOURNE CSWY)	NEW HAVEN AVE - SR A1A (MIRAMAR AVE)	BARRIER ISLANDS	UNINCORPORATED	2.2	8	1	5	45	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	85%	26%	51%	39%	0%	55%	Vuln.	Most Crit.	Most Crit.	Yes
1019	WARNING WAY	TROPICAL TR - TROPICAL TR	BARRIER ISLANDS	UNINCORPORATED	0.4	1	-	-	-	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	45%	0%	45%	0%	0%	0%	-	-	-	-
68	CLEARLAKE RD	PLUCKEBAUM RD - SR 520 (KING ST)	CENTRAL	COCOA	0.7	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	Most Vuln.	-	Crit.	-
71	COX RD	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	1.8	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	46%	7%	0%	0%	46%	0%	Vuln.	-	Most Crit.	-
72	COX RD	SR 524 - JAMES RD	CENTRAL	COCOA	1.3	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	61%	34%	0%	0%	27%	0%	Vuln.	-	-	-
73	DIXON BLVD	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	COCOA	1.2	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
76	FISKE BLVD	SR 520 (KING ST) - DIXON BLVD	CENTRAL	COCOA	1.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
77	FLORIDA AVE	US 1 (ROCKLEDGE BLVD) - SR 520 (KING ST)	CENTRAL	COCOA	1.3	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
78	FORREST AVE	SR 520 (KING ST) - US 1 (COCOA BLVD)	CENTRAL	COCOA	1.0	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
79	FRIDAY RD	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	0.9	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	95%	28%	0%	0%	79%	0%	Vuln.	-	-	-
219	FRIDAY RD	SR 524 - JAMES RD	CENTRAL	COCOA	2.0	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	2%	0%	0%	0%	0%	Vuln.	-	-	-
5006	I-95	SR 520 (KING ST) - SR 524	CENTRAL	COCOA	1.2	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	18%	0%	0%	0%	18%	0%	Vuln.	Most Crit.	-	-
5026	INDIAN RIVER DR	DIXON BLVD - CITY POINT RD	CENTRAL	COCOA	1.9	8	1	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	92%	27%	31%	25%	0%	92%	Vuln.	-	-	-
4030	INDIAN RIVER DR	SR 520 (KING ST) - DIXON BLVD	CENTRAL	COCOA	1.9	8	2	2	20	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	99%	13%	26%	13%	0%	97%	Most Vuln.	-	Most Crit.	-
84	MICHIGAN AVE	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	COCOA	0.5	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
83	MICHIGAN AVE	TIGER TR - SR 501 (CLEARLAKE RD)	CENTRAL	COCOA	1.3	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
86	PEACHTREE ST	SR 501 (CLEARLAKE RD) - FORREST AVE	CENTRAL	COCOA	1.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5028	PINEDA ST	CLEARLAKE RD - DIXON RD	CENTRAL	COCOA	1.1	1	2	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	-	-	-
90	PINEDA ST	PEACHTREE ST - DIXON BLVD	CENTRAL	COCOA	1.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
4029	ROCKLEDGE DR	BOUGAINVILLEA DR - SR 520 (KING ST)	CENTRAL	COCOA	1.0	5	1	2	12	Min. Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	74%	2%	71%	0%	0%	70%	Vuln.	-	Most Crit.	-
316	ROSA JONES BLVD	SR 519 (FISKE BLVD) - US 1 (S COCOA BLVD)	CENTRAL	COCOA	0.8	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2090	ROSETINE ST	RANGE RD - SR 501 (CLEARLAKE RD)	CENTRAL	COCOA	1.0	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
317	SCHOOL ST	LAKE DR - WILSON AVE	CENTRAL	COCOA	1.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
70	SR 501 (CLEARLAKE RD)	MICHIGAN AVE - SR 524 (INDUSTRY RD)	CENTRAL	COCOA	1.1	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
75	SR 519 (FISKE BLVD)	BARTON BLVD - SR 520 (KING ST)	CENTRAL	COCOA	1.7	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
94	SR 520 (KING ST)	US 1 (COCOA BLVD) - RIVEREDGE BLVD	CENTRAL	COCOA	0.5	3	2	5	25	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	26%	2%	26%	23%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
95	SR 520 (WILLARD ST)	SR 520 (HUBERT HUMPHREY CSWY) - US 1 (COCOA BLVD)	CENTRAL	COCOA	0.6	4	2	5	30	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	54%	27%	37%	35%	0%	35%	Most Vuln.	Most Crit.	Most Crit.	Yes
97	SR 524	COX RD - SR 524 (INDUSTRY RD)	CENTRAL	COCOA	1.7	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	29%	0%	0%	0%	29%	0%	Vuln.	Most Crit.	Crit.	-
2097	SR 524	I-95 - COX RD	CENTRAL	COCOA	1.3	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	78%	15%	0%	0%	78%	0%	Vuln.	Most Crit.	-	-
96	SR 524	SR 520 (KING ST) - I-95	CENTRAL	COCOA	1.7	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	78%	13%	0%	0%	78%	0%	Vuln.	Most Crit.	-	-
16	SR 524 (INDUSTRY RD)	SR 524 - GRISSOM PKWY	CENTRAL	COCOA	0.6	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	0%	0%	0%	2%	0%	Vuln.	Most Crit.	Crit.	-
1009	SR 528 (BEACHLINE EXPWY)	I-95 - US 1 (COCOA BLVD)	CENTRAL	COCOA	4.2	3	1	4	16	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	41%	11%	0%	0%	37%	0%	Vuln.	Most Crit.	Crit.	Yes
106	US 1 (COCOA BLVD)	PEACHTREE ST - SR 528 (BENNETT CSWY)	CENTRAL	COCOA	3.3	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
105	US 1 (COCOA BLVD)	ROSA L JONES BLVD - PEACHTREE ST	CENTRAL	COCOA	0.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5029	VARR AVE	ROSA L JONES DR - SR 520 (KING ST)	CENTRAL	COCOA	0.4	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
67	BARNES BLVD	MURRELL RD - US 1 (ROCKLEDGE DR)	CENTRAL	ROCKLEDGE	1.4	1	-	3	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
66	BARNES BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	21%	0%	0%	0%	21%	0%	Vuln.	Crit.	Most Crit.	-
312	BARTON BLVD	SR 519 (FISKE BLVD) - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	1.2	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
314	EYSTER BLVD	MURRELL RD - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	0.3	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	32%	32%	0%	0%	0%	0%	-	-	Most Crit.	-
2314	EYSTER BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	6%	0%	0%	0%	6%	0%	-	-	Most Crit.	-
2315	GUS HIPPI BLVD	MURRELL RD - US 1 (ROCKLEDGE BLVD)	CENTRAL	ROCKLEDGE	1.0	1	-	1	1	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	-	-	Crit.	-
85	MURRELL RD	BARNES BLVD - BARTON BLVD	CENTRAL	ROCKLEDGE	2.7	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
5033	MURRELL RD	VIERA BLVD - BARNES BLVD	CENTRAL	ROCKLEDGE	2.1	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	38%	38%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
2085	MURRELL RD	WICKHAM RD - VIERA BLVD	CENTRAL	ROCKLEDGE	2.5	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	28%	28%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5031	PLUCKEBAUM RD	CLEARLAKE RD - FISKE BLVD	CENTRAL	ROCKLEDGE	0.8	1	1	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	Vuln.	-	-	-
88	PLUCKEBAUM RD	RANGE RD - CLEARLAKE RD	CENTRAL	ROCKLEDGE	1.0	2	1	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	2%	0%	0%	100%	0%	Vuln.	-	-	-
3028	ROCKLEDGE DR	COQUINA RD - PARK AVE	CENTRAL	ROCKLEDGE	2.1	4	-	-	-	No Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	100%	0%	61%	0%	0%	100%	-	-	-	-
4028	ROCKLEDGE DR	PARK AVE - BOUGAINVILLEA DR	CENTRAL	ROCKLEDGE	1.7	5	-	2	10	Min. Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	100%	1%	60%	0%	0%	100%	-	-	Most Crit.	-
315	ROY WALL BLVD	SR 519 (FISKE BLVD) - MURRELL RD	CENTRAL	ROCKLEDGE	1.3	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
74	SR 519 (FISKE BLVD)	I-95 - BARTON BLVD	CENTRAL	ROCKLEDGE	2.6	1	2	3	9	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	0%	0%	0%	44%	0%	Most Vuln.	Crit.	Most Crit.	-
103	US 1 (ROCKLEDGE BLVD)	BARNES BLVD - BARTON BLVD	CENTRAL	ROCKLEDGE	2.9	1	1	4	8	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
104	US 1 (ROCKLEDGE BLVD)	BARTON BLVD - ROSA L JONES BLVD	CENTRAL	ROCKLEDGE	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
65	ADAMSON RD	SR 524 - CITRUS BLVD	CENTRAL	UNINCORPORATED	4.5	3	1	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	47%	8%	0%	0%	47%	0%	Vuln.	-	-	-
1017	BURNETT RD	RANGE RD - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	1.2	2	1	3	9	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	60%	3%	0%	0%	60%	0%	Vuln.	Crit.	Most Crit.	-
5016	GRISSOM PKWY	INDUSTRY RD - CANAVERAL GROVES BLVD	CENTRAL	UNINCORPORATED	3.0	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	34%	26%	0%	0%	20%	0%	-	-	-	-
5003	I-95	SR 404 (PINEDA CSWY) - WICKHAM RD	CENTRAL	UNINCORPORATED	2.7	3	2	4	20	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	41%	10%	0%	0%	31%	0%	Most Vuln.	Most Crit.	Most Crit.	-
3003	I-95	SR 519 (FISKE BLVD) - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	5.7	2	2	2	8	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	99%	0%	0%	0%	99%	0%	Most Vuln.	Most Crit.	-	-
1004	I-95	SR 524 - SR 528 (BEACHLINE EXPWY)	CENTRAL	UNINCORPORATED	2.8	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	57%	2%	0%	0%	57%	0%	Vuln.	Most Crit.	-	-
5005	I-95	VIERA BLVD - SR 519 (FISKE BLVD)	CENTRAL	UNINCORPORATED	2.0	1	2	3	9	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	0%	0%	0%	24%	0%	Most Vuln.	Most Crit.	Crit.	-
5004	I-95	WICKHAM RD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.6	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
141	INTERLACHEN RD	ST ANDREWS BLVD - WICKHAM RD	CENTRAL	UNINCORPORATED	1.7	2	1	1	3	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	26%	26%	0%	0%	0%	0%	Vuln.	-	Crit.	-
144	JORDAN BLASS DR	ST ANDREWS BLVD - WICKHAM RD	CENTRAL	UNINCORPORATED	0.6	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	25%	25%	0%	0%	0%	0%	Vuln.	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
80	JUDGE F JAMIESON WY	STADIUM PKWY - LAKE ANDREW DR	CENTRAL	UNINCORPORATED	0.5	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
5036	LAKE ANDREW DR	JUDGE F JAMIESON PKWY - VIERA BLVD	CENTRAL	UNINCORPORATED	1.4	2	1	2	6	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	28%	28%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
147	LAKE ANDREW DR	PINEDA CSWY - WICKHAM RD	CENTRAL	UNINCORPORATED	2.8	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	32%	32%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
82	LAKE ANDREW DR	WICKHAM RD - JUDGE F JAMIESON WY	CENTRAL	UNINCORPORATED	1.3	1	2	3	9	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	16%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
5030	LAKE DR	SR 501 (CLEARLAKE RD) - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	0.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
81	LAKE DR	SR 520 (KING ST) - SR 501 (CLEARLAKE RD)	CENTRAL	UNINCORPORATED	1.9	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
166	PINEHURST AVE	WICKHAM RD - ST ANDREWS BLVD	CENTRAL	UNINCORPORATED	1.1	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	29%	29%	0%	0%	0%	0%	-	-	Crit.	-
87	PINEHURST AVE/HOLIDAY SPRINGS RD	WICKHAM RD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.5	2	1	1	3	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	44%	44%	0%	0%	0%	0%	Vuln.	-	Crit.	-
5027	RANGE RD	PLUCKEBAUM RD - SR 520 (KING ST)	CENTRAL	UNINCORPORATED	0.7	1	1	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	56%	0%	0%	0%	56%	0%	Vuln.	-	-	-
89	RANGE RD	SR 520 (KING ST) - TIGER TR	CENTRAL	UNINCORPORATED	1.8	1	1	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	Vuln.	-	-	-
1028	ROCKLEDGE DR	US 1 (ROCKLEDGE DR) - COQUINA RD	CENTRAL	UNINCORPORATED	1.9	8	-	-	-	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	96%	78%	96%	78%	0%	87%	-	-	-	-
91	SPYGLASS HILL RD	MURRELL RD - PINEHURST AVE	CENTRAL	UNINCORPORATED	1.6	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	45%	45%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
5037	SR 404 (PINEDA CSWY)	WICKHAM RD - US 1	CENTRAL	UNINCORPORATED	0.7	2	-	4	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	44%	44%	0%	0%	0%	0%	-	Most Crit.	Crit.	Yes
69	SR 501 (CLEARLAKE RD)	SR 520 (KING ST) - MICHIGAN AVE	CENTRAL	UNINCORPORATED	2.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	0%	0%	0%	2%	0%	Most Vuln.	Crit.	Most Crit.	-
93	SR 520 (KING ST)	I-95 - SR 501 (CLEARLAKE RD)	CENTRAL	UNINCORPORATED	2.5	1	2	5	15	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	11%	0%	0%	0%	11%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
2092	SR 520 (KING ST)	ORANGE CO - SR 524	CENTRAL	UNINCORPORATED	2.9	3	1	2	8	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	Vuln.	Most Crit.	-	-
5032	SR 520 (KING ST)	SR 501 (CLEARLAKE RD) - US 1 (COCOA BLVD)	CENTRAL	UNINCORPORATED	1.4	-	2	5	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	0%	0%	0%	17%	0%	Most Vuln.	Most Crit.	Most Crit.	Yes
92	SR 520 (KING ST)	SR 524 - I-95	CENTRAL	UNINCORPORATED	2.0	2	1	2	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	96%	6%	0%	0%	96%	0%	Vuln.	Most Crit.	-	-
172	ST ANDREWS BLVD	SR 404 (PINEDA CSWY) - WICKHAM RD	CENTRAL	UNINCORPORATED	3.2	3	2	1	5	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	26%	0%	0%	33%	0%	Most Vuln.	-	Crit.	-
101	STADIUM PKWY	JUDGE F JAMIESON WY - VIERA BLVD	CENTRAL	UNINCORPORATED	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
5035	STADIUM PKWY	VIERA BLVD - I-95	CENTRAL	UNINCORPORATED	1.9	1	1	3	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	75%	0%	0%	0%	75%	0%	Vuln.	Crit.	Most Crit.	-
100	STADIUM PKWY	WICKHAM RD - JUDGE F JAMIESON WY	CENTRAL	UNINCORPORATED	1.4	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
175	SUNTREE BLVD	WICKHAM RD - US 1	CENTRAL	UNINCORPORATED	0.4	2	-	1	2	Min. Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	29%	28%	1%	0%	0%	0%	-	-	Crit.	-
5034	US 1	SR 404 (PINEDA CSWY) - SUNTREE BLVD	CENTRAL	UNINCORPORATED	1.8	6	1	4	28	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	36%	2%	16%	6%	0%	28%	Vuln.	Most Crit.	Most Crit.	-
102	US 1	SUNTREE BLVD - VIERA BLVD	CENTRAL	UNINCORPORATED	2.4	7	1	3	24	Min. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	70%	3%	69%	53%	0%	17%	Vuln.	Most Crit.	Crit.	-
2102	US 1 (ROCKLEDGE DR)	VIERA BLVD - BARNES BLVD	CENTRAL	UNINCORPORATED	2.4	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	3%	3%	0%	0%	0%	0%	-	Most Crit.	-	-
2108	VIERA BLVD	MURRELL RD - US 1	CENTRAL	UNINCORPORATED	1.9	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	30%	30%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
2107	VIERA BLVD	STADIUM PKWY - MURRELL RD	CENTRAL	UNINCORPORATED	1.1	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
194	WICKHAM RD	LAKE ANDREW DR - CHARLIE CORBEIL WY	CENTRAL	UNINCORPORATED	2.1	1	1	3	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
193	WICKHAM RD	LAKE ANDREW DR - MURRELL RD	CENTRAL	UNINCORPORATED	0.8	1	2	4	12	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
192	WICKHAM RD	SR 404 (PINEDA CSWY) - MURRELL RD	CENTRAL	UNINCORPORATED	4.1	2	2	4	16	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	24%	24%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
4033	INDIAN RIVER DR	CITY POINT RD - US 1	NORTH	COCOA	3.1	8	-	3	24	Sev. Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	94%	43%	69%	28%	0%	90%	-	Crit.	Most Crit.	-
1	BARNA AVE	SR 405 (COLUMBIA BLVD) - PARK AVE	NORTH	TITUSVILLE	4.8	3	2	2	10	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	28%	*	0%	0%	28%	0%	Most Vuln.	-	Most Crit.	-
300	COUNTRY CLUB DR	S PARK AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	2.2	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
302	DELEON AVE	HARRISON ST - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	2.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
12	GRISSOM PKWY	KINGS HWY - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	2.9	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	-	-	Crit.	-
5017	GRISSOM PKWY	SR 405 (COLUMBIA BLVD) - SISSON RD	NORTH	TITUSVILLE	0.7	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
303	HARRISON ST	KNOX MCRAE DR - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	2.8	3	2	1	5	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	56%	16%	0%	0%	48%	0%	Most Vuln.	-	Crit.	-
15	HOPKINS AVE	SR 50 (CHENEY HWY) - BREVARD ST	NORTH	TITUSVILLE	3.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
5009	I-95	SR 50 (CHENEY HWY) - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	4.4	2	-	3	6	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	98%	0%	0%	0%	98%	0%	-	Most Crit.	Crit.	-
305	KNOX MCRAE DR	BARNA AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	1.7	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
2305	KNOX MCRAE DR	HARRISON ST - BARNA AVE	NORTH	TITUSVILLE	1.9	2	1	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	3%	0%	0%	58%	0%	Vuln.	-	-	-
306	MAIN ST	PARK AVE - US 1 (HOPKINS AVE)	NORTH	TITUSVILLE	0.6	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
19	OLD DIXIE HWY	SR 406 (GARDEN ST) - PARKER ST; CUYLER ST	NORTH	TITUSVILLE	3.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
307	PARK AVE	SR 405 (SOUTH ST) - SR 406 (GARDEN ST)	NORTH	TITUSVILLE	3.9	1	2	2	6	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	48%	0%	0%	0%	48%	0%	Most Vuln.	-	Most Crit.	-
309	RANEY RD	KNOX MCRAE DR - COUNTRY CLUB RD	NORTH	TITUSVILLE	1.0	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
310	SHEPARD DR	SR 407 (CHALLENGER MEMORIAL PKWY) - GRISSOM PKWY	NORTH	TITUSVILLE	1.0	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	31%	0%	0%	0%	31%	0%	-	-	-	-
2022	SINGLETON AVE	DAIRY RD - SR 46 (MAIN ST)	NORTH	TITUSVILLE	2.0	1	-	3	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	44%	0%	0%	0%	44%	0%	-	Crit.	Most Crit.	-
22	SINGLETON AVE	SR 405 (SOUTH ST) - DAIRY RD	NORTH	TITUSVILLE	2.7	3	-	3	9	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	12%	0%	0%	13%	0%	-	Crit.	Most Crit.	-
23	SISSON RD	SR 405 (COLUMBIA BLVD) - SR 50 (CHENEY HWY)	NORTH	TITUSVILLE	2.0	1	-	1	1	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	5%	5%	0%	0%	0%	0%	-	-	Crit.	-
28	SR 405 (COLUMBIA BLVD)	SR 407 (CHALLENGER MEMORIAL PKWY) - US 1	NORTH	TITUSVILLE	1.8	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	15%	0%	0%	0%	15%	0%	-	Most Crit.	Crit.	Yes
2028	SR 405 (COLUMBIA BLVD)	SR 50 (CHENEY HWY) - SR 407 (CHALLENGER MEMORIAL PKWY)	NORTH	TITUSVILLE	2.4	2	-	5	10	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	93%	2%	0%	0%	93%	0%	-	Most Crit.	Most Crit.	Yes
5013	SR 405 (SOUTH ST)	FOX LAKE RD - SINGLETON AVE	NORTH	TITUSVILLE	1.3	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	*	0%	0%	100%	0%	-	Crit.	-	-
30	SR 405 (SOUTH ST)	SINGLETON AVE - US 1	NORTH	TITUSVILLE	2.0	3	1	2	8	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	19%	*	0%	0%	19%	0%	Vuln.	-	Most Crit.	-
29	SR 405 (SOUTH ST)	SR 50 (CHENEY HWY) - FOX LAKE RD	NORTH	TITUSVILLE	2.1	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	*	0%	0%	100%	0%	-	Crit.	Crit.	-
31	SR 406 (GARDEN ST)	CARPENTER RD - I-95	NORTH	TITUSVILLE	0.5	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	0%	0%	0%	58%	0%	-	Crit.	-	-
5052	SR 406 (GARDEN ST)	I-95 - SINGLETON AVE	NORTH	TITUSVILLE	0.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
32	SR 406 (GARDEN ST)	SINGLETON AVE - US 1 (WASHINGTON AVE)	NORTH	TITUSVILLE	1.9	-	1	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
2034	SR 407 (CHALLENGER MEMORIAL PKWY)	SR 528 (BEACHLINE EXPWY) - I-95	NORTH	TITUSVILLE	4.3	3	2	2	10	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	1%	0%	0%	100%	0%	Most Vuln.	Most Crit.	-	-
34	SR 407 (CHALLENGER MEMORIAL PKWY)	I-95 - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	2.5	2	-	3	6	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	86%	8%	0%	0%	84%	0%	-	Most Crit.	Crit.	-
27	SR 50 (CHENEY HWY)	BARNA AVE - US 1	NORTH	TITUSVILLE	1.5	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
5014	SR 50 (CHENEY HWY)	I-95 - SR 405 (COLUMBIA BLVD)	NORTH	TITUSVILLE	0.3	1	-	4	4	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	Yes
26	SR 50 (CHENEY HWY)	ORANGE CO - I-95	NORTH	TITUSVILLE	5.2	4	-	3	12	Min. Imp.	Min. Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	-
5015	SR 50 (CHENEY HWY)	SR 405 (COLUMBIA BLVD) - BARNA AVE	NORTH	TITUSVILLE	1.6	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	52%	4%	0%	0%	51%	0%	-	Most Crit.	Most Crit.	-
311	TROPIC ST	SINGLETON AVE - PARK AVE	NORTH	TITUSVILLE	1.3	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
39	US 1	MARINA RD - DAIRY RD	NORTH	TITUSVILLE	2.3	3	1	4	16	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	7%	0%	3%	3%	0%	6%	Vuln.	Most Crit.	Most Crit.	-
2036	US 1	SR 405 (NASA CSWY/COLUMBIA BLVD) - SR 50 (CHENEY HWY)	NORTH	TITUSVILLE	2.1	5	-	2	10	No Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	Min. Imp.	61%	0%	24%	1%	37%	5%	-	Most Crit.	-	-
36	US 1	SR 50 (CHENEY HWY) - GRACE ST	NORTH	TITUSVILLE	3.0	4	2	2	12	No Imp.	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	58%	0%	25%	0%	0%	48%	Most Vuln.	Most Crit.	-	-
38	US 1 (HOPKINS AVE)	MARINA RD - GRACE ST	NORTH	TITUSVILLE	1.2	3	-	4	12	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	No Imp.	24%	0%	24%	14%	0%	0%	-	Most Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
2039	US 1 (WASHINGTON AVE)	DAIRY RD - SR 46	NORTH	TITUSVILLE	1.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
37	US 1 (WASHINGTON AVE)	GRACE ST - MARINA RD	NORTH	TITUSVILLE	1.2	4	-	4	16	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	No Imp.	32%	0%	32%	22%	0%	0%	-	Most Crit.	Most Crit.	-
2	CAMP RD	GRISSOM PKWY - US 1 (COCOA BLVD)	NORTH	UNINCORPORATED	1.6	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Most Crit.	-
5019	CANAVERAL GROVES BLVD	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	1.7	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	51%	51%	0%	0%	0%	0%	-	-	Crit.	-
3	CANAVERAL GROVES BLVD	PINE ST - GRISSOM PKWY	NORTH	UNINCORPORATED	2.8	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	75%	27%	0%	0%	70%	0%	-	-	Crit.	-
5012	CARPENTER RD	FOX LAKE RD - GARDEN ST	NORTH	UNINCORPORATED	2.2	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	99%	0%	0%	0%	99%	0%	-	-	-	-
4	CARPENTER RD	SR 406 (GARDEN ST) - SR 46 (MAIN ST)	NORTH	UNINCORPORATED	3.7	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	60%	0%	0%	0%	60%	0%	-	-	-	-
301	CURTIS BLVD	GRISSOM PKWY - FAY BLVD	NORTH	UNINCORPORATED	2.0	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	25%	25%	0%	0%	0%	0%	-	-	Most Crit.	-
5	DAIRY RD	CARPENTER RD - SINGLETON AVE	NORTH	UNINCORPORATED	0.9	3	-	-	-	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	32%	8%	0%	0%	*	0%	-	-	-	-
2005	DAIRY RD	SINGLETON AVE - US 1 (WASHINGTON AVE)	NORTH	UNINCORPORATED	0.9	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
6	DEERING PKWY	I-95 - US 1	NORTH	UNINCORPORATED	0.9	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	46%	0%	0%	100%	0%	-	-	-	-
7	FAY BLVD	GOLFVIEW AVE - GRISSOM PKWY	NORTH	UNINCORPORATED	2.0	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	54%	0%	0%	0%	54%	0%	-	-	Crit.	-
8	FAY BLVD	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	2.3	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	2%	2%	0%	0%	0%	0%	-	-	Most Crit.	-
9	FOX LAKE RD	FDX LAKE PARK - KNOX MCRAE DR	NORTH	UNINCORPORATED	1.8	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	20%	0%	0%	100%	0%	-	-	-	-
1016	GOLFVIEW AVE	FAY BLVD - FLORA VISTA PL	NORTH	UNINCORPORATED	0.4	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
13	GOLFVIEW AVE	PORT ST JOHN PKWY - FAY BLVD	NORTH	UNINCORPORATED	0.5	2	-	-	-	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
10	GRISSOM PKWY	CANAVERAL GROVES BLVD - PORT ST JOHN PKWY	NORTH	UNINCORPORATED	2.2	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	45%	21%	0%	0%	39%	0%	-	-	-	-
11	GRISSOM PKWY	PORT ST JOHN PKWY - KINGS HWY	NORTH	UNINCORPORATED	2.5	2	-	1	2	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	26%	9%	0%	0%	22%	0%	-	-	Crit.	-
14	HOLDER RD	DAIRY RD - SR 46 (MAIN ST)	NORTH	UNINCORPORATED	2.1	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	49%	0%	0%	0%	49%	0%	-	Most Crit.	-	-
1007	I-95	DEERING PKWY - VOLUSIA CO	NORTH	UNINCORPORATED	1.4	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	39%	0%	0%	100%	0%	-	Most Crit.	-	-
5008	I-95	PORT ST JOHN PKWY - SR 407 (CHALLENGER MEMORIAL PKWY)	NORTH	UNINCORPORATED	3.6	2	-	2	4	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	70%	0%	0%	0%	70%	0%	-	Most Crit.	-	-
1006	I-95	SR 406 (GARDEN ST) - SR 46	NORTH	UNINCORPORATED	3.6	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	24%	0%	0%	0%	24%	0%	-	Most Crit.	-	-
1005	I-95	SR 407 (CHALLENGER MEMORIAL PKWY) - SR 50 (CHENEY HWY)	NORTH	UNINCORPORATED	3.7	2	-	3	6	No Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	Crit.	-
5010	I-95	SR 46 - DEERING PKWY	NORTH	UNINCORPORATED	7.6	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	85%	33%	0%	0%	80%	0%	-	Most Crit.	-	-
5007	I-95	SR 528 (BEACHLINE EXPWY) - PORT ST JOHN PKWY	NORTH	UNINCORPORATED	2.9	2	-	2	4	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	91%	1%	0%	0%	91%	0%	-	Most Crit.	-	-
17	KINGS HWY	GRISSOM PKWY - US 1	NORTH	UNINCORPORATED	1.7	2	-	1	2	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	17%	17%	0%	0%	0%	0%	-	-	Crit.	-
386	PARKER ST	SINGLETON AVE - OLD DIXIE HWY	NORTH	UNINCORPORATED	0.3	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	78%	0%	0%	0%	78%	0%	-	-	Most Crit.	-
20	PARRISH RD	HOLDER RD - US 1	NORTH	UNINCORPORATED	1.5	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	53%	26%	0%	0%	53%	0%	-	-	-	-
21	PORT ST JOHN PKWY	GOLFVIEW AVE - GRISSOM PKWY	NORTH	UNINCORPORATED	1.6	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	38%	0%	0%	100%	0%	-	-	-	-
1015	RANCH RD	I-95 - GRISSOM PKWY	NORTH	UNINCORPORATED	1.4	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	76%	37%	0%	0%	64%	0%	-	-	-	-
25	SR 46	FAWN LAKE BLVD - I-95	NORTH	UNINCORPORATED	1.4	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	97%	0%	0%	0%	97%	0%	-	Most Crit.	-	-
5011	SR 46	I-95 - US 1	NORTH	UNINCORPORATED	1.5	3	-	4	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	33%	0%	0%	90%	0%	-	Most Crit.	Most Crit.	-
24	SR 46	VOLUSIA CO - FAWN LAKE BLVD	NORTH	UNINCORPORATED	4.5	4	-	2	8	Min. Imp.	Min. Imp.	No Imp.	Sev. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	Most Crit.	-	-
1008	SR 528 (BEACHLINE EXPWY)	ORANGE CO - I-95	NORTH	UNINCORPORATED	5.9	3	2	2	10	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	96%	1%	0%	0%	96%	0%	Most Vuln.	Most Crit.	-	-
5018	US 1	CAMP RD - FAY BLVD	NORTH	UNINCORPORATED	2.2	1	-	3	3	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	8%	0%	0%	0%	0%	8%	-	Most Crit.	Crit.	-
2035	US 1	SR 528 (BENNETT CSWY) - CAMP RD	NORTH	UNINCORPORATED	3.2	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
35	US 1 (WASHINGTON AVE)	FAY BLVD - SR 405 (NASA CSWY)	NORTH	UNINCORPORATED	3.7	1	-	4	4	No Imp.	No Imp.	No Imp.	No Imp.	Min. Imp.	8%	0%	0%	0%	6%	2%	-	Most Crit.	Crit.	Yes
40	US 1 (WASHINGTON AVE)	SR 46 (MAIN ST) - VOLUSIA CO	NORTH	UNINCORPORATED	9.0	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	47%	2%	0%	0%	46%	0%	-	Most Crit.	Most Crit.	-
319	1ST ST	BRABROOK AVE - US 1	SOUTH	GRANT VALKARIA	0.4	2	-	-	-	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	18%	0%	15%	16%	0%	0%	-	-	-	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
2114	BABCOCK ST	INDIAN RIVER CO - MICCO RD	SOUTH	GRANT VALKARIA	3.9	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	1%	0%	0%	100%	0%	-	Most Crit.	-	-
114	BABCOCK ST	MICCO RD - GRANT RD	SOUTH	GRANT VALKARIA	3.5	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	6%	0%	0%	100%	0%	-	Most Crit.	-	-
390	BRABROOK AVE	GRANT RD - 1ST ST	SOUTH	GRANT VALKARIA	0.3	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	9%	9%	0%	0%	0%	0%	-	-	-	-
135	GRANT RD	BABCOCK ST - OLD DIXIE HWY	SOUTH	GRANT VALKARIA	6.0	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	83%	43%	0%	0%	81%	0%	-	-	-	-
1000	I-95	ST JOHNS HERITAGE PKWY - SR 514 (MALABAR RD)	SOUTH	GRANT VALKARIA	7.5	4	2	4	24	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	66%	26%	0%	0%	63%	0%	Most Vuln.	Most Crit.	Most Crit.	-
1029	OLD DIXIE HWY	US 1 - VALKARIA RD	SOUTH	GRANT VALKARIA	4.3	5	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	No Imp.	62%	0%	58%	48%	17%	0%	-	-	-	-
187	VALKARIA RD	BABCOCK ST - US 1	SOUTH	GRANT VALKARIA	5.6	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	84%	8%	0%	0%	82%	0%	-	-	Most Crit.	-
321	ATZ RD	WEBER RD - COREY RD	SOUTH	MALABAR	1.0	2	-	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	92%	18%	0%	0%	92%	0%	-	-	-	-
115	BABCOCK ST	GRANT RD - WACO BLVD	SOUTH	MALABAR	2.9	3	-	3	9	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	48%	19%	0%	0%	48%	0%	-	Most Crit.	Crit.	-
5049	BABCOCK ST	WACO BLVD - SR 514 (MALABAR RD)	SOUTH	MALABAR	2.2	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	38%	38%	0%	0%	0%	0%	-	Most Crit.	-	-
326	COREY RD	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	98%	22%	0%	0%	98%	0%	-	-	Crit.	-
334	FOUNDATION PARK BLVD	SAN FILIPPO DR - BABCOCK ST	SOUTH	MALABAR	0.7	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	27%	27%	0%	0%	0%	0%	-	-	-	-
339	HALL RD	WEBER RD - COREY RD	SOUTH	MALABAR	1.0	1	-	-	-	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	0%	0%	0%	94%	0%	-	-	-	-
1031	ROCKY POINT RD	US 1 - US 1	SOUTH	MALABAR	1.4	7	-	-	-	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	0%	94%	93%	52%	95%	-	-	-	-
155	SR 514 (MALABAR RD)	BABCOCK ST - US 1	SOUTH	MALABAR	3.6	2	-	4	8	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	52%	4%	0%	0%	49%	0%	-	Most Crit.	Most Crit.	-
178	US 1	INDIAN RIVER CO - VALKARIA RD	SOUTH	MALABAR	8.2	7	1	4	32	No Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	0%	61%	65%	21%	80%	Vuln.	Most Crit.	Most Crit.	-
2178	US 1	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	8	-	2	16	Min. Imp.	Sev. Imp.	Sev. Imp.	Min. Imp.	Sev. Imp.	100%	1%	26%	25%	84%	56%	-	Most Crit.	-	-
179	US 1 (DIXIE HWY)	MALABAR RD - RJ CONLAN BLVD	SOUTH	MALABAR	3.8	6	1	2	14	No Imp.	Sev. Imp.	Sev. Imp.	No Imp.	Sev. Imp.	82%	0%	12%	11%	0%	79%	Vuln.	Most Crit.	-	-
359	WEBER RD	VALKARIA RD - SR 514 (MALABAR RD)	SOUTH	MALABAR	3.1	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	57%	10%	0%	0%	54%	0%	-	-	Crit.	-
110	APOLLO BLVD	FEE AVE - SARNO RD	SOUTH	MELBOURNE	3.2	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	Yes
111	APOLLO BLVD	SARNO RD - SR 518 (EAU GALLIE BLVD)	SOUTH	MELBOURNE	0.9	3	1	2	8	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	14%	11%	8%	7%	0%	0%	Vuln.	-	Most Crit.	-
113	AURORA RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.4	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
118	BABCOCK ST	US 192 (NEW HAVEN AVE) - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.6	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
327	COUNTRY CLUB RD	UNIVERSITY BLVD - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.0	1	2	3	9	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
120	CROTON RD	LAKE WASHINGTON RD - POST RD	SOUTH	MELBOURNE	1.7	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
119	CROTON RD	SARNO RD - LAKE WASHINGTON RD	SOUTH	MELBOURNE	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
121	DAIRY RD	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.5	1	2	1	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	1%	1%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
5044	DAIRY RD	PALM BAY RD - FLORIDA AVE	SOUTH	MELBOURNE	1.5	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
122	DAIRY RD	US 192 (NEW HAVEN AVE) - HIBISCUS BLVD	SOUTH	MELBOURNE	0.4	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
109	DR MARTIN LUTHER KING JR BLVD	US 192 (NEW HAVEN AVE) - APOLLO BLVD	SOUTH	MELBOURNE	1.5	1	1	3	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	13%	13%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
127	EBER BLVD	SR 509 (MINTON RD) - LIPSCOMB ST	SOUTH	MELBOURNE	4.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
330	EDDIE ALLEN RD	DR MARTIN LUTHER KING JR BLVD - NASA BLVD	SOUTH	MELBOURNE	0.6	1	1	2	4	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	29%	29%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
128	ELLIS RD	I-95 - WICKHAM RD	SOUTH	MELBOURNE	2.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	25%	23%	0%	0%	21%	0%	-	-	-	Yes
332	FEE AVE	DR MARTIN LUTHER KING JR BLVD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.4	-	1	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Most Crit.	-
333	FLORIDA AVE	HOLLYWOOD BLVD - SR 507 (BABCOCK ST)	SOUTH	MELBOURNE	2.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
5045	FLORIDA AVE	SR 507 (BABCOCK ST) - JAMES ST/NORTHVIEW ST	SOUTH	MELBOURNE	1.5	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
335	FRONT ST	MELBOURNE AVE - NEW HAVEN AVE	SOUTH	MELBOURNE	0.1	3	1	2	8	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	100%	100%	100%	100%	0%	0%	Vuln.	Crit.	Crit.	-
134	GATEWAY DR	HIBISCUS BLVD - NASA BLVD	SOUTH	MELBOURNE	0.5	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
136	HARLOCK RD	AURORA RD - LAKE WASHINGTON RD	SOUTH	MELBOURNE	1.0	1	-	1	1	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	Crit.	-
137	HENRY AVE	MINTON RD - COUNTRY CLUB RD	SOUTH	MELBOURNE	2.8	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
138	HIBISCUS BLVD	EVANS RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	3.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
1026	HICKORY ST	NEW HAVEN AVE - US 192 (STRAWBRIDGE AVE)	SOUTH	MELBOURNE	0.1	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
139	HICKORY ST	US 192 (STRAWBRIDGE AVE) - SR 508 (NASA BLVD)	SOUTH	MELBOURNE	1.0	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
5002	I-95	ELLIS RD - SR 518 (EAU GALLE BLVD)	SOUTH	MELBOURNE	1.5	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	-	Most Crit.	-	-
143	JOHN RODES BLVD	SR 518 (EAU GALLIE BLVD) - AURORA RD	SOUTH	MELBOURNE	0.8	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	15%	0%	0%	0%	15%	0%	-	Crit.	-	-
142	JOHN RODES BLVD	US 192 (NEW HAVEN AVE) - SR 518 (EAU GALLIE BLVD)	SOUTH	MELBOURNE	2.9	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	42%	*	0%	0%	42%	0%	-	Most Crit.	-	-
148	LAKE WASHINGTON RD	LAKE WASHINGTON - WICKHAM RD	SOUTH	MELBOURNE	3.8	3	-	2	6	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	58%	14%	0%	0%	52%	0%	-	-	Most Crit.	-
2148	LAKE WASHINGTON RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.1	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
1025	MELBOURNE AVE	COUNTRY CLUB RD - SR 507 (BABCOCK ST)	SOUTH	MELBOURNE	0.2	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
344	MELBOURNE AVE	SR 507 (BABCOCK ST) - FRONT ST	SOUTH	MELBOURNE	1.3	6	2	2	16	Min. Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	27%	15%	21%	16%	0%	25%	Most Vuln.	Crit.	Crit.	-
159	NASA BLVD	EVANS RD - EDDIE ALLEN RD	SOUTH	MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Crit.	Yes
5040	NASA BLVD	WICKHAM RD - EVANS RD	SOUTH	MELBOURNE	1.4	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	Yes
348	PINE CONE RD	TURTLE MOUND RD - POST RD	SOUTH	MELBOURNE	0.5	1	-	-	-	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	20%	20%	0%	0%	0%	0%	-	-	-	-
349	PINEAPPLE AVE	SR 518 (EB EAU GALLIE BLVD) - PKWY DR	SOUTH	MELBOURNE	2.1	5	2	3	21	No Imp.	Sev. Imp.	Min. Imp.	No Imp.	Sev. Imp.	46%	0%	17%	1%	0%	34%	Most Vuln.	Crit.	Most Crit.	-
5039	PARKWAY DR	TURTLE MOUND RD - WICKHAM RD	SOUTH	MELBOURNE	1.0	2	-	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	40%	40%	0%	0%	0%	0%	-	-	-	-
164	PARKWAY DR	WICKHAM RD - PINEAPPLE AVE	SOUTH	MELBOURNE	1.9	1	2	1	3	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	4%	4%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
5038	POST RD	PINE CONE RD - WICKHAM RD	SOUTH	MELBOURNE	1.0	2	-	2	4	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	31%	31%	0%	0%	0%	0%	-	-	Most Crit.	-
168	POST RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.5	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	-
171	SARNO RD	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
170	SR 5054 (SARNO RD)	SR 518 (EAU GALLIE BLVD) - WICKHAM RD	SOUTH	MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
117	SR 507 (BABCOCK ST)	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	MELBOURNE	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
5046	SR 507 (BABCOCK ST)	PALM BAY RD - EBER BLVD	SOUTH	MELBOURNE	1.0	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Crit.	-
5043	SR 507 (BABCOCK ST)	PIRATE LN - FLORIDA AVE	SOUTH	MELBOURNE	0.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Crit.	-
160	SR 508 (NASA BLVD)	EDDIE ALLEN RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	1.4	-	1	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	Most Crit.	Yes
123	SR 518 (EAU GALLIE BLVD)	I-95 - WICKHAM RD	SOUTH	MELBOURNE	2.4	2	-	4	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	13%	0%	0%	4%	0%	-	Most Crit.	Most Crit.	-
124	SR 518 (EAU GALLIE BLVD)	WICKHAM RD - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	2.5	1	2	4	12	No Imp.	Min. Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
125	SR 518 (EAU GALLIE BLVD) (EB ONLY)	US 1 (HARBOR CITY BLVD) - CAUSEWAY	SOUTH	MELBOURNE	0.5	3	1	5	20	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	44%	0%	34%	40%	0%	33%	Vuln.	Most Crit.	Most Crit.	Yes
126	SR 518 (EAU GALLIE BLVD) (WB ONLY)	CAUSEWAY - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	0.5	3	-	5	15	No Imp.	Min. Imp.	Min. Imp.	No Imp.	Min. Imp.	47%	0%	37%	41%	0%	38%	-	Most Crit.	Most Crit.	Yes

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
355	STACK BLVD	PALM BAY RD - EBER BLVD	SOUTH	MELBOURNE	1.0	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
176	TURTLE MOUND RD	SR 518 (EAU GALLIE BLVD) - PINECONE RD	SOUTH	MELBOURNE	2.6	2	1	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	35%	35%	0%	0%	0%	0%	Vuln.	-	-	-
177	UNIVERSITY BLVD	COUNTRY CLUB RD - US 1 (DIXIE HWY)	SOUTH	MELBOURNE	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
2182	US 1	PKWY DR - SR 404 (PINEDA CSWY)	SOUTH	MELBOURNE	3.5	3	2	3	15	No Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	40%	0%	0%	2%	0%	40%	Most Vuln.	Most Crit.	Crit.	-
180	US 1 (DIXIE HWY)	RJ CONLAN BLVD - US 192 (STRAWBRIDGE AVE)	SOUTH	MELBOURNE	2.0	4	1	3	15	Min. Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	20%	2%	0%	1%	0%	20%	Vuln.	Most Crit.	Crit.	-
182	US 1 (HARBOR CITY BLVD)	SARNO RD - PKWY DR	SOUTH	MELBOURNE	2.6	2	2	4	16	No Imp.	No Imp.	Min. Imp.	No Imp.	Min. Imp.	8%	0%	0%	1%	0%	8%	Most Vuln.	Most Crit.	Most Crit.	-
181	US 1 (HARBOR CITY BLVD)	US 192 (STRAWBRIDGE AVE) - SARNO RD	SOUTH	MELBOURNE	3.5	4	2	4	24	Min. Imp.	No Imp.	Min. Imp.	No Imp.	Sev. Imp.	58%	1%	0%	1%	0%	58%	Most Vuln.	Most Crit.	Most Crit.	-
360	WH JACKSON ST	GRANT ST - US 1 (HARBOR CITY BLVD)	SOUTH	MELBOURNE	0.5	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	Crit.	-
189	WICKHAM RD	NASA BLVD - SARNO RD	SOUTH	MELBOURNE	1.5	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
191	WICKHAM RD	PKWY DR - SR 404 (PINEDA CSWY)	SOUTH	MELBOURNE	3.0	2	2	3	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	16%	16%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
190	WICKHAM RD	SARNO RD - PKWY DR	SOUTH	MELBOURNE	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
195	WOODY BURKE DR	HIBISCUS BLVD - NASA BLVD	SOUTH	MELBOURNE	0.6	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
320	AMERICANA BLVD	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.9	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
5054	AMERICANA BLVD	MINTON RD - EMERSON DR	SOUTH	PALM BAY	1.7	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
5041	BASS PRO DR	PALM BAY RD - RIVIERA DR	SOUTH	PALM BAY	0.4	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	Crit.	-
322	BAYSIDE LAKES BLVD	DE GROODT RD - DATELAND RD	SOUTH	PALM BAY	2.1	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
389	CLEARMONT ST	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	1.4	1	1	1	2	No Imp.	No Imp.	Min. Imp.	No Imp.	No Imp.	7%	0%	0%	7%	0%	0%	Vuln.	-	Crit.	-
325	COGAN DR	BABCOCK ST - BAYSIDE LAKES BLVD	SOUTH	PALM BAY	4.5	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	0%	0%	0%	94%	0%	Most Vuln.	-	Crit.	-
328	CULVER DR	EMERSON DR - PALM BAY RD	SOUTH	PALM BAY	0.5	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
2329	DE GROODT RD	BAYSIDE LAKES BLVD - JUPITER BLVD	SOUTH	PALM BAY	2.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
329	DE GROODT RD	ST ANDRE BLVD - BAYSIDE LAKES BLVD	SOUTH	PALM BAY	2.2	2	-	1	2	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	31%	4%	0%	0%	27%	0%	-	-	Crit.	-
331	ELDRON BLVD	BAYSIDE LAKES BLVD - AMERICANA BLVD	SOUTH	PALM BAY	4.3	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
129	EMERSON DR	DATELAND RD - MALABAR RD	SOUTH	PALM BAY	3.0	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	-	-
2131	EMERSON DR	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.5	-	-	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Crit.	-
130	EMERSON DR	MALABAR RD - MINTON RD	SOUTH	PALM BAY	3.6	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
131	EMERSON DR	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	43%	14%	0%	0%	43%	0%	-	Crit.	-	-
336	GARVEY RD	HARPER BLVD - MALABAR RD	SOUTH	PALM BAY	1.3	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
337	GLENDALE AVE	PACE DR - EMERSON DR	SOUTH	PALM BAY	1.1	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	20%	0%	0%	0%	20%	0%	-	Crit.	-	-
340	HARPER BLVD/HURLEY BLVD	GARVEY RD - MALABAR RD	SOUTH	PALM BAY	2.5	2	2	-	-	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	26%	26%	0%	0%	0%	0%	Most Vuln.	-	-	-
140	HOLLYWOOD BLVD	FLORIDA AVE - US 192 (NEW HAVEN AVE)	SOUTH	PALM BAY	1.5	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
5053	HOLLYWOOD BLVD	PALM BAY RD - FLORIDA AVE	SOUTH	PALM BAY	1.6	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
3000	I-95	INDIAN RIVER CO - ST JOHNS HERITAGE PKWY	SOUTH	PALM BAY	5.8	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	48%	0%	0%	100%	0%	-	Most Crit.	-	-
1001	I-95	SR 514 (MALABAR RD) - PALM BAY RD	SOUTH	PALM BAY	3.0	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
2145	JUPITER BLVD	EMERSON DR - SAN FILIPPO DR	SOUTH	PALM BAY	0.9	1	-	2	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	22%	22%	0%	0%	0%	0%	-	Crit.	Crit.	-
145	JUPITER BLVD	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	3.5	-	2	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	-	-
146	JUPITER BLVD	MALABAR RD SW - EMERSON DR	SOUTH	PALM BAY	2.3	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-
342	KNECHT RD	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	1.1	1	2	2	6	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	6%	6%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
387	LAMPLIGHTER DR	PACE DR - EMERSON DR	SOUTH	PALM BAY	1.0	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
152	MALABAR RD	EMERSON DR - SAN FILIPPO DR	SOUTH	PALM BAY	0.9	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
150	MALABAR RD	JUPITER BLVD - MINTON RD	SOUTH	PALM BAY	1.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
151	MALABAR RD	MINTON RD - EMERSON DR	SOUTH	PALM BAY	1.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
2150	MALABAR RD	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	2	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	16%	12%	0%	0%	16%	0%	Most Vuln.	-	-	-
5048	MINTON RD	JUPITER BLVD - MALABAR RD	SOUTH	PALM BAY	0.8	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
157	MINTON RD	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	2.3	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
347	PACE DR	ST JOHNS HERITAGE PKWY - JUPITER BLVD	SOUTH	PALM BAY	2.5	3	1	2	8	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	40%	10%	0%	0%	40%	0%	Vuln.	Crit.	Crit.	-
163	PALM BAY RD	SR 507 (BABCOCK ST) - US 1 (DIXIE HWY)	SOUTH	PALM BAY	2.5	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
351	PORT MALABAR BLVD	SR 507 (BABCOCK ST) - PALM BAY RD	SOUTH	PALM BAY	1.7	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
167	PORT MALABAR RD	SR 507 (BABCOCK ST) - US 1 (DIXIE HWY)	SOUTH	PALM BAY	3.2	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
352	RIVIERA DR	PALM BAY RD - PORT MALARBAR BLVD	SOUTH	PALM BAY	2.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
2352	RIVIERA DR	PORT MALABAR BLVD - PALM BAY RD	SOUTH	PALM BAY	0.7	1	1	1	2	Min. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	24%	24%	0%	0%	0%	0%	Vuln.	-	Crit.	-
169	RJ CONLAN BLVD	PALM BAY RD - US 1 (DIXIE HWY)	SOUTH	PALM BAY	1.7	-	1	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Crit.	-	-
2174	SAN FILIPPO DR	ST ANDRE BLVD - WYOMING DR	SOUTH	PALM BAY	4.2	1	2	1	3	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	73%	0%	0%	0%	73%	0%	Most Vuln.	-	Crit.	-
174	SAN FILIPPO DR	WYOMING DR - MALARBAR RD	SOUTH	PALM BAY	3.3	2	2	2	8	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	15%	15%	0%	0%	0%	0%	Most Vuln.	-	Most Crit.	-
116	SR 507 (BABCOCK ST)	SR 514 (MALABAR RD) - PALM BAY RD	SOUTH	PALM BAY	2.5	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
153	SR 514 (MALABAR RD)	SAN FILIPPO DR - SR 507 (BABCOCK ST)	SOUTH	PALM BAY	0.8	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
1030	ST JOHNS HERITAGE PKWY	BABCOCK ST - MICCO RD	SOUTH	PALM BAY	4.0	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	52%	0%	0%	100%	0%	-	-	-	-
5047	ST JOHNS HERITAGE PKWY	EMERSON DR - US 192 (NEW HAVEN AVE)	SOUTH	PALM BAY	3.8	3	-	-	-	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	30%	29%	0%	0%	30%	0%	-	-	-	-
173	ST JOHNS HERITAGE PKWY	MALABAR RD - EMERSON DR	SOUTH	PALM BAY	2.3	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	100%	0%	0%	99%	0%	-	-	Crit.	-
357	WACO BLVD	EMERSON DR - BABCOCK ST	SOUTH	PALM BAY	1.6	-	1	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	-	-	-
358	WALDEN BLVD/WYOMING DR	EMERSON DR - BABCOCK ST	SOUTH	PALM BAY	1.8	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
112	AURORA RD	HARLOCK RD - WICKHAM RD	SOUTH	UNINCORPORATED	2.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	35%	16%	0%	0%	19%	0%	-	Crit.	-	-
1027	EAU GALLE BLVD	INSPIRATION LN - JONES RD	SOUTH	UNINCORPORATED	0.3	2	-	-	-	Min. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	100%	0%	0%	0%	100%	0%	-	-	-	-
132	EVANS RD	US 192 (NEW HAVEN AVE) - NASA BLVD	SOUTH	UNINCORPORATED	1.0	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
133	FLEMING GRANT RD	MAIN ST - MICCO RD	SOUTH	UNINCORPORATED	5.0	3	-	1	3	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	92%	33%	0%	0%	76%	0%	-	-	Crit.	-
1003	I-95	SR 518 (EAU GALLIE BLVD) - PINEDA CSWY	SOUTH	UNINCORPORATED	5.0	3	1	3	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	70%	13%	0%	0%	60%	0%	Vuln.	Most Crit.	Crit.	-
149	MAIN ST	RIVERVIEW DR - US 1	SOUTH	UNINCORPORATED	0.4	6	-	1	6	Min. Imp.	Min. Imp.	Sev. Imp.	Min. Imp.	Min. Imp.	100%	15%	45%	78%	100%	48%	-	-	Crit.	-
2156	MICCO RD	BABCOCK ST - ST JOHNS HERITAGE PKWY	SOUTH	UNINCORPORATED	2.6	4	-	2	8	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	13%	0%	0%	100%	0%	-	Most Crit.	-	-
156	MICCO RD	ST JOHNS HERITAGE PKWY - US 1	SOUTH	UNINCORPORATED	5.1	3	-	4	12	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	38%	10%	0%	0%	28%	0%	-	Most Crit.	Most Crit.	-
158	MINTON RD	EMERSON DR - US 192 (NEW HAVEN AVE)	SOUTH	UNINCORPORATED	3.2	2	1	4	12	Sev. Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	*	0%	0%	0%	0%	Vuln.	Most Crit.	Most Crit.	-
345	NEW HAVEN AVE	US 192 (NEW HAVEN AVE)/FRANKLIN ST - US 192 (STRAWBRIDGE AVE)	SOUTH	UNINCORPORATED	1.1	3	1	4	16	Min. Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	15%	9%	15%	12%	0%	0%	Vuln.	Crit.	Most Crit.	Yes
162	PALM BAY RD	HOLLYWOOD BLVD - SR 507 (BABCOCK ST)	SOUTH	UNINCORPORATED	1.7	-	2	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Most Crit.	-
161	PALM BAY RD	MINTON RD - HOLLYWOOD BLVD	SOUTH	UNINCORPORATED	1.3	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
324	PROSPECT AVE/LIPSCOMB ST	FLORIDA AVE - US 1 (DIXIE HWY)	SOUTH	UNINCORPORATED	1.4	-	2	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	-	Crit.	-
5042	PROSPECT AVE/LIPSCOMB ST	PALM BAY RD - FLORIDA AVE	SOUTH	UNINCORPORATED	1.5	-	2	2	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Crit.	Crit.	-

Corridor Summary										For What is the Corridor Vulnerable?					How Much of the Corridor is Vulnerable?					Serves a Vulnerable Population?	Is the Corridor Critical?			
Corridor ID	Road Name	Limits	Area	City	Length (mi)	Vuln. Score	Vuln. Pop.	Critical Score	Total Score	Flood	SLR	Storm Surge	Fire	Shrl. Eros.	% Vuln.	% Flood	% SLR	% Surge	% Fire	% Shrl. Eros.	Serves Vuln. Pop.	Serves a Crit. Func.	Serves a Crit. Local Asset	Serves a Crit. Reg. Asset
165	SR 404 (PINEDA CSWY)	LAKE ANDREW DR - WICKHAM RD	SOUTH	UNINCORPORATED	3.2	3	1	4	16	Sev. Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	94%	57%	0%	0%	82%	0%	Vuln.	Most Crit.	Crit.	Yes
5050	ST JOHNS HERITAGE PKWY	US 192 - I-95	SOUTH	UNINCORPORATED	1.7	4	-	-	-	Sev. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	100%	98%	0%	0%	100%	0%	-	-	-	-
183	US 192	OSCEOLA CO - I-95	SOUTH	UNINCORPORATED	9.8	3	-	2	6	Min. Imp.	No Imp.	No Imp.	Sev. Imp.	No Imp.	83%	2%	0%	0%	83%	0%	-	Most Crit.	-	-
186	US 192 (NEW HAVEN AVE)	BABCOCK ST - NEW HAVEN AVE	SOUTH	UNINCORPORATED	1.3	2	1	5	15	No Imp.	Min. Imp.	Min. Imp.	No Imp.	No Imp.	1%	0%	0%	1%	0%	0%	Vuln.	Most Crit.	Most Crit.	Yes
184	US 192 (NEW HAVEN AVE)	I-95 - MINTON RD/WICKHAM RD	SOUTH	UNINCORPORATED	2.0	-	-	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Most Crit.	Most Crit.	-
185	US 192 (NEW HAVEN AVE)	MINTON RD - BABCOCK ST	SOUTH	UNINCORPORATED	3.1	-	2	4	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Most Vuln.	Most Crit.	Most Crit.	-
1023	WILLOWWOOD DR	EBER BLVD - WILLOWWOOD DR	SOUTH	UNINCORPORATED	0.3	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
5001	I-95	PALM BAY RD - US 192 (NEW HAVEN AVE)	SOUTH	WEST MELBOURNE	4.4	-	1	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	Vuln.	Most Crit.	Crit.	-
1002	I-95	US 192 (NEW HAVEN AVE) - ELLIS RD	SOUTH	WEST MELBOURNE	1.3	1	-	2	2	No Imp.	No Imp.	No Imp.	Min. Imp.	No Imp.	90%	0%	0%	0%	90%	0%	-	Most Crit.	-	-
346	NORFOLK PKWY	PALM BAY RD - MINTON RD	SOUTH	WEST MELBOURNE	0.9	-	-	1	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	-	-
353	SHERIDAN RD	JOHN RODES BLVD - WICKHAM RD	SOUTH	WEST MELBOURNE	1.7	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-
188	WICKHAM RD	US 192 (NEW HAVEN AVE) - NASA BLVD	SOUTH	WEST MELBOURNE	1.4	-	-	3	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	Crit.	Most Crit.	-
388	WINGATE DR	MINTON RD - HOLLYWOOD BLVD	SOUTH	WEST MELBOURNE	1.1	-	-	-	-	No Imp.	No Imp.	No Imp.	No Imp.	No Imp.	0%	0%	0%	0%	0%	0%	-	-	-	-